# SAFETY DATA SHEET



# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or ULTRA-EXPRESS 45; ULTRA-EXPRESS 45 WF

designation of the mixture **Registration number** 

**Synonyms** None.

**Brand Code** 6201, 6205, 459C **Issue date** 15-November-2016

**Version number** 

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** For Industrial Use Only

Uses advised against Users should be informed of the potential presence of respirable dust and respirable crystalline silica

as well as their potential hazards. Appropriate training in the proper use and handling of this

material should be provided as required under applicable regulations.

1.3. Details of the supplier of the safety data sheet

Supplier

**Company name** HarbisonWalker International Limited

**Address** Dock Road South

Bromborough

Wirral UK

**Division** United Kingdom

44.(0)151.641.5900 **Telephone** General Phone:

e-mail REACH@thinkhwi.com

HWI USA **Contact person** 

1.4. Emergency telephone +44 (0)151 641 5900 (Office hours 07:30 - 17:00)

number

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

### Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Prolonged exposure may cause chronic effects. Not classified for health hazards. However, **Hazard summary** 

occupational exposure to the mixture or substance(s) may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

**Hazard pictograms** None. Signal word None.

**Hazard statements** The mixture does not meet the criteria for classification.

**Precautionary statements** 

**Prevention** Observe good industrial hygiene practices.

Response Wash hands after handling.

Store away from incompatible materials. Storage

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Supplemental label

Users should be informed of the potential presence of respirable dust and respirable crystalline information silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans,

which is a progressive and irreversible lung disease. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

2.3. Other hazards None known.

Material name: ULTRA-EXPRESS 45; ULTRA-EXPRESS 45 WF SDS UK 1/7 6201, 6205, 459C Version #: 01 Issue date: 15-November-2016

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	INDEX No.	Notes
Aluminium Oxide (Non-Fibrous)	10 - 20	1344-28-1 215-691-6	01-2119529248-35-0134	-	
Classification: -					
Cement, Alumina, Chemicals	2.5 - 10	65997-16-2 266-045-5	-	-	
Classification: -					

Other components below reportable levels 80 - 90

## List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance.

vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important Exposure may cause temporary irritation, redness, or discomfort.

symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

mixture

Not available.

5.2. Special hazards arising

from the substance or

5.3. Advice for firefighters

**Special protective** equipment for firefighters

Not available.

Not available.

Special fire fighting

procedures

Not available.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Material name: ULTRA-EXPRESS 45; ULTRA-EXPRESS 45 WF

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not breathe dust. Avoid prolonged exposure.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### **Occupational exposure limits**

Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	4 mg/m3	Respirable dust.
		10 mg/m3	Inhalable dust.
Amorphous silica (CAS 7631-86-9)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.
Cristobalite (CAS 14464-46-1)	TWA	1 fibers/mL	Fiber.
		5 mg/m3	Fiber.
		0.1 mg/m3	Respirable.
Fumes, Silica (CAS 69012-64-2)	TWA	6 mg/m3	Inhalable dust.
		2.4 mg/m3	Respirable dust.

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

**Recommended monitoring** 

procedures

Follow standard monitoring procedures.

**Derived no effect levels** (DNELs)

Not available.

**Predicted no effect** concentrations (PNECs) Not available

**Exposure guidelines** 

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure

limits have not been established, maintain airborne levels to an acceptable level.

## Individual protection measures, such as personal protective equipment

**General information** Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Material name: ULTRA-EXPRESS 45; ULTRA-EXPRESS 45 WF 6201, 6205, 459C Version #: 01 Issue date: 15-November-2016







Always observe good personal hygiene measures, such as washing after handling the material and **Hygiene measures** 

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

**Environmental exposure** 

controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

**Appearance** 

**Physical state** Solid. **Form** Solid.

Not available. Colour **Odour** Not available. **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits Flammability limit - lower

(%)

Not available.

Flammability limit -

upper (%)

Not available.

Vapour pressure Not available. Not available. Vapour density Not available. **Relative density** 

Solubility(ies)

Solubility (water) Not available. Solubility (other) Not available. Not available. **Partition coefficient** 

(n-octanol/water)

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Not available. **Viscosity Explosive properties** Not explosive.

**Oxidising properties** 

9.2. Other information

Not oxidising. No relevant additional information available.

# **SECTION 10: Stability and reactivity**

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

Material is stable under normal conditions. 10.2. Chemical stability

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Acids. Fluorine. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not

be specific to industrial application exposure.

10.6. Hazardous

decomposition products

No hazardous decomposition products are known.

Material name: ULTRA-EXPRESS 45; ULTRA-EXPRESS 45 WF 6201, 6205, 459C Version #: 01 Issue date: 15-November-2016

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. **Eye contact** Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Exposure may cause temporary irritation, redness, or discomfort.

## 11.1. Information on toxicological effects

**Acute toxicity** Not known.

Skin corrosion/irritation Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

**Respiratory sensitisation** 

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Skin sensitisation

Carcinogenicity

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on

external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and

controlled. Risk of cancer cannot be excluded with prolonged exposure. Due to partial or complete lack of data the classification is not possible.

Reproductive toxicity

Specific target organ toxicity

- single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

**Aspiration hazard** Mixture versus substance

information

Due to partial or complete lack of data the classification is not possible.

No information available.

This product has no known adverse effect on human health. Other information

# **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

12.4. Mobility in soil

potential

No data available.

**Partition coefficient** n-octanol/water (log Kow) Not available.

**Bioconcentration factor (BCF)** 

Not available. No data available. Not available.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Residual waste Not available.

Contaminated packaging Not available.

EU waste code Not available.

**Disposal**This product, in its present state, when discarded or disposed of, is not a hazardous waste

methods/information according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

# **SECTION 14: Transport information**

#### ΔDR

14.1. - 14.6.: Not regulated as dangerous goods.

**RID** 

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## **EU regulations**

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Not listed

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### **Restrictions on use**

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Not regulated.

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

### Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

## Other EU regulations

### Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

**National regulations** Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

## **SECTION 16: Other information**

List of abbreviations Not available. Not available. References **Information on evaluation** Not available.

method leading to the classification of mixture

None.

**Full text of any H-statements** not written out in full under

Sections 2 to 15

**Revision information** 

Product and Company Identification: Product Codes Composition / Information on Ingredients: Ingredients

**Training information** Not available.

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Material name: ULTRA-EXPRESS 45; ULTRA-EXPRESS 45 WF 6201, 6205, 459C Version #: 01 Issue date: 15-November-2016