SAFETY DATA SHEET



1. Identification

Product identifier NO. T-36 REFR CEMENT; NO. T-36 REFR CEMENT-WINTERIZED

Other means of identification

Brand Code 6006, 147C

Recommended use For Industrial Use Only

Recommended restrictions Avoid dry cutting, blasting, or dust generation.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108 US

Telephone General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC 24 HOUR 1-800-424-9300

EMERGENCY #

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated

exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

Category 1

clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental informationUsers should be informed of the potential presence of respirable dust and respirable crystalline

silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and

handling of this material should be provided as required under applicable regulations.

3. Composition/information on ingredients

Mixtures

Material name: NO. T-36 REFR CEMENT; NO. T-36 REFR CEMENT-WINTERIZED 6006, 147C Version #: 01 Issue date: 09-26-2018

Chemical name	Common name and synonyms	CAS number	%
ALPHA-ALUMINA		1344-28-1	10 - 20
Mullite		1302-93-8	10 - 20
SILICA, AMORPHOUS, FUMED	SILICA, AMORPHOUS, FUMED SILICA (CRYSTALLINE FREE)	7631-86-9	2.5 - 10
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	2.5 - 10
Silicic Acid, Sodium Salt		1344-09-8	2.5 - 10
Titanium Dioxide		13463-67-7	1 - 2.5
ETHYLENE GLYCOL		107-21-1	0.1 - 1
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	0.1 - 1
Other components below reportable	e levels		40 - 60

All concentrations are in percent by weight unless ingredient is a gas.

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Prolonged exposure may cause chronic effects.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Not applicable.

Not available.

Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Use fire-extinguishing media appropriate for surrounding materials.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occ

ccupational exposure limits				
US. ACGIH Threshold Limit Values Components	Туре	Value	Form	
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.	
ETHYLENE GLYCOL (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
Canada. Alberta OELs (Occupational He	alth & Safety Code, Schedule 1, Tab	ole 2)		
Components	Туре	Value	Form	
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3		
ETHYLENE GLYCOL (CAS 107-21-1)	Ceiling	100 mg/m3		
SILICA, CRYSTALLINE, CRISTOBALITE (CAS	TWA	0.025 mg/m3	Respirable.	
14464-46-1)		0.025 mg/m3	Respirable particles.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and				
Safety Pegulation 206/07 as amended)			•	
Safety Regulation 296/97, as amended) Components	Туре	Value	Form	
Components ALPHA-ALUMINA (CAS	Type TWA	Value 1 mg/m3	·	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS			Form	
Components ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Form Respirable.	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS	TWA Ceiling STEL	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3	Form Respirable. Aerosol. Vapor. Particulate.	
Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1)	TWA Ceiling STEL TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate.	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS	TWA Ceiling STEL	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total	
Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA Ceiling STEL TWA TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable.	
Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS	TWA Ceiling STEL TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total	
Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE,	TWA Ceiling STEL TWA TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable.	
Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS	TWA Ceiling STEL TWA TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3 0.025 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable. Respirable fraction.	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7)	TWA Ceiling STEL TWA TWA TWA TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable. Respirable fraction.	
Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS	TWA Ceiling STEL TWA TWA TWA TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable. Respirable fraction. Respirable fraction.	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Reg. 217/2006,	TWA Ceiling STEL TWA TWA TWA TWA TWA TWA TWA TWA TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3 0.025 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3 Act)	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable. Respirable fraction. Respirable fraction. Total dust.	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Reg. 217/2006, Components ALPHA-ALUMINA (CAS	TWA Ceiling STEL TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3 Value	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable. Respirable fraction. Respirable fraction. Total dust. Form	
ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS 107-21-1) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS 13463-67-7) Canada. Manitoba OELs (Reg. 217/2006, Components ALPHA-ALUMINA (CAS 1344-28-1) ETHYLENE GLYCOL (CAS	TWA Ceiling STEL TWA	1 mg/m3 100 mg/m3 50 ppm 20 mg/m3 10 mg/m3 4 mg/m3 1.5 mg/m3 0.025 mg/m3 3 mg/m3 10 mg/m3 Value 1 mg/m3	Form Respirable. Aerosol. Vapor. Particulate. Particulate. Total Respirable. Respirable fraction. Respirable fraction. Total dust. Form Respirable fraction.	

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)			
Components	Туре	Value	Form
Titanium Dioxide (CAS	TWA	10 mg/m3	

13463-67-7)

Canada. Ontario OELs.	Control of Expo	sure to Biological	or Chemical Agents)
Juliada. Olitario OLLS.	Odinioi oi Expo	Journ to Diviogicui	or orientical Agents,

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
ETHYLENE GLYCOL (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment)

	Form
10 mg/m3	Total dust.
127 mg/m3	Vapor and mist.
50 ppm	Vapor and mist.
6 mg/m3	Respirable dust.
0.05 mg/m3	Total dust.
0.1 mg/m3	Respirable dust.
10 mg/m3	Total dust.
	0.1 mg/m3

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21)				
Components	Туре	Value	Form	
ETHYLENE GLYCOL (CAS 107-21-1)	Ceiling	100 mg/m3	Aerosol.	

No biological exposure limits noted for the ingredient(s). **Biological limit values**

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica **Exposure guidelines**

should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable)

and respirable crystalline silica should be monitored and controlled.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.
Relative density Not available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Powerful oxidizers. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eve contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Irritant ETHYLENE GLYCOL (CAS 107-21-1) SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant

14464-46-1)

Irritant Titanium Dioxide (CAS 13463-67-7)

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica

> inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker

protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and

respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

ALPHA-ALUMINA (CAS 1344-28-1) A4 Not classifiable as a human carcinogen. ETHYLENE GLYCOL (CAS 107-21-1) A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS A2 Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

ALPHA-ALUMINA (CAS 1344-28-1) Not classifiable as a human carcinogen. ETHYLENE GLYCOL (CAS 107-21-1) Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen. 14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7) Not classifiable as a human carcinogen.

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Detected carcinogenic effect in animals.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans. SILICA, CRYSTALLINE, CRISTOBALITE (CAS 1 Carcinogenic to humans.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Known To Be Human Carcinogen.

14464-46-1)

Reasonably Anticipated to be a Human Carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Developmental effects

SILICA, CRYSTALLINE, QUARTZ 0

Developmental effects - EU category

SILICA, CRYSTALLINE, QUARTZ 0

Embryotoxicity

SILICA, CRYSTALLINE, QUARTZ 0

Reproductivity

SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYLENE GLYCOL -1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste codeSince this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

Toxic Substances Control Act (TSCA) Inventory

country(s).

16. Other information

Issue date 09-26-2018

Version # 01

United States & Puerto Rico

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Revision information Product and Company Identification: Product Codes

Inventory name

Composition / Information on Ingredients: Ingredients

Ecological Information: Ecotoxicity

Transport Information: Material Transportation Information

GHS: Classification

On inventory (yes/no)*

No