

SAFETY DATA SHEET

1. Identification

Product identifier	PNEULITE SPRAY 26 ADTECH
Other means of identification	
Brand Code	4857
Recommended use	For Industrial Use Only
Recommended restrictions	Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.
Manufacturer/Importer/Supplier	/Distributor information
Manufacturer	

Company name Address	HarbisonWalker International 1305 Cherrington Parkway, Suite 100	
	Moon Township, Penns	ylvania 15108 US
Telephone	General Phone:	412-375-6600
Website	www.thinkHWI.com	
Emergency phone number	Not available.	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger	
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.	
Precautionary statement		
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.	
Response	If exposed or concerned: Get medical advice/attention.	
Storage	Store locked up.	
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Hazard(s) not otherwise classified (HNOC)	None known.	
Supplemental information	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.	

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Mullite		1302-93-8	20 - 40
Cement, Alumina, Chemica	ls	65997-16-2	10 - 25
Kyanite		1302-76-7	10 - 25
Amorphous Silica	Fumed Silica Silica, crystalline free	7631-86-9	2.5 - 10
Cristobalite		14464-46-1	2.5 - 10
Fumes, Silica		69012-64-2	2.5 - 10
Quartz (SiO2)		14808-60-7	1 - 2.5
Titanium Dioxide		13463-67-7	1 - 2.5
Other components below re	portable levels		10 - 25

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret. Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	s for Air Contaminants (29 CFR 1910.1000) Type	Value	Form
Cristobalite (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
Quartz (SiO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
Titanium Dioxide (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CF			_
Components	Туре	Value	Form
Amorphous Silica (CAS 7631-86-9)	TWA	0.8 mg/m3	
		20 mppcf	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
		1.2 mppcf	Respirable.
Fumes, Silica (CAS 69012-64-2)	TWA	0.8 mg/m3	
		20 mppcf	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Titanium Dioxide (CAS 13463-67-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limi Components	it Values Type	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
US. NIOSH: Pocket Guide			F
Components	Туре	Value	Form
Amorphous Silica (CAS 7631-86-9)	TWA	6 mg/m3	
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Fumes, Silica (CAS 69012-64-2)	TWA	6 mg/m3	
Quartz (SiO2) (CAS	TWA	0.05 mg/m3	Respirable dust.
14808-60-7)			
	No biological exposure limits noted for the ingr	redient(s).	

Appropriate engineering controls Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection Hand protection	Wear appropriate chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

•	•
Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.

Oxidizing properties Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Chlorine. Fluorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	cts
Acute toxicity	Not known.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.

IARC Monographs. Overall Evaluation of Carcinogenicity

Amorphous Silica (CAS 7631-86-9)	3 Not classifiable as to carcinogenicity to humans.	
Cristobalite (CAS 14464-46-1)	1 Carcinogenic to humans.	
Fumes, Silica (CAS 69012-64-2)	3 Not classifiable as to carcinogenicity to humans.	
Quartz (SiO2) (CAS 14808-60-7)	1 Carcinogenic to humans.	
Titanium Dioxide (CAS 13463-67-7)	2B Possibly carcinogenic to humans.	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)		
Cristobalite (CAS 14464-46-1)	Cancer	
Quartz (SiO2) (CAS 14808-60-7)	Cancer	

US. National Toxicology Pro	ogram (NTP) Report on Carcir	iogens
Cristobalite (CAS 14464-46-1)		Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen.
Quartz (SiO2) (CAS 14808-60-7)		Known To Be Human Carcinogen.
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.
Developmental effects Quartz (SiO2)		0
Developmental effects - Quartz (SiO2)	· EU category	0
Embryotoxicity Quartz (SiO2)		0
Reproductivity Quartz (SiO2)		0
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Causes damage to organs the harmful. Prolonged exposure	rough prolonged or repeated exposure. Prolonged inhalation may be may cause chronic effects.
12. Ecological information	1	
Ecotoxicity		as environmentally hazardous. However, this does not exclude the int spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the de	egradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		ntal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.
13. Disposal consideration	ns	
Disposal instructions	according to Federal regulation	ate, when discarded or disposed of, is not a hazardous waste ons (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ine, at the time of disposal, whether the product meets RCRA criteria
Hazardous waste code		several industries, no Waste Code can be provided by the supplier. etermined in arrangement with your waste disposal partner or the
Waste from residues / unused products	Not available.	
Contaminated packaging	Not available.	
14. Transport information		
DOT Not regulated as dangerous g	oods.	
IATA Not regulated as dangerous g	oods.	
IMDG		
Not regulated as dangerous g		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
15. Regulatory information		
US federal regulations		Chemical" as defined by the OSHA Hazard Communication All chemical substances in this product are listed on the TSCA where required.
TSCA Section 12(b) Export	Notification (40 CER 707 Sub	

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

e notification I Substances (29 CFR 6-1) 3-60-7) 6-1) 3-60-7) 6-1) 3-60-7) 6-1) 3-60-7) authorization Act of 19 ous substance	Cancer Cancer lung effects lung effects immune system effects immune system effects kidney effects kidney effects	
4 Substances (29 CFR 6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) authorization Act of 19 ous substance	Cancer Cancer lung effects lung effects immune system effects immune system effects kidney effects kidney effects	
6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) authorization Act of 19 ous substance	Cancer Cancer lung effects lung effects immune system effects immune system effects kidney effects kidney effects	
6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) authorization Act of 19 ous substance	Cancer Cancer lung effects lung effects immune system effects immune system effects kidney effects kidney effects	
8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) 6-1) 8-60-7) authorization Act of 19 ous substance	Cancer lung effects lung effects immune system effects immune system effects kidney effects kidney effects	
authorization Act of 19 ous substance	-	
ous substance	986 (SARA)	
Yes		
Carcinogenicity Specific target organ t	oxicity (single or repeated exposure)	
Not regulated.		
xide, which is known to	the State of California to cause cancer. For more	
5 - CRT: Listed date/C	arcinogenic substance	
	-	
S 13463-67-7) e Chemicals List. Safe 64-46-1)	Listed: September 2, 2011 r Consumer Products Regulations (Cal. Code	e Regs, tit. 22, 69502.3,
4808-60-7) S 13463-67-7)		
Inventory name		On inventory (yes/no)*
Australian Inventory of	f Chemical Substances (AICS)	Yes
Domestic Substances	List (DSL)	Yes
Non-Domestic Substa	nces List (NDSL)	No
Inventory of Existing C	Chemical Substances in China (IECSC)	Yes
		No
European List of Notifi	ed Chemical Substances (ELINCS)	No
Inventory of Existing a	nd New Chemical Substances (ENCS)	No
Existing Chemicals Lis	st (ECL)	Yes
	Specific target organ t 112 Hazardous Air Po 112(r) Accidental Rela Not regulated. S product can expose ye xide, which is known to ye wich is known to ye date 4808-60-7) S 13463-67-7) Enter the target is the target is the target is the target is the target is the target wich is known to ye wich is known to ye wich is known to ye the target is the target wich is known to ye the target is the target is the target is the target wich is the target is the target is the target wich is the target wich is the target is the target is the target wich is the target is the target is the target is the target is the target is the target is the targe	Specific target organ toxicity (single or repeated exposure) 112 Hazardous Air Pollutants (HAPs) List 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. s product can expose you to chemicals including Titanium Dioxide: Titar kide, which is known to the State of California to cause cancer. For more ww.P65Warnings.ca.gov. 5 - CRT: Listed date/Carcinogenic substance 4808-60-7) Listed: October 1, 1988 S 13463-67-7) Listed: October 1, 1988 S 13463-67-7) Listed: September 2, 2011 c Chemicals List. Safer Consumer Products Regulations (Cal. Code 64-46-1) 4808-60-7) S 13463-67-7) Inventory name Australian Inventory of Chemical Substances (AICS) Domestic Substances List (DSL) Non-Domestic Substances List (NDSL) Inventory of Existing Chemical Substances in China (IECSC) European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS)

Philippine Inventory of Chemicals and Chemical Substances

New Zealand Inventory

(PICCS)

New Zealand

Philippines

Yes

No

Country(s) or region	Inventory name	On inventory (yes/no)*
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No
*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).		

16. Other information, including date of preparation or last revision

Issue date	05-21-2015
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.