

SAFETY DATA SHEET

1. Identification

1. Identification				
Product identifier	ULTRA-EXPRESS 70; ULTRA-EXPRESS 70 WF			
Other means of identification				
Brand Code	6210, 6216			
Recommended use	For Industrial Use Only			
Recommended restrictions	Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.			
Manufacturer/Importer/Supplier/	Distributor information			
Manufacturer				
Company name Address	HarbisonWalker International 1305 Cherrington Parkway, Suite 100 Moon Township Pennsylvania 15108 US			
Telephone	General Phone: 412-375-6600			
Website	www.thinkHWI.com			
Emergency phone number	Not available.			
Supplier	Not available.			
2. Hazard identification				
Physical hazards	Not classified.			
Health hazards	Carcinogenicity Category 1A			
Environmental hazards	Not classified.			
Label elements				
Signal word	Danger			
Hazard statement	May cause cancer.			
Precautionary statement				
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been rea and understood. Wear protective gloves/protective clothing/eye protection/face protection.	d		
Response	IF exposed or concerned: Get medical advice/attention.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulation	าร.		
Other hazards	None known.			

Supplemental informationNone.3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALPHA-ALUMINA		1344-28-1	40 - 60
Mullite		1302-93-8	30 - 50
Cement, Alumina, Chemicals		65997-16-2	2.5 - 10
SILICA, AMORPHOUS, FUMED		69012-64-2	2.5 - 10

Chemical name	Common name and synonyms	CAS number	%
SILICA, AMORPHOUS, FUMED	Fumed Silica Silica, crystalline free	7631-86-9	2.5 - 10
Titanium Dioxide		13463-67-7	1 - 2.5
Carbon		7440-44-0	0.1 - 2.5
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	0.1 - 2.5

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Do not rub eyes. Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Dusts may irritate the respiratory tract, skin and eyes.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

1 - 2.5

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
		0.025 mg/m3	Respirable particles.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	4 mg/m3	Total
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	4 mg/m3	Total fume.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	1.5 mg/m3	Respirable.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	1.5 mg/m3	Respirable fume.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)				
Components	Туре	Value	Form	
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.	
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	2 mg/m3	Respirable fraction.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3		

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	6 mg/m3	Respirable dust.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	2 mg/m3	Respirable dust and/or fume.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) Componento **T**. 1/-1---

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	
Mullite (CAS 1302-93-8)	15 minute	20 mg/m3	Dust.
	8 hour	10 mg/m3	Dust.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	8 hour	2 mg/m3	Respirable fraction and fume.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.
	8 hour	0.05 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	15 minute	20 mg/m3	
	8 hour	10 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica **Exposure guidelines** should be monitored and controlled.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits.

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Use of an impervious apron is recommended.

Earm

Respiratory protection

Thermal hazards



General hygiene considerations

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Wear appropriate thermal protective clothing, when necessary.

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Solid. **Physical state** Form Powder. Color Not available. Not available. Odor Odor threshold Not available. Not available. pН Melting point/freezing point Not available. Initial boiling point and boiling Not available. range Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available. (%) Flammability limit - upper Not available. (%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Not available. **Relative density** Solubility(ies) Not available. Solubility (water) **Partition coefficient** Not available. (n-octanol/water) Auto-ignition temperature Not available. **Decomposition temperature** Not available. Viscosity Not available. Other information **Explosive properties** Not explosive. Not oxidizing. **Oxidizing properties**

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.

Incompatible materials	Acids. Chlorine. Fluorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of e	-	
Inhalation	Dust may irritate respiratory system. Prolonged inhalation may be harmful.	
Skin contact	Dust or powder may irritate the skin.	
Eye contact	Dust may irritate the eyes.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Dusts may irritate the respiratory tract, skin and eyes.	
Information on toxicological effe	ects	
Acute toxicity	Not known.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Canada - Alberta OELs: Irrita	ant	
SILICA, CRYSTALLINE, (14464-46-1)		
Titanium Dioxide (CAS 13	3463-67-7) Irritant	
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.	

ACGIH Carcinogens

ALPHA-ALUMINA (CAS 1344-28-1)	A4 Not classifiable as a human carcinogen.
Mullite (CAS 1302-93-8)	A4 Not classifiable as a human carcinogen.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	A2 Suspected human carcinogen.
Titanium Dioxide (CAS 13463-67-7)	A4 Not classifiable as a human carcinogen.
Canada - Alberta OELs: Carcinogen category	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	Suspected human carcinogen.
Canada - Manitoba OELs: carcinogenicity	
ALPHA-ALUMINA (CAS 1344-28-1)	Not classifiable as a human carcinogen.
Mullite (CAS 1302-93-8)	Not classifiable as a human carcinogen.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS	Suspected human carcinogen.
14464-46-1)	
Titanium Dioxide (CAS 13463-67-7)	Not classifiable as a human carcinogen.

Canada - Quebec OELs: Ca	• • •	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)		Detected carcinogenic effect in animals.
	Evaluation of Carcinogenicity	
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)		3 Not classifiable as to carcinogenicity to humans.3 Not classifiable as to carcinogenicity to humans.1 Carcinogenic to humans.
Titanium Dioxide (CAS 13	3463-67-7)	2B Possibly carcinogenic to humans.
US. National Toxicology Program (NTP) Report on Carcinogens		
SILICA, CRYSTALLINE, 14464-46-1)	CRISTOBALITE (CAS	Known To Be Human Carcinogen.
		Reasonably Anticipated to be a Human Carcinogen.
Reproductive toxicity		o cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be l	harmful. Prolonged exposure may cause chronic effects.
12. Ecological information	1	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		tal effects (e.g. ozone depletion, photochemical ozone creation n, global warming potential) are expected from this component.
13. Disposal consideration	าร	
Disposal instructions	according to Federal regulation	ate, when discarded or disposed of, is not a hazardous waste ons (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ne, at the time of disposal, whether the product meets RCRA criteria
Hazardous waste code		everal industries, no Waste Code can be provided by the supplier. etermined in arrangement with your waste disposal partner or the
Waste from residues / unused products	Not available.	
Contaminated packaging	Not available.	
14. Transport information		
TDG		
Not regulated as dangerous g	oods.	
ΙΑΤΑ		
Not regulated as dangerous g	oods.	
IMDG		
Not regulated as dangerous g		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	

the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1	999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
Precursor Control Regulation	ons	
Not regulated.		
International regulations		
Stockholm Convention		
Not applicable.		
Rotterdam Convention		
Not applicable.		
Kyoto protocol		
Not applicable. Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	11-03-2021
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Product and Company Identification: Product Codes Composition / Information on Ingredients: Ingredients