



1. Identification

Product identifier	EAF BB1 SERIES			
Other means of identification				
Brand Code	688B, 218C, 907B, 730B, 59	3C		
Recommended use	For Industrial Use Only			
Recommended restrictions	None known.			
Manufacturer/Importer/Supplier/Distributor information				
Manufacturer				
Company name	HarbisonWalker International			
Address	1305 Cherrington Parkway, Suite 100			
	Moon Township, Pennsylvania 15108 US			
Telephone	General Phone: 412-375-6600			
Website	www.thinkHWI.com			
Emergency phone number	CHEMTREC 24 HOUR EMERGENCY #	1-800-424-9300		

2. Hazard(s) identification

Classified hazards

This item is defined as an article per OSHA (29 CFR 1910.1200) and REACH and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Label elements

This item is defined as an article per OSHA (29 CFR 1910.1200) and REACH and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Hazard(s) not otherwise classified (HNOC)

This item is defined as an article per OSHA (29 CFR 1910.1200) and REACH and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Magnesium Oxide		1309-48-4	70 - < 80
Graphite		7782-42-5	5 - < 10
Aluminium		7429-90-5	3 - < 5
Calcium Oxide		1305-78-8	1 - < 3
Phenol		108-95-2	< 1
Aluminium Oxide (Non-Fibrous)		1344-28-1	< 0.2
Ethane-1,2-diol		107-21-1	< 0.1
Formaldehyde		50-00-0	< 0.1
Other components below reportab	le levels		5 - < 10

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

4. I list-alu lileasules	
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician or poison control center immediately.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Coughing.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from	Not applicable.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

6. Accidental release measures

Not available.

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe dust. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Stop the flow of material, if this is without risk.
	Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Minimize dust generation and accumulation. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) Components Type

	Туре	Value	Form
Aluminium (CAS 7429-90-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Calcium Oxide (CAS 1305-78-8)	PEL	5 mg/m3	
Graphite (CAS 7782-42-5)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Magnesium Oxide (CAS 1309-48-4)	PEL	15 mg/m3	Total particulate.
US. OSHA Table Z-3 (29 CFR	2 1910.1000)		
Components	Туре	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Graphite (CAS 7782-42-5)	TWA	15 mppcf	·
Magnesium Oxide (CAS 1309-48-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit	Values		
Components	Type	Value	Form
Aluminium (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
Calcium Oxide (CAS 1305-78-8)	TWA	2 mg/m3	
Graphite (CAS 7782-42-5)	TWA	2 mg/m3	Respirable fraction.
Magnesium Oxide (CAS 1309-48-4)	TWA	10 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m3	Respirable.
A[u] (CAS 7429-90-5)		u	•
Aluminium (CAS 7429-90-5)		5 mg/m3	Welding fume or
Auminum (CAS 7429-90-3)		5 mg/m3	Welding fume or pyrophoric powder.
Auminium (CA3 7425-50-5)		·	Welding fume or pyrophoric powder. Total
Calcium Oxide (CAS	TWA	5 mg/m3 10 mg/m3 2 mg/m3	pyrophoric powder.
· · ·	TWA TWA	10 mg/m3	pyrophoric powder.
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5)	TWA	10 mg/m3 2 mg/m3 2.5 mg/m3	pyrophoric powder. Total
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values	TWA No biological exposure limits noted for th	10 mg/m3 2 mg/m3 2.5 mg/m3 te ingredient(s).	pyrophoric powder. Total Respirable.
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5)	TWA	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free icts may still include carbon	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certair
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values posure guidelines	TWA No biological exposure limits noted for th The resin binder in this product was spec free-phenol (less than 100ppm in this ref conditions, thermal decomposition produ	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free icts may still include carbon for aliphatic compounds. changes per hour) should b cable, use process enclosur airborne levels below recor	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certain monoxide, carbon dioxide, we used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Eye
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values posure guidelines	TWA No biological exposure limits noted for th The resin binder in this product was spec free-phenol (less than 100ppm in this ref conditions, thermal decomposition produ formaldehyde, phenol and aromatic and/ Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been established	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free tots may still include carbon or aliphatic compounds. changes per hour) should b cable, use process enclosur airborne levels below recor- ed, maintain airborne levels just be available when hand	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certain monoxide, carbon dioxide, we used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Eye ling this product.
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values posure guidelines propriate engineering trols	TWA No biological exposure limits noted for th The resin binder in this product was spec free-phenol (less than 100ppm in this ref conditions, thermal decomposition produ formaldehyde, phenol and aromatic and/ Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been established wash facilities and emergency shower m such as personal protective equipment	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free tots may still include carbon or aliphatic compounds. changes per hour) should b cable, use process enclosur airborne levels below recor- ed, maintain airborne levels just be available when hand	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certain monoxide, carbon dioxide, we used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Eye ling this product.
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values posure guidelines propriate engineering trols	TWA No biological exposure limits noted for th The resin binder in this product was spec free-phenol (less than 100ppm in this ref conditions, thermal decomposition produ formaldehyde, phenol and aromatic and/ Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been established wash facilities and emergency shower m such as personal protective equipment	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free tots may still include carbon or aliphatic compounds. changes per hour) should b cable, use process enclosur airborne levels below recor- ed, maintain airborne levels just be available when hand	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certain monoxide, carbon dioxide, we used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Eye ling this product.
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values posure guidelines propriate engineering trols	TWA No biological exposure limits noted for th The resin binder in this product was spec free-phenol (less than 100ppm in this ref conditions, thermal decomposition produ formaldehyde, phenol and aromatic and/ Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been established wash facilities and emergency shower m such as personal protective equipment Wear safety glasses with side shields (or	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free fractory product) and no fractory product and no free fractory product) and no free fractory product) and no free fractory product) and no free fractory product) and no free fractory product and no fractory product and fractory product and no fra	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certain monoxide, carbon dioxide, we used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Eye ling this product.
Calcium Oxide (CAS 1305-78-8) Graphite (CAS 7782-42-5) logical limit values bosure guidelines propriate engineering trols ividual protection measures, a Eye/face protection Skin protection Hand protection	TWA No biological exposure limits noted for th The resin binder in this product was spec free-phenol (less than 100ppm in this ref conditions, thermal decomposition produ formaldehyde, phenol and aromatic and/ Good general ventilation (typically 10 air should be matched to conditions. If applie or other engineering controls to maintain exposure limits have not been establishe wash facilities and emergency shower m such as personal protective equipment Wear safety glasses with side shields (or Wear appropriate chemical resistant glow	10 mg/m3 2 mg/m3 2.5 mg/m3 e ingredient(s). cifically engineered to have fractory product) and no free tots may still include carbon for aliphatic compounds. changes per hour) should b cable, use process enclosur airborne levels below recor- ed, maintain airborne levels just be available when hand fr goggles) and a face shield ves. hing.	pyrophoric powder. Total Respirable. low toxicity, with minimal e-formaldehyde. Under certair monoxide, carbon dioxide, ee used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level. Eye ling this product.



General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

•	-
Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
40 Otability and negativity	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.

Conditions to avoid	Contact with incompatible materials. Refractories containing crystalline silica may, after service, contain more or less crystalline silica. Care must be taken to avoid and/or control dust from demolition. If in doubt of the proper protection, seek advice from a safety professional. The organic binder in this product falls into a class known as phenolic resin. Refractory products using this type of binder are supplied in two forms, (1) shaped products such as brick and (2) monolithics/specialties such as refractory plastics and rams. The hazards associated with phenolic resin are different in the two forms. For pre-cured shapes (brick), the binder has been reacted or polymerized by heat to its solid form prior to shipment. On decomposition by heating, where there is sufficient air and heating rate, the gaseous products during heat-up and early service may include phenol, as well as aromatic and/or aliphatic derivatives. After a campaign in service, this refractory product should be completely coked and in that condition the material for disposal would be carbon and an inorganic oxide. During field installation of non-cured unshaped products (monolithics), there is a possibility of exposure to trace amounts of phenol by skin contact and inhalation. After the product has been heated to high temperatures in service, it will have similar decomposition characteristics to pre-cured shapes.
Incompatible materials	Phosphorus. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of e	xposure
Inhalation	Not available.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Coughing.
Information on toxicological effe	ets
Acute toxicity	Not available.
Skin corrosion/irritation	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation	Causes serious eye damage.
Respiratory or skin sensitizatior	
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Not listed.	Evaluation of Carcinogenicity ogram (NTP) Report on Carcinogens
	Ilated Substances (29 CFR 1910.1001-1050)
Not regulated.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Bioaccumulative potential	
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Export	Notification (40 CFR 707	, Subpt. D)		
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)			
Not listed. SARA 304 Emergency relea Not regulated. US. OSHA Specifically Reg		FR 1910.1001-1050)		
Not regulated.				
Superfund Amendments and Re	eauthorization Act of 198	6 (SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	5		
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Aluminium		7429-90-5	3 - < 5	—

Other federal regulations		
Clean Air Act (CAA) Sectio Not regulated.	n 112 Hazardous Air Pollutants (HAPs) List	
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.		
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations	WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.	
US - California Propos	ition 65 - CRT: Listed date/Carcinogenic substance	
Formaldehyde (CAS US - California Propos	S 50-00-0) Listed: January 1, 1988 ition 65 - CRT: Listed date/Developmental toxin	
Ethane-1,2-diol (CA US. California. Candida subd. (a))	S 107-21-1) Listed: June 19, 2015 ate Chemicals List. Safer Consumer Products Regulations (Cal. Co	de Regs, tit. 22, 69502.3,
Aluminium (CAS 74 Magnesium Oxide (,	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes

Non-Domestic Substances List (NDSL) Canada No China Inventory of Existing Chemical Substances in China (IECSC) Yes European Inventory of Existing Commercial Chemical Europe No Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS) No Inventory of Existing and New Chemical Substances (ENCS) Japan No Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory No Philippines Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS) United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	01-09-2017
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Product and Company Identification: Product Codes Composition / Information on Ingredients: Component Summary