

SAFETY DATA SHEET

1. Identification

Product identifier	SHAMROCK 392 MORTAR
Other means of identification	
Brand Code	9994
Recommended use	For Industrial Use Only
Recommended restrictions	Avoid dry cutting, blasting, or dust generation.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	HarbisonWalker International
Address	1305 Cherrington Parkway, Suite 100
	Moon Township, Pennsylvania 15108 US
Telephone	General Phone: 412-375-6600
Website	www.thinkHWI.com
Emergency phone number	Not available.

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1A
	Serious eye damage/eye irritation	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	

Label elements



Signal word	Danger		
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage.		
Precautionary statement			
Prevention	Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Aluminium Oxide (Non-Fibrou	JS)	1344-28-1	50 - 70
Chromium (III) oxide		1308-38-9	20 - 40
Orthophosphoric Acid		7664-38-2	2.5 - 10
Other components below reportable levels			10 - 25

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
6 Accidental release mass	

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.
Environmental precautions	
7. Handling and storage	
Precautions for safe handling	Do not get in eyes, on skin, or on clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Chromium (III) oxide (CAS 1308-38-9)	PEL	0.5 mg/m3	
Orthophosphoric Acid (CAS 7664-38-2)	PEL	1 mg/m3	

Components	Туре	Value	Form		
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.		
		15 mg/m3	Total dust.		
		50 mppcf	Total dust.		
		15 mppcf	Respirable fraction.		
US. ACGIH Threshold Limit Components	Values Type	Value	Form		
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.		
Chromium (III) oxide (CAS 1308-38-9)	TWA	0.003 mg/m3	Inhalable fraction.		
Orthophosphoric Acid (CAS 7664-38-2)	STEL	3 mg/m3			
	TWA	1 mg/m3			
US. NIOSH: Pocket Guide to Components	Chemical Hazards Type	Value			
Chromium (III) oxide (CAS 1308-38-9)	TWA	0.5 mg/m3			
Orthophosphoric Acid (CAS 7664-38-2)	STEL	3 mg/m3			
	TWA	1 mg/m3			
logical limit values	No biological exposure limits noted	No biological exposure limits noted for the ingredient(s).			
oosure guidelines	Occupational Exposure Limits are n	ot relevant to the current physica	al form of the product.		
propriate engineering htrols	Good general ventilation (typically 1 should be matched to conditions. If or other engineering controls to mai exposure limits have not been estab wash facilities and emergency show	applicable, use process enclosur ntain airborne levels below recor blished, maintain airborne levels	res, local exhaust ventilatio nmended exposure limits. I to an acceptable level. Eye		
ividual protection measures, Eye/face protection	such as personal protective equipa Wear safety glasses with side shield				
Skin protection Hand protection	Wear appropriate chemical resistan	t gloves.			
Other	Wear appropriate chemical resistan	t clothing.			
Respiratory protection	Use a NIOSH/MSHA approved resp exceeding the exposure limits.	irator if there is a risk of exposur	e to dust/fume at levels		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.			
neral hygiene Isiderations	Always observe good personal hygi and before eating, drinking, and/or s equipment to remove contaminants.	moking. Routinely wash work cl			

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid. Paste.
Color	Not available.
Odor	Not available.

Odor threshold		Not available.
рН		Not available.
Melting point/freezing	point	Not available.
Initial boiling point and range	l boiling	Not available.
Flash point		Not available.
Evaporation rate		Not available.
Flammability (solid, ga	s)	Not available.
Upper/lower flammabil	ity or explo	sive limits
Flammability limit (%)	- lower	Not available.
Flammability limit (%)	- upper	Not available.
Explosive limit - lo	wer (%)	Not available.
Explosive limit - up	oper (%)	Not available.
Vapor pressure		Not available.
Vapor density		Not available.
Relative density		Not available.
Solubility(ies)		
Solubility (water)		Not available.
Partition coefficient (n-octanol/water)		Not available.
Auto-ignition temperat	ure	Not available.
Decomposition temper	ature	Not available.
Viscosity		Not available.
Other information		
Explosive properti	es	Not explosive.
Oxidizing propertie	es	Not oxidizing.
10. Stability and re	activity	
-		

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Information on toxical arisal off	

Information on toxicological effects

Not known.

Product	Species	Test Results
SHAMROCK 392 MORTAR		
Presumed Non-Toxic		
Dermal		
Skin corrosion/irritation	Causes severe skin burr	s and eye damage.
Serious eye damage/eye irritation	Causes serious eye dam	age.
Respiratory or skin sensitization	ı	
Respiratory sensitization	Not a respiratory sensitiz	er.
Skin sensitization	This product is not expect	ted to cause skin sensitization.
Germ cell mutagenicity	No data available to indic mutagenic or genotoxic.	cate product or any components present at greater than 0.1% are
Carcinogenicity	Not classifiable as to car	cinogenicity to humans.
IARC Monographs. Overall I	Evaluation of Carcinogen	icity
Chromium (III) oxide (CA: OSHA Specifically Regulate		3 Not classifiable as to carcinogenicity to humans. 10.1001-1052)
Not regulated. US. National Toxicology Pro Not listed.	ogram (NTP) Report on C	arcinogens
Reproductive toxicity	This product is not exped	ted to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard	
12. Ecological information	I	
Ecotoxicity		fied as environmentally hazardous. However, this does not exclude the equent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on t	ne degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		nmental effects (e.g. ozone depletion, photochemical ozone creation uption, global warming potential) are expected from this component.
13. Disposal consideration	าร	
Disposal instructions	according to Federal reg	nt state, when discarded or disposed of, is not a hazardous waste ulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the termine, at the time of disposal, whether the product meets RCRA criteria
Hazardous waste code		d in several industries, no Waste Code can be provided by the supplier. be determined in arrangement with your waste disposal partner or the
Waste from residues / unused products	disposal. Dispose of wa chrome compounds (Cr certain use conditions, si testing (such as TCLP)m	ot RCRA hazardous. Final used condition must be evaluated prior to ste product in accordance with Federal, State and Local regulations. The II) in this product may be altered to a hexavalent compound (Cr VI) under uch as exposure to alkali salts and/or high temperatures. Proper waste ust be done to determine the waste status of used product. Reuse and actories is recommended whenever possible.
Contaminated packaging	Not available.	
14. Transport information		
DOT		
UN number UN proper shipping name Transport hazard class(es)	UN3077 Environmentally hazardo	us substances, solid, n.o.s.

Label(s)	9
Packing group	
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Special provisions	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33
Packaging exceptions	155
Packaging non bulk	213
Packaging bulk	240

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 and

the IBC Code

DOT



15. Regulatory information

US federal regulationsThis product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Export	Notification (40 CFR	707, Subpt. D)		
Not regulated.		• •		
CERCLA Hazardous Subst	•	Listed.		
	Orthophosphoric Acid (CAS 7664-38-2) SARA 304 Emergency release notification			
Not regulated.				
OSHA Specifically Regulate	ed Substances (29 C	FR 1910.1001-1052)		
Not regulated.				
Superfund Amendments and R	eauthorization Act of	1986 (SARA)		
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
Classified hazard categories	Skin corrosion or in Serious eye damag			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Aluminium Oxide (Non-F	Fibrous)	1344-28-1	50 - 70	
Chromium (III) oxide		1308-38-9	20 - 40	
Other federal regulations				
Other federal regulations Clean Air Act (CAA) Sectio	n 112 Hazardous Air	Pollutants (HAPs) List		
0		Pollutants (HAPs) List		
Clean Air Act (CAA) Sectio	AS 1308-38-9)		FR 68.130)	
Clean Air Act (CAA) Sectio Chromium (III) oxide (CA	AS 1308-38-9)		FR 68.130)	

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Orthophosphoric Acid (CAS 7664-38-2)

High priority

US state regulations

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Orthophosphoric Acid (CAS 7664-38-2)

International Inventories

Country(s) or region	Inventory name On	inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-29-2015
Revision date	05-04-2022
Version #	03
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Transport Information: Proper Shipping Name/Packing Group