

SAFETY DATA SHEET

1. Identification

1. Identification			
Product identifier	SCHIEBERSAND DC-20		
Other means of identification			
Brand Code	0537		
Recommended use	For Industrial Use Only		
Recommended restrictions	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.		
Manufacturer/Importer/Supplier/ Manufacturer	Distributor information		
Company name Address	HarbisonWalker International 1305 Cherrington Parkway, Suite 100 Moon Township Pennsylvania 15108 US		
Telephone	General Phone: 412-375-6600		
Website	www.thinkHWI.com		
Emergency phone number	CHEMTREC 24 HOUR 1-800-424-9300 EMERGENCY #		
Supplier	Not available.		
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity Category 1A		
	Specific target organ toxicity, repeated Category 1 exposure		
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	IF exposed or concerned: Get medical advice/attention.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	None.		
3 Composition/informatio	on on ingredients		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
CHROMIUM III COMPOUNDS		1308-31-2	80 - 90
Material name: SCHIEBERSAND DC-20			SDS CANADA

Chemical name	Common name and synonyms	CAS number	%
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	10 - 20
ALPHA-ALUMINA		1344-28-1	1 - 2.5
CARBON BLACK		1333-86-4	0.1 - 1
Other components below reportable levels			0 - 0.1

All concentrations are in percent by weight unless ingredient is a gas.

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.		
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.		
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.		
7. Handling and storage			
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke.		

formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.

Components	Туре	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
	pational Health & Safety Code, Scl		
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	
CARBON BLACK (CAS 1333-86-4)	TWA	3.5 mg/m3	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
	ELs. (Occupational Exposure Limit	s for Chemical Substances, Oc	cupational Health and
Safety Regulation 296/97, as Components	amended) Type	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable.
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada, Manitoba OELs (Red	g. 217/2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Ontario OELs. (Cont	rol of Exposure to Biological or C	hemical Agents)	
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
CARBON BLACK (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Canada. Quebec OELs. (Mini Components	stry of Labor - Regulation Respect Type	ting the Quality of the Work En Value	vironment) Form
			-
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
CARBON BLACK (CAS 1333-86-4)	TWA	3.5 mg/m3	Dessizable dust
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.
ogical limit values	No biological exposure limits noted	5 ()	
osure guidelines	Occupational exposure to nuisance should be monitored and controlled. and respirable crystalline silica shou	Occupational exposure to nuisa	
propriate engineering trols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
vidual protection measures, s	such as personal protective equipr	nent	

Skin protection

Hand protection

Other

Respiratory protection

Thermal hazards

Wear appropriate chemical resistant gloves.

Use of an impervious apron is recommended.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Wear appropriate thermal protective clothing, when necessary.



General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.

Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure Inhalation Prolonged inhalation may be harmful. Skin contact No adverse effects due to skin contact are expected. Direct contact with eyes may cause temporary irritation. Eye contact Ingestion Expected to be a low ingestion hazard. Direct contact with eyes may cause temporary irritation. Symptoms related to the physical, chemical and toxicological characteristics Information on toxicological effects Acute toxicity Not known.

· · · · · · · · · · · · · · · · · · ·	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye	Direct contact with eyes may cause temporary irritation.
irritation	

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant CHROMIUM III COMPOUNDS (CAS 1308-31-2) Irritant **Respiratory sensitization** Not a respiratory sensitizer. Skin sensitization This product is not expected to cause skin sensitization. No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity mutagenic or genotoxic. Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in guarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. **ACGIH Carcinogens**

ALPHA-ALUMINA (CAS 1344-28-1) A4 Not classifiable as a human carcinogen. CARBON BLACK (CAS 1333-86-4) A3 Confirmed animal carcinogen with unknown relevance to humans. SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen. Canada - Alberta OELs: Carcinogen category CHROMIUM III COMPOUNDS (CAS 1308-31-2) Confirmed human carcinogen. SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen. Canada - Manitoba OELs: carcinogenicity ALPHA-ALUMINA (CAS 1344-28-1) Not classifiable as a human carcinogen. CARBON BLACK (CAS 1333-86-4) Confirmed animal carcinogen with unknown relevance to humans. SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Canada - Quebec OELs: Carcinogen category			
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) IARC Monographs. Overall Evaluation of Carcinogenicity		Suspected carcinogenic effect in humans.	
CARBON BLACK (CAS 1		2B Possibly carcinogenic to humans.	
CHROMIUM III COMPOL		3 Not classifiable as to carcinogenicity to humans.	
	QUARTZ (CAS 14808-60-7)	1 Carcinogenic to humans.	
US. National Toxicology Pro	gram (NTP) Report on Carcine	ogens	
SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7)	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
Developmental effects			
SILICA, CRYSTALLINE, (0	
Developmental effects -			
SILICA, CRYSTALLINE, (QUARTZ	0	
Embryotoxicity SILICA, CRYSTALLINE, (0	
Reproductivity		0	
SILICA, CRYSTALLINE,	QUARTZ	0	
Specific target organ toxicity -	Not classified.		
single exposure			
Specific target organ toxicity -	Causes damage to organs thro	bugh prolonged or repeated exposure.	
repeated exposure			
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Causes damage to organs thro harmful. Prolonged exposure r	bugh prolonged or repeated exposure. Prolonged inhalation may be nay cause chronic effects.	
12. Ecological information			
Ecotoxicity		s environmentally hazardous. However, this does not exclude the t spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation , global warming potential) are expected from this component.	
13. Disposal considerations			
•		to when discorded or discord of is not a herordous waste	
Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.		
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.		
Waste from residues / unused products	Not available.		
Contaminated packaging	Not available.		
14. Transport information			
-			
TDG			
Not regulated as dangerous goods.			
IATA			
Not regulated as dangerous goods.			
IMDG			
Not regulated as dangerous goods.			
Transport in bulk according to Not applicable			

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

15. Regulatory information	on	
Canadian regulations		
Controlled Drugs and Sub	stances Act	
Not regulated.		
Export Control List (CEPA	1999, Schedule 3)	
Not listed.		
Greenhouse Gases		
Not listed.		
	s. Toxic Reduction Act, 2009. Regulation 455/09 (July 1, 2011)	
Precursor Control Regula	DUNDS (CAS 1308-31-2)	
Not regulated.	10115	
International regulations		
-		
Stockholm Convention		
Not applicable. Rotterdam Convention		
Not applicable.		
Kyoto protocol		
Not applicable.		
Montreal Protocol		
Not applicable.		
Basel Convention		
Not applicable.		
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Ricc	Toxic Substances Control Act (TSCA) Inventory	No
** 1157 11 12 11 11 11 11		

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information

Issue date	09-11-2018
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Regulatory Information: Regulatory Information HazReg Data: North America