SAFETY DATA SHEET



1. Identification

Product identifier KAST-O-LITE 16 PLUS

Other means of identification

Brand Code 5147, 568A

Recommended use For Industrial Use Only

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108

US

Telephone General Phone: 412-375-6600

Websitewww.thinkHWl.comEmergency phone numberNot available.SupplierNot available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1
Carcinogenicity Category 1A
Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

Label elements





Signal word Danger

Hazard statement Causes severe skin burns and eye damage. Causes serious eye damage. May cause cancer.

Causes damage to organs through prolonged or repeated exposure. Presents a health hazard

which is not otherwise classified.

Precautionary statement

Prevention Do not handle until all safety precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off

immediately all contaminated clothing. Rinse skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a

POISON CENTER/doctor. Wash contaminated clothing before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

Material name: KAST-O-LITE 16 PLUS

SDS CANADA

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Cement, Portland, Chemicals		65997-15-1	40 - 60
Calcium Sulfate Gypsum (Inhalable Fraction)		13397-24-5	2.5 - 10
SILICA, AMORPHOUS, FUMED		61790-53-2	2.5 - 10
Limestone		1317-65-3	1 - 2.5
Other components below reportable	levels		40 - 60

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or

poison control center immediately. Chemical burns must be treated by a physician. Wash

contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If

vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and

delayed Indication of immediate

Indication of immediate medical attention and special treatment needed

General information

include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Coughing. Prolonged exposure may cause chronic effects.

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters

Use fire-extinguishing media appropriate for surrounding materials.

Not available.

Not applicable.

Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Avoid inhalation of dust.

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values	US. ACGIH	Threshold	Limit	Values
----------------------------------	-----------	-----------	-------	--------

Components	Туре	Value	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)	TWA	10 mg/m3	Inhalable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupation	al Health & Safety Code, Sc	hedule 1, Table 2)	
Components	Туре	Value	
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)	TWA	10 mg/m3	
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	10 mg/m3	
Limestone (CAS 1317-65-3)	TWA	10 mg/m3	

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Type	Value	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	1 mg/m3	Respirable.
Limestone (CAS 1317-65-3)	STEL	20 mg/m3	Total dust.
	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
SILICA, AMORPHOUS, FUMED (CAS 61790-53-2)	TWA	4 mg/m3	Total
		1.5 mg/m3	Respirable.

Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

Components	Туре	Value	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)	TWA	10 mg/m3	Inhalable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)	TWA	10 mg/m3	Inhalable fraction.
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	1 mg/m3	Respirable fraction.

Material name: KAST-O-LITE 16 PLUS 5147, 568A Version #: 01 Issue date: 05-18-2021

Components	Туре	Value	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Cement, Portland, Chemicals (CAS 65997-15-1)	TWA	5 mg/m3	Respirable dust.
		10 mg/m3	Total dust.
Limestone (CAS 1317-65-3)	TWA	10 mg/m3	Total dust.
SILICA, AMORPHOUS, FUMED (CAS 61790-53-2)	TWA	6 mg/m3	Total dust.
Canada. Saskatchewan OEI Components	s (Occupational Health and Safety Re- Type	egulations, 1996, Table 21) Value	Form
	•	•	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS	Туре	Value	Form
Calcium Sulfate Gypsum (Inhalable Fraction) (CAS	Type 15 minute	Value 20 mg/m3	Form
Components Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5) Cement, Portland, Chemicals (CAS	Type 15 minute 8 hour	Value 20 mg/m3 10 mg/m3	Form
Components Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5) Cement, Portland, Chemicals (CAS	Type 15 minute 8 hour 15 minute	Value 20 mg/m3 10 mg/m3 20 mg/m3	Form
Components Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5) Cement, Portland, Chemicals (CAS 65997-15-1)	Type 15 minute 8 hour 15 minute 8 hour	Value 20 mg/m3 10 mg/m3 20 mg/m3	Form
Components Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5) Cement, Portland, Chemicals (CAS 65997-15-1)	Type 15 minute 8 hour 15 minute 8 hour 15 minute	Value 20 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 20 mg/m3	
Components Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5) Cement, Portland, Chemicals (CAS 65997-15-1) Limestone (CAS 1317-65-3) SILICA, AMORPHOUS,	Type 15 minute 8 hour 15 minute 8 hour 15 minute 8 hour 15 minute 8 hour	Value 20 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3	Respirable fraction.
Components Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5) Cement, Portland, Chemicals (CAS 65997-15-1) Limestone (CAS 1317-65-3) SILICA, AMORPHOUS,	Type 15 minute 8 hour 15 minute 8 hour 15 minute 8 hour 15 minute 8 hour	Value 20 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 20 mg/m3 10 mg/m3 6 mg/m3	Respirable fraction.

Biological limit values

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye

wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. **Physical state**

Solid. **Form**

Not available. Color Odor Not available. **Odor threshold** Not available. Not available. рΗ Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

May cause irritation to the respiratory system. Prolonged inhalation may be harmful. Inhalation

Skin contact Causes severe skin burns. Causes serious eye damage. Eye contact Ingestion Causes digestive tract burns.

Symptoms related to the physical, chemical and toxicological characteristics Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Coughing.

Material name: KAST-O-LITE 16 PLUS 5147, 568A Version #: 01 Issue date: 05-18-2021 Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Causes severe skin burns and eye damage.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Limestone (CAS 1317-65-3) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity May cause cancer.

ACGIH Carcinogens

Cement, Portland, Chemicals (CAS 65997-15-1)

A4 Not classifiable as a human carcinogen.

Canada - Manitoba OELs: carcinogenicity

Cement, Portland, Chemicals (CAS 65997-15-1)

Not classifiable as a human carcinogen.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED (CAS 61790-53-2) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazardNot an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful.

12. Ecological information

EcotoxicityThe product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste codeSince this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

SDS CANADA

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Calcium Sulfate Gypsum (Inhalable Fraction) (CAS 13397-24-5)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

05-18-2021 Issue date

Version # 01

This information is based on our present knowledge on creation date. However, this shall not Disclaimer

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Revision information Product and Company Identification: Product Codes

Composition / Information on Ingredients: Disclosure Overrides

GHS: Classification

Material name: KAST-O-LITE 16 PLUS

5147, 568A Version #: 01 Issue date: 05-18-2021

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).