

SAFETY DATA SHEET

1. Identification

Product identifier	VERSAFLOW 70 C PLUS
Other means of identification	
Brand Code	4962
Recommended use	For Industrial Use Only
Recommended restrictions	Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

Manufacturer/Importer/Supplier/Distributor information Manufacturer

Company name	HarbisonWalker International			
Address	1305 Cherrington Parkway, Suite 100			
	Moon Township, Pennsylvania 15108 US			
Telephone	General Phone:	412-375-6600		
Website	www.thinkHWI.com			
Emergency phone number	phone number Not available.			

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	May cause cancer.
Precautionary statement	
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If exposed or concerned: Get medical advice/attention.
Storage	Store in a manner to minimize airborne dust.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Mullite		1302-93-8	40 - 60
Aluminium Oxide (Non-Fibrous)		1344-28-1	30 - 50

Chemical name Common name and synonyms		CAS number	%	
Amorphous Silica	Fumed Silica Silica, crystalline free	7631-86-9	10 - 25	
Cement, Alumina, Chemic	als	65997-16-2	2.5 - 10	
Fumes, Silica		69012-64-2	2.5 - 10	
Titanium Dioxide		13463-67-7	2.5 - 10	
Diiron Trioxide		1309-37-1	1 - 2.5	
Cristobalite		14464-46-1	0.1 - 2.5	
Other components below reportable levels			2.5 - 10	

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention.
C Cine fighting measures	

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS). Avoid conditions which create dust.

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

PEL	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
PEL	0.05 mg/m3	Respirable dust.
PEL	10 mg/m3	Fume.
PEL	15 mg/m3	Total dust.
)) Type	Value	Form
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	C C	Total dust.
	15 mppcf	Respirable fraction.
TWA	0.8 mg/m3	
	20 mppcf	
TWA	0.05 mg/m3	Respirable.
	1.2 mppcf	Respirable.
TWA	5 mg/m3	Respirable fraction
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
TWA	0.8 mg/m3	
	20 mppcf	
TWA	5 mg/m3	Respirable fraction.
	15 mg/m3	Total dust.
	50 mppcf	Total dust.
	15 mppcf	Respirable fraction.
Туре	Value	Form
TWA	1 mg/m3	Respirable fraction.
TWA	0.025 mg/m3	Respirable fraction.
TWA	5 mg/m3	Respirable fraction.
TWA	1 mg/m3	Respirable fraction.
TWA	10 mg/m3	
Hazards		F
Туре	Value	Form
	PEL PEL PEL TWA TWA TWA TWA TWA TWA TWA TWA TWA TWA	PEL 15 mg/m3 PEL 10 mg/m3 PEL 15 mg/m3 PEL 15 mg/m3 PEL 15 mg/m3 PEL 5 mg/m3 TWA 5 mg/m3 TWA 0.8 mg/m3 TWA 0.8 mg/m3 TWA 0.05 mg/m3 TWA 0.8 mg/m3 S0 mpcf 15 mg/m3 S0 mg/m3 10 mg/m3 TWA 1 mg/m

US.	NIOSH:	Pocket	Guide	to	Chemical	Hazards
-						_

Components	Туре	Value	Form		
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.		
Diiron Trioxide (CAS 1309-37-1)	TWA	5 mg/m3	Dust and fume.		
Fumes, Silica (CAS 69012-64-2)	TWA	6 mg/m3			
Biological limit values	No biological exposure limits noted	for the ingredient(s).			
Exposure guidelines	Occupational exposure to nuisance should be monitored and controlled.		spirable crystalline silica		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.				
Individual protection measure	s, such as personal protective equipr	nent			
Eye/face protection	Wear safety glasses with side shield	Wear safety glasses with side shields (or goggles).			
Skin protection					
Hand protection	Wear appropriate chemical resistant gloves.				
Other	Wear appropriate chemical resistan	t clothing. Use of an impervious a	apron is recommended.		
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.				
Thermal hazards	Wear appropriate thermal protective	e clothing, when necessary.			

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Solid.
Solid.
Not available.
osive limits
Not available.

Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	/

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Acids. Chlorine. Fluorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.
Information on toxicological effe	ects
Acute toxicity	Not known.
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.
Respiratory or skin sensitization	1
Respiratory sensitization	Not a respiratory sensitizer.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with		
	in the ceramic industry). There risk" (SCOEL SUM Doc 94-fil protection against silicosis can occupational exposure limits. M	n employees without silicosis exposed to silica dust in quarries and efore, preventing the onset of silicosis will also reduce the cancer nal, June 2003) According to the current state of the art, worker be consistently assured by respecting the existing regulatory May cause cancer. Occupational exposure to respirable dust and uld be monitored and controlled.	
IARC Monographs. Overall E	Evaluation of Carcinogenicity		
Amorphous Silica (CAS 7		3 Not classifiable as to carcinogenicity to humans.	
Cristobalite (CAS 14464-4 Diiron Trioxide (CAS 1309	,	1 Carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.	
Fumes, Silica (CAS 6901)		3 Not classifiable as to carcinogenicity to humans.	
Titanium Dioxide (CAS 13	,	2B Possibly carcinogenic to humans.	
	d Substances (29 CFR 1910.10	-	
Cristobalite (CAS 14464-4	⁴⁶⁻¹⁾ ·gram (NTP) Report on Carcino	Cancer	
Cristobalite (CAS 14464-4		Known To Be Human Carcinogen.	
		Reasonably Anticipated to be a Human Carcinogen.	
Reproductive toxicity	This product is not expected to	cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be ha	armful. Prolonged exposure may cause chronic effects.	
12. Ecological information			
Ecotoxicity		environmentally hazardous. However, this does not exclude the t spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects		al effects (e.g. ozone depletion, photochemical ozone creation global warming potential) are expected from this component.	
13. Disposal considerations			
Disposal instructions	according to Federal regulation	e, when discarded or disposed of, is not a hazardous waste is (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the e, at the time of disposal, whether the product meets RCRA criteria	
Hazardous waste code		everal industries, no Waste Code can be provided by the supplier. termined in arrangement with your waste disposal partner or the	
Waste from residues / unused products	Not available.		
Contaminated packaging	Not available.		
14. Transport information			
DOT			
Not regulated as dangerous g	oods.		
ΙΑΤΑ			
Not regulated as dangerous of	oods		

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) Cristobalite (CAS 14464-46-1) Cancer lung effects immune system effects kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous Yes chemical Classified hazard Carcinogenicity categories

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Aluminium Oxide (Non-Fibrous)	1344-28-1	30 - 50
Other federal regulations		
Clean Air Act (CAA) Section 112 Hazardous	Air Pollutants (HAPs) List	
Not regulated.		
Clean Air Act (CAA) Section 112(r) Accident	al Release Prevention (40 C	FR 68.130)
Not regulated.		

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including Titanium Dioxide: Titanium Dioxide: Titanium Dioxide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

California Proposition 65 - CRT: Listed date/Carcinogenic substance

Quartz (SiO2) (CAS 14808-60-7)	Listed: October 1, 1988	
Titanium Dioxide (CAS 13463-67-7)	Listed: September 2, 2011	
US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3,		
subd. (a))		

Cristobalite (CAS 14464-46-1) Titanium Dioxide (CAS 13463-67-7)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-08-2015
Revision date	01-04-2022
Version #	03
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.