# ⊣WI SAFETY DATA SHEET

# HarbisonWal International

# 1. Identification

Product identifier KAST-O-LITE 26 LI PLUS

Other means of identification

**Brand Code** 5866, 420A

Recommended use For Industrial Use Only

**Recommended restrictions** Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence

of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under

applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania

15108 US

**Telephone** General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC EMERGENCY 1-800-424-9300

**US/CAN ONLY** 

**Supplier** Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

**Response** IF exposed or concerned: Get medical advice/attention.

**Storage** Store in a manner to minimize airborne dust.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

**Mixtures** 

Material name: KAST-O-LITE 26 LI PLUS

SDS CANADA

Chemical name	Common name and synonyms	CAS number	%
Cement, Alumina, Chemicals		65997-16-2	20 - 40
Mullite		1302-93-8	20 - 40
Kyanite		1302-76-7	2.5 - 10
SILICA, AMORPHOUS, FUMED		69012-64-2	2.5 - 10
SILICA, AMORPHOUS, FUMED	Fumed Silica Silica, crystalline free	7631-86-9	2.5 - 10
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	2.5 - 10
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	2.5 - 10
Titanium Dioxide		13463-67-7	1 - 2.5
Other components below reportable levels			10 - 25

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Prolonged exposure may cause chronic effects.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information** (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from

the chemical Special protective equipment

and precautions for firefighters

Use fire-extinguishing media appropriate for surrounding materials.

Not available.

Not applicable.

Not available.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

5866, 420A Version #: 03 Revision date: 05-25-2023 Issue date: 07-11-2018

# 8. Exposure controls/personal protection

# Occupational exposure limits

Kyanile (CAS 1302-76-7)   TWA	US. ACGIH Threshold Limit Values Components	Туре	Value	Form
Mullite (CAS 1302-93-8) TWA 1 mg/m3 Respirable fraction SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-46-1) Trainium Dioxide (CAS 1468-60-7) Trainium Dioxide (CAS 1302-76-7) Trainium Dioxide (CAS 1302-80-8) Trainium Dioxide (CAS 1302-80-7) Trainium Dioxide (CAS 1302-80-7) Trainium Dioxide (CAS 1468-60-7) Trainium Dioxide (CAS	<u> </u>			
SILICA, CRYSTALLINE, CAS ITWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS ITWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS ITWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS ITWA 10 mg/m3 Isa63-67-7) Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Components Type Value Form  SILICA, CRYSTALLINE, CRISTOBALITE (CAS ITWA 0.025 mg/m3 Respirable particles CRISTOBALITE (CAS ITWA 0.025 mg/m3 Respirable particles CRISTOBALITE (CAS 14808-60-7) Titanium Dioxide (CAS 14808-80-7)	• • •		•	·
CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, OUQURITZ (CAS 14808-80-7) Titanium Dioxide (CAS TWA 10 mg/m3 13463-67-7) Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) Type Value Form SILICA, CRYSTALLINE, ORD 0.025 mg/m3 Respirable particle: CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable particle: CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable particle: CRISTOBALITE (CAS 13463-67-7) Titanium Dioxide (CAS TWA 10 mg/m3 Respirable particle: TITANIUM Dioxide (CAS 14808-60-7) Titanium Dioxide (CAS TWA 10 mg/m3 Respirable particle: TITANIUM Dioxide (CAS 1302-67-7) TWA 10 mg/m3 Respirable Mullite (CAS 1302-93-8) TWA 1 mg/m3 Respirable. Mullite (CAS 1302-93-8) TWA 1 mg/m3 Respirable. SILICA, AMORPHOUS, TWA 1 mg/m3 Respirable. SILICA, AMORPHOUS, TWA 4 mg/m3 Total FUMED (CAS 69012-64-2) SILICA, AMORPHOUS, TWA 1.5 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-46-1) SILICA, AMORPHOUS, TWA 0.025 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-64-61) SILICA, AMORPHOUS, TWA 0.025 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TITANIUM 0.025 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TITANIUM 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TITANIUM 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TITANIUM 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TIVA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TWA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TIVA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TIVA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TIVA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TWA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TWA 1 mg/m3 Respirable fraction CRISTOBALITE (CAS 14464-61) TWA 1 mg/m3 Respirable fraction Total dust	,		· ·	·
QUARTZ (CAS 14808-60-7)   TWA	CRISTOBALITE (CAS	IWA	0.025 mg/m3	Respirable fraction.
Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)	QUARTZ (CAS 14808-60-7)	TWA	•	Respirable fraction.
Type		TWA	10 mg/m3	
CRISTOBALITE (CAS   14464-46-1)	•		•	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	CRISTOBALITE (CAS	TWA	0.025 mg/m3	Respirable particles
DUARTY (CAS 14808-60-7)   TWA			0.025 mg/m3	Respirable.
Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)   Components   Type   Value   Form		TWA	0.025 mg/m3	Respirable particles
Safety Regulation 296/97, as amended   Type		TWA	10 mg/m3	
Components         Type         Value         Form           Kyanite (CAS 1302-76-7)         TWA         1 mg/m3         Respirable.           Mullite (CAS 1302-93-8)         TWA         1 mg/m3         Respirable.           SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)         TWA         4 mg/m3         Total fume.           SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)         TWA         1.5 mg/m3         Respirable.           SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)         TWA         1.5 mg/m3         Respirable fume.           SILICA, CAYSTALLINE, CRISTOBALITE (CAS 14464-46-1)         TWA         0.025 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)         TWA         3 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, QUARTZ (CAS 1302-76-7)         TWA         3 mg/m3         Respirable fraction.           Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components         TWA         1 mg/m3         Respirable fraction.           Kyanite (CAS 1302-93-8)         TWA         1 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)         TWA         0.025 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)         TWA         0.025 mg/m3         Respirable fraction.			s for Chemical Substances, Oc	cupational Health and
TWA			Volue	Form
Mullite (CAS 1302-93-8)         TWA         1 mg/m3         Respirable.           SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)         TWA         4 mg/m3         Total fume.           SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)         TWA         4 mg/m3         Total           FUMED (CAS 7631-86-9)         1.5 mg/m3         Respirable.           SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)         TWA         1.5 mg/m3         Respirable fume.           SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)         TWA         0.025 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)         TWA         3 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)         TWA         3 mg/m3         Respirable fraction.           Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)         Total dust.         Canada.           Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)         Total dust.         Form           Kyanite (CAS 1302-93-8)         TWA         1 mg/m3         Respirable fraction.           SILICA, CRYSTALLINE, TWA         0.025 mg/m3         Respirable fraction.           CRISTOBALITE (CAS 14808-60-7)         TWA         0.025 mg/m3         Respirable fraction.           CRISTOBALITE (CAS 14808-60-7)         TWA	<u> </u>	-		
SILICA, AMORPHOUS,   TWA   4 mg/m3   Total fume.			· ·	·
FUMED (CAS 69012-64-2)  SILICA, AMORPHOUS, TWA 4 mg/m3 Total  FUMED (CAS 7631-86-9)  1.5 mg/m3 Respirable.  SILICA, AMORPHOUS, TWA 1.5 mg/m3 Respirable fume.  SILICA, AMORPHOUS, TWA 0.025 mg/m3 Respirable fume.  SILICA, CRYSTALLINE, CRYSTALLINE, CRYSTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction.  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction.  SILICA, CRYSTALLINE, TWA 3 mg/m3 Respirable fraction.  SILICA, CRYSTALLINE, TWA 3 mg/m3 Respirable fraction.  Total dust.  Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)  Components Type Value Form  Kyanite (CAS 1302-76-7) TWA 1 mg/m3 Respirable fraction.  Mullite (CAS 1302-93-8) TWA 1 mg/m3 Respirable fraction.  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction.	·		· ·	·
1.5 mg/m3   Respirable	FUMED (CAS 69012-64-2)		•	
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)  SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Titanium Dioxide (CAS 1302-76-7)  TWA  TWA  1.5 mg/m3  Respirable fume.  1.5 mg/m3  Respirable fraction.  Respirable fraction.  Respirable fraction.  1.5 mg/m3  Respirable fraction.  1.5 mg		IWA	-	
FUMED (CAS 69012-64-2)  SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Titanium Dioxide (CAS 13463-67-7)  Titanium Dioxide (CAS 13463-67-7)  Titanium (CAS 1302-76-7)  TWA  TWA  TWA  TWA  TWA  TWA  TWA  TW		T14/4	•	·
CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. QUARTZ (CAS 14808-60-7)  Titanium Dioxide (CAS 1302-67-7)  Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)  Components Type Value Form  Kyanite (CAS 1302-76-7)  TWA 1 mg/m3 Respirable fraction. Mullite (CAS 1302-93-8)  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS 14808-60-7)  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS 14808-60-7)  Titanium Dioxide (CAS 14808-60-7)  Titanium Dioxide (CAS TWA 10 mg/m3	FUMED (CAS 69012-64-2)			·
QUARTZ (CAS 14808-60-7)  Titanium Dioxide (CAS TWA 3 mg/m3 Respirable fraction. 13463-67-7)  Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components Type Value Form  Kyanite (CAS 1302-76-7) TWA 1 mg/m3 Respirable fraction. Mullite (CAS 1302-93-8) TWA 1 mg/m3 Respirable fraction. SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS 14808-60-7)  Titanium Dioxide (CAS TWA 10 mg/m3	CRISTOBALITE (CAS	TWA	0.025 mg/m3	Respirable fraction.
13463-67-7)  Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components  Type  Value  Form  Kyanite (CAS 1302-76-7)  TWA  1 mg/m3  Respirable fraction.  Mullite (CAS 1302-93-8)  SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA  0.025 mg/m3  Respirable fraction.  Respirable fraction.  OURITION OF TWA  0.025 mg/m3  Respirable fraction.  Respirable fraction.  TWA  0.025 mg/m3  Respirable fraction.  TWA  UNATTZ (CAS 14808-60-7)  Titanium Dioxide (CAS  TWA  Total dust.  Total dust.  Total dust.  TWA  1 mg/m3  Respirable fraction.		TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) Components  Type  Value  Form  Kyanite (CAS 1302-76-7)  TWA  1 mg/m3  Respirable fraction. Mullite (CAS 1302-93-8)  TWA  1 mg/m3  Respirable fraction. SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA  0.025 mg/m3  Respirable fraction.  Respirable fraction.  OUARTZ (CAS 14808-60-7)  Titanium Dioxide (CAS  TWA  10 mg/m3		TWA	3 mg/m3	Respirable fraction.
ComponentsTypeValueFormKyanite (CAS 1302-76-7)TWA1 mg/m3Respirable fraction.Mullite (CAS 1302-93-8)TWA1 mg/m3Respirable fraction.SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)TWA0.025 mg/m3Respirable fraction.SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)TWA0.025 mg/m3Respirable fraction.Titanium Dioxide (CASTWA10 mg/m3			10 mg/m3	Total dust.
Mullite (CAS 1302-93-8)  TWA  1 mg/m3  Respirable fraction.  SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)  SILICA, CRYSTALLINE, TWA  0.025 mg/m3  Respirable fraction.  OUDED TO MARKED TO MAR		•	•	Form
SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS TWA 10 mg/m3	Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE, TWA 0.025 mg/m3 Respirable fraction. QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS TWA 10 mg/m3	Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
QUARTZ (CAS 14808-60-7)  Titanium Dioxide (CAS TWA 10 mg/m3	CRISTOBALITE (CAS	TWA	0.025 mg/m3	Respirable fraction.
		TWA	0.025 mg/m3	Respirable fraction.
		TWA	10 mg/m3	

Components	trol of Exposure to Biological or C Type	Value	Form	
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.	
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.	
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	2 mg/m3	Respirable fraction.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3		
Canada. Quebec OELs. (Min	istry of Labor - Regulation respec	ting occupational health and sa	nfety)	
Components	Туре	Value	Form	
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	6 mg/m3	Respirable dust.	
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	2 mg/m3	Respirable dust and/or fume.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.	
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.	
Canada. Saskatchewan OEL Components	s (Occupational Health and Safety Type	r Regulations, 1996, Table 21) Value	Form	
Kyanite (CAS 1302-76-7)	15 minute	20 mg/m3	Dust.	
	8 hour	10 mg/m3	Dust.	
Mullite (CAS 1302-93-8)	15 minute	20 mg/m3	Dust.	
	8 hour	10 mg/m3	Dust.	
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	8 hour	2 mg/m3	Respirable fraction and fume.	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	15 minute	10 mg/m3	Inhalable fraction.	
	8 hour	0.05 mg/m3	Respirable fraction.	
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	8 hour	0.05 mg/m3	Respirable fraction.	
Titanium Dioxide (CAS 13463-67-7)	15 minute	20 mg/m3		
	8 hour	10 mg/m3		
logical limit values	No biological exposure limits noted	I for the ingredient(s).		
osure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational exposure to nuisance dust (total and respirabl and respirable crystalline silica should be monitored and controlled.			
propriate engineering strols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
		ment		
ividual protection measures, Eye/face protection	such as personal protective equip If contact is likely, safety glasses w		d.	
		rith side shields are recommended	d.	

exceeding the exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Solid.

Color Not available.

Odor Not available.

Odor threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.
(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

# 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid** Contact with incompatible materials.

Material name: KAST-O-LITE 26 LI PLUS
5866, 420A Version #: 03 Revision date: 05-25-2023 Issue date: 07-11-2018

Incompatible materials Powerful oxidizers. Chlorine. Fluorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

# Information on toxicological effects

**Acute toxicity** Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

# Respiratory or skin sensitization

### Canada - Alberta OELs: Irritant

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica Carcinogenicity inhaled from occupational sources can cause lung cancer in humans. However in making the

> overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker

occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and

protection against silicosis can be consistently assured by respecting the existing regulatory

respirable crystalline silica should be monitored and controlled.

### **ACGIH Carcinogens**

14464-46-1)

Kvanite (CAS 1302-76-7) A4 Not classifiable as a human carcinogen. Mullite (CAS 1302-93-8) A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS A2 Suspected human carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7)

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Canada - Manitoba OELs: carcinogenicity

Kyanite (CAS 1302-76-7) Mullite (CAS 1302-93-8)

A4 Not classifiable as a human carcinogen.

Suspected human carcinogen.

Suspected human carcinogen.

Not classifiable as a human carcinogen. Not classifiable as a human carcinogen.

Material name: KAST-O-LITE 26 LI PLUS

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7) Not classifiable as a human carcinogen.

Canada - Quebec OELs: Carcinogen category

Detected carcinogenic effect in animals.

3 Not classifiable as to carcinogenicity to humans.

3 Not classifiable as to carcinogenicity to humans.

Suspected human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

Known To Be Human Carcinogen.

1 Carcinogenic to humans.

Reasonably Anticipated to be a Human Carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen. Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

**Developmental effects** 

SILICA, CRYSTALLINE, QUARTZ 0 **Developmental effects - EU category** SILICA, CRYSTALLINE, QUARTZ **Embryotoxicity** 

SILICA, CRYSTALLINE, QUARTZ 0

Reproductivity

SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Causes damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions** This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Since this product is used in several industries, no Waste Code can be provided by the supplier. Hazardous waste code

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

Material name: KAST-O-LITE 26 LI PLUS

SDS CANADA

# 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

# 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### **Controlled Drugs and Substances Act**

Not regulated.

### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

### **Precursor Control Regulations**

Not regulated.

### International regulations

### **Stockholm Convention**

Not applicable.

### **Rotterdam Convention**

Not applicable.

# **Kyoto protocol**

Not applicable.

# **Montreal Protocol**

Not applicable.

# **Basel Convention**

Not applicable.

### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Vec

Taiwan Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

# 16. Other information

 Issue date
 07-11-2018

 Revision date
 05-25-2023

5866, 420A Version #: 03 Revision date: 05-25-2023 Issue date: 07-11-2018

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # 03

This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid Disclaimer

contractual relationship.

**Revision information** Hazard identification: Response

Material name: KAST-O-LITE 26 LI PLUS SDS CANADA 5866, 420A Version #: 03 Revision date: 05-25-2023 Issue date: 07-11-2018