

SAFETY DATA SHEET

1. Identification

Product identifier	HPV 110 GUN MIX; HPV 110 GUN MIX W/F	
Other means of identification		
Brand Code	8267, 489C	
Recommended use	For Industrial Use Only	
Recommended restrictions	Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.	

Manufacturer/Importer/Supplier/Distributor information Manufacturer

Company name	HarbisonWalker International	
Address	1305 Cherrington Parkway, Suite 100	
	Moon Township, Pennsylvania 15108 US	
Telephone	General Phone:	412-375-6600
Website	www.thinkHWI.com	
Emergency phone number	r Not available.	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Carcinogenicity	Category 1A
	Specific target organ toxicity, repeated exposure	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger		
Hazard statement	May cause cancer. Causes damage to organs through prolonged or repeated exposure.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Quartz (SiO2)		14808-60-7	10 - 25
Aluminium Oxide (Non-Fibrous)		1344-28-1	2.5 - 10
Kaolin		1332-58-7	2.5 - 10

Chemical name	Common name and synonyms	CAS number	%
Kyanite		1302-76-7	2.5 - 10
Mullite		1302-93-8	2.5 - 10
Cristobalite		14464-46-1	1 - 2.5
Fumes, Silica		69012-64-2	1 - 2.5
FIBER, 304 SS GRADE1/2" LENGTH		65997-19-5	0.1 - 2.5

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For
emergency procedures	personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
	Obtain analisi instructions before use. Do not bendle until all sefety preservitions have been read

Precautions for safe handling
 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.
 Conditions for safe storage,
 Store in tightly closed container. Store away from incompatible materials (see Section 10 of the

Conditions for safe storage, Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

60 - 80

Components	Туре	Value	Form
Aluminium Oxide Non-Fibrous) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Cristobalite (CAS 14464-46-1)	PEL	0.05 mg/m3	Respirable dust.
Kaolin (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz (SiO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
JS. OSHA Table Z-3 (29 CFR 1910.	1000)		
Components	Туре	Value	Form
Aluminium Oxide Non-Fibrous) (CAS 344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable.
,		1.2 mppcf	Respirable.
Fumes, Silica (CAS 69012-64-2)	TWA	0.8 mg/m3	
,		20 mppcf	
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Quartz (SiO2) (CAS 4808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
JS. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Aluminium Oxide Non-Fibrous) (CAS 344-28-1)	TWA	1 mg/m3	Respirable fraction.
Cristobalite (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
(aolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
(yanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chem			_
Components	Туре	Value	Form
Cristobalite (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
FIBER, 304 SS GRADE1/2" _ENGTH (CAS 65997-19-5)	Ceiling	0.05 mg/m3	Dust.
	STEL	10 mg/m3	
	TWA	5 mg/m3	

US. NIOSH: Pocket Guide	to Chemical Hazards		
Components	Туре	Value	Form
Fumes, Silica (CAS 69012-64-2)	TWA	6 mg/m3	
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Exposure guidelines	Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measure	s, such as personal protective equipm	ent	
Eye/face protection	Wear safety glasses with side shields	s (or goggles).	
Skin protection Hand protection	Wear appropriate chemical resistant	gloves.	
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	



General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.

Vapor density	Not available.
Relative density	Not available.
-	
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.	
Skin contact	No adverse effects due to skin contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.	
Information on toxicological effects		
Acute toxicity	Not known.	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	

Carcinogenicity	In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Fumes, Silica (CAS 6901 Quartz (SiO2) (CAS 1480	/2" LENGTH (CAS 65997-19-5) 2-64-2) 8-60-7) d Substances (29 CFR 1910.10	 Carcinogenic to humans. 2B Possibly carcinogenic to humans. Not classifiable as to carcinogenicity to humans. Carcinogenic to humans. Carcinogenic to humans. Cancer 	
Quartz (SiO2) (CAS 1480		Cancer	
US. National Toxicology Pro	gram (NTP) Report on Carcine	ogens	
Cristobalite (CAS 14464-4 Quartz (SiO2) (CAS 1480		Known To Be Human Carcinogen. Reasonably Anticipated to be a Human Carcinogen. Known To Be Human Carcinogen.	
		o cause reproductive or developmental effects.	
Reproductive toxicity	This product is not expected to	cause reproductive of developmental effects.	
Developmental effects Quartz (SiO2) Developmental effects - Quartz (SiO2) Embryotoxicity	EU category	0 0	
Quartz (SiO2) Reproductivity Quartz (SiO2)		0 0	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Causes damage to organs three	ough prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Causes damage to organs thro harmful. Prolonged exposure r	ough prolonged or repeated exposure. Prolonged inhalation may be may cause chronic effects.	
12. Ecological information	l		
Ecotoxicity		s environmentally hazardous. However, this does not exclude the nt spills can have a harmful or damaging effect on the environment.	
Persistence and degradability	No data is available on the de	gradability of any ingredients in the mixture.	
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environment	tal effects (e.g. ozone depletion, photochemical ozone creation	
		, global warming potential) are expected from this component.	
13. Disposal consideration	ıs		
Disposal instructions	according to Federal regulation user of the product to determine for hazardous waste.	te, when discarded or disposed of, is not a hazardous waste ns (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the ne, at the time of disposal, whether the product meets RCRA criteria	
Hazardous waste code		everal industries, no Waste Code can be provided by the supplier. etermined in arrangement with your waste disposal partner or the	

Waste from residues / unused Not available. products

Not available.

Contaminated packaging

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Export Notification (40 CFR 707, Not regulated.	, Subpt. D)			
CERCLA Hazardous Substance List (40 CFR 302.4)				
FIBER, 304 SS GRADE1/2" LENGTH (CAS 65997-19-5) Listed. SARA 304 Emergency release notification				
Not regulated.				
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)				
Cristobalite (CAS 14464-46-1) Cancer				
Quartz (SiO2) (CAS 14808-60-7)	Cancer			
Cristobalite (CAS 14464-46-1)	lung effects			
Quartz (SiO2) (CAS 14808-60-7)	lung effects			
Cristobalite (CAS 14464-46-1)	immune system	n effects		
Quartz (SiO2) (CAS 14808-60-7)	immune system	n effects		
Cristobalite (CAS 14464-46-1)	kidney effects			
Quartz (SiO2) (CAS 14808-60-7)	kidney effects			
Superfund Amendments and Reauthorization Act of 1980	6 (SARA)			
SARA 302 Extremely hazardous substance				
Not listed.				
SARA 311/312 Hazardous Yes chemical				
Classified hazard Carcinogenicity categories Specific target organ tox	cicity (single or repeated	d exposure)		
SARA 313 (TRI reporting)				
Chemical name	CAS number	% by wt.		
Aluminium Oxide (Non-Fibrous)	1344-28-1	2.5 - 10		
FIBER, 304 SS GRADE1/2" LENGTH	65997-19-5	0.1 - 2.5		
Other federal regulations				
Clean Air Act (CAA) Section 112 Hazardous Air Pollu	utants (HAPs) List			
Not regulated.				
Clean Air Act (CAA) Section 112(r) Accidental Releas	se Prevention (40 CFI	R 68.130)		
Not regulated.				
Safe Drinking Water Act Not regulated. (SDWA)				
US state regulations				

California Proposition 65



WARNING: This product can expose you to chemicals including Quartz (SiO2): Quar

California Proposition 65 - CRT: Listed date/Carcinogenic substance Quartz (SiO2) (CAS 14808-60-7) Listed: October 1, 1988 Titanium Dioxide (CAS 13463-67-7) Listed: September 2, 2011 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Cristobalite (CAS 14464-46-1)

Quartz (SiO2) (CAS 14808-60-7)

International Inventories

Country(s) or region	Inventory name On	inventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)	No	
Canada	Domestic Substances List (DSL)	Yes	
Canada	Non-Domestic Substances List (NDSL)	No	
China	Inventory of Existing Chemical Substances in China (IECSC)	No	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No	
Europe	European List of Notified Chemical Substances (ELINCS)	No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No	
Korea	Existing Chemicals List (ECL)	No	
New Zealand	New Zealand Inventory	Yes	
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No	
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No	
* A N/ and instant the summary and a fitter ward, at a ward, with the investory war, increased, a desiring the summary (a)			

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	08-01-2016
Revision date	08-16-2021
Version #	03
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	This document has undergone significant changes and should be reviewed in its entirety.