PRODUCT INFORMATION SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or

NIKE S65W DC

designation of the mixture

Registration number

Synonyms None. **Brand Code** 718B

Issue date 17-October-2016

Version number 02

Revision date 10-August-2021 **Supersedes date** 17-October-2016

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses For Industrial or Professional Use Only

Uses advised against Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence

of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under

applicable regulations.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township, PA 15108, USA

United States

Division

Telephone General Phone: 412-375-6743

CHEMTREC EMERGENCY 1-800-424-9300

US/CAN ONLY

e-mail sds@thinkHWI.com

Contact person HWI USA

1.4. Emergency telephone General Phone:

number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This item is defined as an article per OSHA and REACH and is therefore exempt from labeling. A Safety Data Sheet is available

This item is not Classified as hazardous per CLP Regulations. However, individual customer processes (such as grinding, sawing, o blasting) may result in the formation of dust that may present health hazards. Limit skin contact. Wash hands after handling. Wear protective gloves/protective clothing/eye protection.

412-375-6600

Classification according to Regulation (EC) No 1272/2008 as amended

This item is defined as an article per OSHA and REACH and is therefore exempt from labeling. A Safety Data Sheet is available

This item is not Classified as hazardous per CLP Regulations. However, individual customer processes (such as grinding, sawing, o blasting) may result in the formation of dust that may present health hazards. Limit skin contact. Wash hands after handling. Wear protective gloves/protective clothing/eye protection.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

This item is defined as an article per OSHA and REACH and is therefore exempt from labeling. A Safety Data Sheet is available

This item is not Classified as hazardous per CLP Regulations. However, individual customer processes (such as grinding, sawing, o blasting) may result in the formation of dust that may present health hazards. Limit skin contact. Wash hands after handling. Wear protective gloves/protective clothing/eye protection.

2.3. Other hazards None known.

Material name: NIKE S65W DC

15651 Version #: 02 Revision date: 10-August-2021 Issue date: 17-October-2016 1 / 7

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Mullite	80 - 100	1302-93-8 215-113-2	-	-	
Classification: -					
Cristobalite	1 - 2,5	14464-46-1 238-455-4	-	-	#
Classification:					
TRADE SECRET	0,1 - 2,5	Proprietary	-	-	
Classification:		_			
Other components below reportable	10 - 25				

levels List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

SECTION 4: First aid measures

General information Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Exposure may cause temporary irritation, redness, or discomfort.

Use fire-extinguishing media appropriate for surrounding materials.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important

symptoms and effects, both

acute and delayed

4.3. Indication of any immediate medical attention

and special treatment

needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Unsuitable extinguishing

media

Not available.

5.2. Special hazards arising from the substance or

mixture

Not available.

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

Material name: NIKE S65W DC PIS FRANCE 2/7

15651 Version #: 02 Revision date: 10-August-2021 Issue date: 17-October-2016 6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.

6.4. Reference to other

sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store away from incompatible materials (see Section 10 of the SDS).

7.3. Specific end use(s) Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

France. Threshold Limit Components	t Values (VLEP) for Occupational Exp Type	osure to Chemicals in France Value	, INRS ED 984 Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	VME	10 mg/m3	
Regulatory status:	Indicative limit (VL)		
Cristobalite (CAS 14464-46-1)	VME	0,05 mg/m3	Respirable fraction.
Regulatory status:	Regulatory binding (VRC)		
Titanium dioxide (CAS 13463-67-7)	VME	10 mg/m3	

Regulatory status: Indicative limit (VL)

EU. OELs, Directive 2004/37/EC on carcinogen and mutagens from Annex III, Part A							
Components	Туре	Value	Form				
Cristobalite (CAS 14464-46-1)	TWA	0,1 mg/m3	Respirable fraction and dust				

Biological limit values No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

Not available.

Predicted no effect concentrations (PNECs) Not available.

Exposure guidelines

Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled.

8.2. Exposure controls

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in discussion

with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. - Other

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Material name: NIKE S65W DC PIS FRANCE 15651 Version #: 02 3 / 7

Revision date: 10-August-2021 Issue date: 17-October-2016



Always observe good personal hygiene measures, such as washing after handling the material and Hygiene measures

before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Solid.

Form Brick or Cast Shape Solid.

Colour Not available. Odour Not available. **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available.

boiling range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Flammability limit -

upper (%)

Not available.

Not available.

Not available. Vapour pressure Vapour density Not available. **Relative density** Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity** Not explosive. **Explosive properties Oxidising properties** Not oxidising.

9.2. Other information No relevant additional information available.

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not

be specific to industrial application exposure.

10.6. Hazardous

decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Material name: NIKE S65W DC PIS FRANCE 15651 Version #: 02 Revision date: 10-August-2021 Issue date: 17-October-2016 4/7

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC

Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates

dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and

controlled. Risk of cancer cannot be excluded with prolonged exposure.

IARC Monographs. Overall Evaluation of Carcinogenicity

Cristobalite (CAS 14464-46-1) 1 Carcinogenic to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Specific target organ toxicity Due to partial or complete lack of data the classification is not possible.

- single exposure

Specific target organ toxicity Due to partial or complete lack of data the classification is not possible.

- repeated exposure

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

This product has no known adverse effect on human health. Other information

SECTION 12: Ecological information

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative No data available.

potential

Partition coefficient

n-octanol/water (log Kow)

Not available.

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and

vPvB assessment

Not a PBT or vPvB substance or mixture. Not available.

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

Material name: NIKE S65W DC PIS FRANCE 15651 Version #: 02 Revision date: 10-August-2021 Issue date: 17-October-2016 5 / 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Not available. Contaminated packaging Not available. **EU** waste code Not available.

Disposal This product, in its present state, when discarded or disposed of, is not a hazardous waste

methods/information according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the

user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Not applicable.

SECTION 14: Transport information

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **EU** regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Cristobalite (CAS 14464-46-1)

Material name: NIKE S65W DC PIS FRANCE 6/7

15651 Version #: 02 Revision date: 10-August-2021 Issue date: 17-October-2016

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulationsThe product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended.

National regulations Follow national regulation on the protection of workers from the risks of exposure to carcinogens

and mutagens at work, in accordance with Directive 2004/37/EC.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviationsNot available.ReferencesNot available.Information on evaluationNot available.

method leading to the classification of mixture

Full text of any H-statements not written out in full under

Sections 2 to 15

None.

Revision information

This document has undergone significant changes and should be reviewed in its entirety.

Training information

Not available.

Disclaimer

This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Material name: NIKE S65W DC

15651 Version #: 02 Revision date: 10-August-2021 Issue date: 17-October-2016 7 / 7