# International

# SAFETY DATA SHEET

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or SHAMROCK 392 DRY MORTAR

designation of the mixture

**Registration number** 

**Synonyms** None. **Brand Code** 719B

24-October-2016 **Issue date** 

**Version number** 03

**Revision date** 04-May-2022 03-May-2022 Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** For Industrial Use Only

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

**Supplier** 

HarbisonWalker International Company name

**Address** 1305 Cherrington Parkway, Suite 100

Moon Township, PA 15108, USA

**United States** 

**Division** 

**Telephone** General Phone: 412-375-6743

CHEMTREC EMERGENCY 1-800-424-9300

US/CAN ONLY

sds@thinkHWI.com e-mail

HWI USA **Contact person** 

412-375-6600 1.4. Emergency telephone General Phone:

number

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

H318 - Causes serious eye damage. Serious eye damage/eye irritation Category 1

Causes serious eve damage. Exposure to powder or dusts may be irritating to eyes, nose and **Hazard summary** 

throat. Occupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

**Contains:** Aluminium Tris(Dihydrogen Phosphate)

**Hazard pictograms** 

Signal word Danger

Material name: SHAMROCK 392 DRY MORTAR

**Hazard statements** 

H318 Causes serious eye damage.

**Precautionary statements** 

**Prevention** 

Do not breathe dust. P260

P280 Wear eye protection/face protection.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305 + P351 + P338

easy to do. Continue rinsing.

Immediately call a POISON CENTRE/doctor. P310 Storage Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Supplemental label

information

None.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **General information**

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Aluminium Tris(Dihydrogen Phosphate)	2,5 - 10	13530-50-2 236-875-2	-	-	
Classification: Eye Dam. 1;H318					
Other components below reportable	e 80 - 100				

#### List of abbreviations and symbols that may be used above

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

levels

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

#### **SECTION 4: First aid measures**

**General information** Not available.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

4.2. Most important symptoms and effects, both

acute and delayed

Permanent eye damage including blindness could result. Dusts may irritate the respiratory tract, skin and eyes.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Symptoms may be delayed.

4.3. Indication of any immediate medical attention and special treatment

needed

# **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

Use fire-extinguishing media appropriate for surrounding materials.

media

Unsuitable extinguishing

media

Not available.

5.2. Special hazards arising from the substance or

Not available.

mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

Special fire fighting

procedures

Not available.

SDS FRANCE 719B Version #: 03 Revision date: 04-May-2022 Issue date: 24-October-2016

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

**6.2. Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Absorb in vermiculite, dry sand or earth and place into containers. Shovel the material into waste container. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

6.4. Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

# **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not get this material in contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

**7.3. Specific end use(s)** Not available.

### **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **Occupational exposure limits**

# France. Threshold Limit Values (VLEP) for Occupational Exposure to Chemicals in France, INRS ED 984 Components Type Value

Aluminium Oxide VME 10 mg/m3
(Non-Fibrous) (CAS
1344-28-1)

Regulatory status: Indicative limit (VL)
Aluminium Tris(Dihydrogen VME 2 mg/m3
Phosphate) (CAS
13530-50-2)

Regulatory status: Indicative limit (VL)
Chromium (III) oxide (CAS VME 2 mg/m3

**Regulatory status:** Regulatory indicative (VRI)

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Recommended monitoring procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

1308-38-9)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

#### **Appropriate engineering** controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

**Eye/face protection** Wear safety glasses with side shields (or goggles) and a face shield.

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

- Other Wear suitable protective clothing.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







**Hygiene measures** 

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure** controls

Environmental manager must be informed of all major releases.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

#### **Appearance**

**Physical state** Solid. Form Powder Colour Not available. **Odour** Not available. **Odour threshold** Not available. Not available. Melting point/freezing point Not available. Initial boiling point and Not available. boiling range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit -

Not available.

upper (%)

Not available. Vapour pressure Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available.

**Viscosity** Not available. **Explosive properties** Not explosive. Oxidising properties Not oxidising

9.2. Other information No relevant additional information available.

# **SECTION 10: Stability and reactivity**

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

10.4. Conditions to avoid Contact with incompatible materials.

10.5. Incompatible materials Acids. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not

be specific to industrial application exposure.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

# **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Skin contact Dust or powder may irritate the skin.

**Eye contact** Causes serious eye damage.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

**Symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Permanent eye damage including blindness could result. Dusts may irritate the respiratory

tract, skin and eyes.

#### 11.1. Information on toxicological effects

**Acute toxicity** Not known.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Aspiration hazard

Mixture versus substance

information

No information available.

Other information Not available.

# **SECTION 12: Ecological information**

12.1. Toxicity Based on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative No data available.

potential

**Partition coefficient** 

n-octanol/water (log Kow)

Not available.

**Bioconcentration factor (BCF)** Not available. 12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB assessment

Not a PBT or vPvB substance or mixture. Not available.

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** As sold, this product is not RCRA hazardous. Final used condition must be evaluated prior to

disposal. Dispose of waste product in accordance with Federal, State and Local regulations. The chrome compounds (Cr III) in this product may be altered to a hexavalent compound (Cr VI) under certain use conditions, such as exposure to alkali salts and/or high temperatures. Proper waste testing (such as TCLP)must be done to determine the waste status of used product. Reuse and

recycling of chrome Refractories is recommended whenever possible.

Contaminated packaging

Not available.

EU waste code

Not available.

Disposal

This product, in its present state, when discarded or disposed of, is not a hazardous waste

**methods/information** according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

# **SECTION 14: Transport information**

#### **ADR**

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

**ADN** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IATA** 

14.1. - 14.6.: Not regulated as dangerous goods.

**IMDG** 

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

Not applicable.

MARPOL 73/78 and the IBC

Code

#### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

## **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

#### Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP Other regulations

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation (EC)

No 1907/2006, as amended.

**National regulations** Follow national regulation on the protection of workers from the risks of exposure to carcinogens

and mutagens at work, in accordance with Directive 2004/37/EC.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations Not available. Not available. References Not available. Information on evaluation method leading to the

classification of mixture **Full text of any H-statements** 

not written out in full under

Sections 2 to 15

H318 Causes serious eye damage.

**Revision information** None.

**Training information** Not available.

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a quarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Material name: SHAMROCK 392 DRY MORTAR