## **SAFETY DATA SHEET**



## 1. Identification

Product identifier SUPER HYBOND PLUS; SUPER HYBOND PLUS WF

Other means of identification

**Brand Code** 6189, 773A

Recommended use For Industrial Use Only

**Recommended restrictions**Users should be informed of the potential presence of respirable dust and respirable crystalline

silica as well as their potential hazards. Appropriate training in the proper use and handling of this

material should be provided as required under applicable regulations.

#### Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108 US

**Telephone** General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC 24 HOUR 1-800-424-9300

EMERGENCY #

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Not classified.

Label elements



Signal word Danger

**Hazard statement** May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

**Response** IF exposed or concerned: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

## 3. Composition/information on ingredients

**Mixtures** 

| Chemical name | Common name and synonyms | CAS number | %       |
|---------------|--------------------------|------------|---------|
| Mullite       |                          | 1302-93-8  | 20 - 40 |

Material name: SUPER HYBOND PLUS; SUPER HYBOND PLUS WF SDS CANADA

| Chemical name                         | Common name and synonyms | CAS number | %        |
|---------------------------------------|--------------------------|------------|----------|
| SILICA, CRYSTALLINE,<br>CRISTOBALITE  |                          | 14464-46-1 | 10 - 20  |
| ALUMINUM, WATER SOLUBLE SALTS, N.O.S. |                          | 10043-01-3 | 2.5 - 10 |
| SILICA, CRYSTALLINE, QUARTZ           |                          | 14808-60-7 | 2.5 - 10 |
| FIBROUS GLASS                         |                          | 65997-17-3 | 1 - 2.5  |
| ETHYLENE GLYCOL                       |                          | 107-21-1   | 0.1 - 1  |
| Titanium Dioxide                      |                          | 13463-67-7 | 0.1 - 1  |
| Other components below reportable     | levels                   |            | 20 - 40  |

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Prolonged exposure may cause chronic effects.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

**General information** 

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Use fire-extinguishing media appropriate for surrounding materials.

Not available.

Not applicable.

Not available.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

# Occupational exposure limits

| US. ACGIH Threshold Limit Values Components                                    | Туре                                | Value              | Form                  |
|--|-------------------------------------|--------------------|-----------------------|
| ALUMINUM, WATER<br>SOLUBLE SALTS, N.O.S.<br>(CAS 10043-01-3)                   | TWA                                 | 1 mg/m3            | Respirable fraction.  |
| ETHYLENE GLYCOL (CAS<br>107-21-1)  | Ceiling                             | 100 mg/m3          | Aerosol.              |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)                       | TWA                                 | 0.025 mg/m3        | Respirable fraction.  |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)                                | TWA                                 | 0.025 mg/m3        | Respirable fraction.  |
| Titanium Dioxide (CAS 13463-67-7)  | TWA                                 | 10 mg/m3           |                       |
| Canada. Alberta OELs (Occupational He  | alth & Safety Code, Schedule 1, Tab | le 2)              |                       |
| Components   | Туре                                | Value              | Form                  |
| ALUMINUM, WATER<br>SOLUBLE SALTS, N.O.S.<br>(CAS 10043-01-3)                   | TWA                                 | 2 mg/m3            |                       |
| ETHYLENE GLYCOL (CAS<br>107-21-1)  | Ceiling                             | 100 mg/m3          |                       |
| FIBROUS GLASS (CAS<br>65997-17-3)  | TWA                                 | 0.2 fibers/cm3     | Fiber.                |
|  |                                     | 5 mg/m3            | Fiber, total          |
| CHICA COVCTALLINE  | T\0/0                               | 5 mg/m3            | Total particulate.    |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)                       | TWA                                 | 0.025 mg/m3        | Respirable.           |
| ,  |                                     | 0.025 mg/m3        | Respirable particles. |
| SILICA, CRYSTALLINE,   | TWA                                 | 0.025 mg/m3        | Respirable particles. |
| QUARTZ (CAS 14808-60-7)<br>Titanium Dioxide (CAS<br>13463-67-7)                | TWA                                 | 10 mg/m3           |                       |
| Canada. British Columbia OELs. (Occup<br>Safety Regulation 296/97, as amended) | ational Exposure Limits for Chemic  | al Substances, Occ | cupational Health and |
| Components   | Туре                                | Value              | Form                  |
| ALUMINUM, WATER<br>SOLUBLE SALTS, N.O.S.<br>(CAS 10043-01-3)                   | TWA                                 | 1 mg/m3            | Respirable.           |
| ETHYLENE GLYCOL (CAS 107-21-1)   | Ceiling                             | 100 mg/m3          | Aerosol.              |
| •  |                                     | 50 ppm             | Vapor.                |
|  | STEL                                | 20 mg/m3           | Particulate.          |
| FIRE CLIC OL AGO (CAG  | TWA                                 | 10 mg/m3           | Particulate.          |
| FIBROUS GLASS (CAS<br>65997-17-3)  | TWA                                 | 0.2 fibers/cm3     | Fiber.                |
| ,  |                                     | 5 mg/m3            | Inhalable fibers.     |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)                       | TWA                                 | 0.025 mg/m3        | Respirable fraction.  |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)                                | TWA                                 | 0.025 mg/m3        | Respirable fraction.  |
| Titanium Dioxide (CAS 13463-67-7)  | TWA                                 | 3 mg/m3            | Respirable fraction.  |
| •  |                                     | 10 mg/m3           | Total dust.           |
| Canada. Manitoba OELs (Reg. 217/2006,  |                                     | =                  | _                     |
| Components   | Туре                                | Value              | Form                  |
| ALUMINUM, WATER<br>SOLUBLE SALTS, N.O.S.<br>(CAS 10043-01-3)                   | TWA                                 | 1 mg/m3            | Respirable fraction.  |

| Components   | g. 217/2006, The Workplace Safety A<br>Type  | Value   | Form                         |
|--|--|---|------------------------------|
| ETHYLENE GLYCOL (CAS 107-21-1)                               | Ceiling  | 100 mg/m3   | Aerosol.                     |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)     | TWA  | 0.025 mg/m3   | Respirable fraction.         |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)              | TWA  | 0.025 mg/m3   | Respirable fraction.         |
| Titanium Dioxide (CAS 13463-67-7)                            | TWA  | 10 mg/m3  |                              |
|  | trol of Exposure to Biological or Che  |   | _                            |
| Components   | Туре   | Value   | Form                         |
| ALUMINUM, WATER<br>SOLUBLE SALTS, N.O.S.<br>(CAS 10043-01-3) | TWA  | 1 mg/m3   | Respirable fraction.         |
| ETHYLENE GLYĆOL (CAS<br>107-21-1)                            | Ceiling  | 100 mg/m3   | Aerosol.                     |
| FIBROUS GLASS (CAS<br>65997-17-3)                            | TWA  | 0.5 fibers/ml   | Respirable fibers.           |
| ,  |  | 5 mg/m3   | Inhalable fraction.          |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)     | TWA  | 0.05 mg/m3  | Respirable fraction.         |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)              | TWA  | 0.1 mg/m3   | Respirable fraction.         |
| Titanium Dioxide (CAS 13463-67-7)                            | TWA  | 10 mg/m3  |                              |
| Canada. Quebec OELs. (Mini Components                        | stry of Labor - Regulation Respecti<br>Type  | ng the Quality of the Work Env<br>Value                             | vironment)<br>Form           |
| ALUMINUM, WATER<br>SOLUBLE SALTS, N.O.S.<br>(CAS 10043-01-3) | TWA  | 2 mg/m3   |                              |
| ETHYLENE GLYCOL (CAS 107-21-1)                               | Ceiling  | 127 mg/m3   | Vapor and mist.              |
| - ,  |  | 50 ppm  | Vapor and mist.              |
| FIBROUS GLASS (CAS<br>65997-17-3)                            | TWA  | 1 fibers/cm3n   | Fiber.                       |
|  |  | 10 mg/m3  | Total dust.                  |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)     | TWA  | 0.05 mg/m3  | Total dust.                  |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)              | TWA  | 0.1 mg/m3   | Respirable dust.             |
| Titanium Dioxide (CAS 13463-67-7)                            | TWA  | 10 mg/m3  | Total dust.                  |
| •  | s (Occupational Health and Safety R<br>Type  | egulations, 1996, Table 21)<br>Value                                | Form                         |
| ETHYLENE GLYCOL (CAS 107-21-1)                               | Ceiling  | 100 mg/m3   | Aerosol.                     |
| ogical limit values  | No biological exposure limits noted for  | r the ingredient(s).  |                              |
| osure guidelines   | Occupational exposure to nuisance d should be monitored and controlled. C and respirable crystalline silica should   | Occupational exposure to nuisar                                     |                              |
| propriate engineering<br>trols                               | Good general ventilation (typically 10 should be matched to conditions. If an or other engineering controls to maint | air changes per hour) should be<br>oplicable, use process enclosure | es, local exhaust ventilatio |

If contact is likely, safety glasses with side shields are recommended.

Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels Respiratory protection

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

Solid. **Physical state Form** Solid.

Not available. Color Not available. Odor **Odor threshold** Not available. Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Explosive limit - lower (%)

Not available. Not available.

Not available. Explosive limit - upper (%) Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing.

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous

reactions

Hazardous polymerization does not occur.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Powerful oxidizers. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity Not known.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

### Respiratory or skin sensitization

## Canada - Alberta OELs: Irritant

ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS Irritant

10043-01-3)

ETHYLENE GLYCOL (CAS 107-21-1) Irritant
FIBROUS GLASS (CAS 65997-17-3) Irritant
SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) Irritant

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial

circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer

risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and

respirable crystalline silica should be monitored and controlled.

### **ACGIH Carcinogens**

ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS

A4 Not classifiable as a human carcinogen.

10043-01-3)

ETHYLENE GLYCOL (CAS 107-21-1)

A4 Not classifiable as a human carcinogen.

FIBROUS GLASS (CAS 65997-17-3)

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

A2 Suspected human carcinogen.

A2 Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Material name: SUPER HYBOND PLUS; SUPER HYBOND PLUS WF 6189, 773A Version #: 01 Issue date: 06-18-2018

Titanium Dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Canada - Alberta OELs: Carcinogen category

FIBROUS GLASS (CAS 65997-17-3) Suspected human carcinogen. SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

ALUMINUM, WATER SOLUBLE SALTS, N.O.S. (CAS

10043-01-3)

ETHYLENE GLYCOL (CAS 107-21-1) Not classifiable as a human carcinogen.

FIBROUS GLASS (CAS 65997-17-3) Suspected human carcinogen. SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7) Not classifiable as a human carcinogen.

Canada - Quebec OELs: Carcinogen category

FIBROUS GLASS (CAS 65997-17-3) Detected carcinogenic effect in animals. SILICA, CRYSTALLINE, CRISTOBALITE (CAS Detected carcinogenic effect in animals.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 1 Carcinogenic to humans.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

FIBROUS GLASS (CAS 65997-17-3) Reasonably Anticipated to be a Human Carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Known To Be Human Carcinogen.

14464-46-1)

Reasonably Anticipated to be a Human Carcinogen.

Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

**Developmental effects** 

0 SILICA, CRYSTALLINE, QUARTZ **Developmental effects - EU category** SILICA, CRYSTALLINE, QUARTZ 0 **Embryotoxicity** SILICA, CRYSTALLINE, QUARTZ 0 Reproductivity SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Not an aspiration hazard.

**Aspiration hazard** 

**Chronic effects** Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYLENE GLYCOL -1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Material name: SUPER HYBOND PLUS; SUPER HYBOND PLUS WF

SDS CANADA

## 13. Disposal considerations

**Disposal instructions**This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste code Since this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

## 14. Transport information

#### **TDG**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

## 15. Regulatory information

## Canadian regulations

### **Controlled Drugs and Substances Act**

Not regulated.

### Export Control List (CEPA 1999, Schedule 3)

Not listed.

#### **Greenhouse Gases**

Not listed.

## **Precursor Control Regulations**

Not regulated.

### International regulations

### **Stockholm Convention**

Not applicable.

## **Rotterdam Convention**

Not applicable.

## **Kyoto protocol**

Not applicable.

### **Montreal Protocol**

Not applicable.

### **Basel Convention**

FIBROUS GLASS (CAS 65997-17-3)

### **International Inventories**

| Country(s) or region | Inventory name   | On inventory (yes/no)* |
|----------------------|--|------------------------|
| Australia            | Australian Inventory of Chemical Substances (AICS)                     | No                     |
| Canada               | Domestic Substances List (DSL)   | Yes                    |
| Canada               | Non-Domestic Substances List (NDSL)                                    | No                     |
| China                | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                    |
| Europe               | European Inventory of Existing Commercial Chemical Substances (EINECS) | No                     |
| Europe               | European List of Notified Chemical Substances (ELINCS)                 | No                     |
| Japan                | Inventory of Existing and New Chemical Substances (ENCS)               | No                     |
| Korea                | Existing Chemicals List (ECL)  | No                     |
| New Zealand          | New Zealand Inventory  | Yes                    |

Country(s) or region Inventory name On inventory (yes/no)\*

**Philippines** Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

06-18-2018 Issue date

Version # 01

This information is based on our present knowledge on creation date. However, this shall not Disclaimer

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Product and Company Identification: Product Codes **Revision information** 

Composition / Information on Ingredients: Component Summary

Toxicological Information: Toxicological Data

**Ecological Information: Ecotoxicity** 

GHS: Classification

Material name: SUPER HYBOND PLUS; SUPER HYBOND PLUS WF