# SAFETY DATA SHEET



### 1. Identification

Product identifier LO-ABRADE GR PLUS; LO-ABRADE GR PLUS WF

Other means of identification

**Brand Code** 5938, 5939, 427C

**Recommended use** For Industrial or Professional Use Only

**Recommended restrictions**Users should be informed of the potential presence of respirable dust and respirable crystalline

silica as well as their potential hazards. Appropriate training in the proper use and handling of this

material should be provided as required under applicable regulations.

#### Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108 US

**Telephone** General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC 24 HOUR 1-800-424-9300

EMERGENCY #

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Not classified.

Label elements



Signal word Danger

**Hazard statement** May cause cancer. Causes damage to organs through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

**Response** IF exposed or concerned: Get medical advice/attention.

**Storage** Store in a manner to minimize airborne dust.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%	
Cement, Alumina, Chemicals		65997-16-2	10 - 20	

Material name: LO-ABRADE GR PLUS; LO-ABRADE GR PLUS WF 5938, 5939, 427C Version #: 01 Issue date: 06-25-2018

Chemical name	Common name and synonyms	CAS number	%	
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	10 - 20	
SILICA, AMORPHOUS, FUMED		69012-64-2	2.5 - 10	
ALPHA-ALUMINA		1344-28-1	1 - 2.5	
Other components below reportable	levels		40 - 60	

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye contact** Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

treatment needed

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for firefighters

Not available.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.

Components	/alues Type	Value	Form
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
·	pational Health & Safety Code, Scho Type	edule 1, Table 2) Value	Form
ALPHA-ALUMINA (CAS	TWA	10 mg/m3	
1344-28-1) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Canada. British Columbia OE	ELs. (Occupational Exposure Limits	for Chemical Substances, Oc	cupational Health and
Safety Regulation 296/97, as Components	amended) Type	Value	Form
	TWA		
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	4 mg/m3	Total fume.
SILICA, CRYSTALLINE,	TWA	1.5 mg/m3	Respirable fume.
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada. Manitoba OELs (Reg	g. 217/2006, The Workplace Safety A	and Health Act)	
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Canada, Ontario OFI s. (Con	trol of Exposure to Biological or Ch	amical Aganta	
Components	Type	emical Agents) Value	Form
Components ALPHA-ALUMINA (CAS			Form Respirable fraction.
ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS,	Туре	Value	-
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE,	Type TWA	Value 1 mg/m3	Respirable fraction.
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	Type  TWA  TWA	Value 1 mg/m3 2 mg/m3 0.1 mg/m3	Respirable fraction.  Respirable fraction.  Respirable fraction.
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS	Type  TWA  TWA  TWA  Stry of Labor - Regulation Respecti	Value  1 mg/m3 2 mg/m3 0.1 mg/m3 ng the Quality of the Work En	Respirable fraction.  Respirable fraction.  Respirable fraction.
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS,	Type  TWA  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type	Value  1 mg/m3 2 mg/m3 0.1 mg/m3 ng the Quality of the Work Envolue	Respirable fraction. Respirable fraction. Respirable fraction.  Vironment) Form  Total dust.  Respirable dust and/or
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1)	Type  TWA  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type  TWA	Value  1 mg/m3 2 mg/m3 0.1 mg/m3  ng the Quality of the Work Envolue  10 mg/m3	Respirable fraction. Respirable fraction. Respirable fraction.  Vironment) Form  Total dust.
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE,	Type  TWA  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type  TWA  TWA	Value  1 mg/m3 2 mg/m3 0.1 mg/m3 ng the Quality of the Work Envolue 10 mg/m3 2 mg/m3 0.1 mg/m3	Respirable fraction. Respirable fraction. Respirable fraction.  Vironment) Form  Total dust.  Respirable dust and/or fume.
Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	Type  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type  TWA  TWA  TWA  TWA	Value  1 mg/m3 2 mg/m3 0.1 mg/m3 ng the Quality of the Work Envalue 10 mg/m3 2 mg/m3 0.1 mg/m3 or the ingredient(s). lust (total and respirable) and recocupational exposure to nuisal	Respirable fraction.  Respirable fraction.  Respirable fraction.  vironment) Form  Total dust.  Respirable dust and/or fume. Respirable dust.
ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)  Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) logical limit values	Type  TWA  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type  TWA  TWA  TWA  TWA  TWA  TWA  Occupational exposure limits noted for Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled. Occupational exposure to nuisance dishould be monitored and controlled.	1 mg/m3 2 mg/m3 0.1 mg/m3 0.1 mg/m3 ng the Quality of the Work Envolue 10 mg/m3 2 mg/m3 0.1 mg/m3 or the ingredient(s). lust (total and respirable) and reconstituted be monitored and controlled. air changes per hour) should be pplicable, use process enclosuration airborne levels below recomparison.	Respirable fraction.  Respirable fraction.  Respirable fraction.  vironment) Form  Total dust.  Respirable dust and/or fume. Respirable dust.  spirable crystalline silica nce dust (total and respirable dust)  e used. Ventilation rates es, local exhaust ventilation, mended exposure limits. If
ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) logical limit values rosure guidelines	Type  TWA  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type  TWA  TWA  TWA  TWA  TWA  TWA  TWA  No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Cand respirable crystalline silica should Good general ventilation (typically 10 should be matched to conditions. If an or other engineering controls to maintain	1 mg/m3 2 mg/m3 0.1 mg/m3 0.1 mg/m3 ng the Quality of the Work Envalue 10 mg/m3 2 mg/m3 0.1 mg/m3 or the ingredient(s). lust (total and respirable) and recocupational exposure to nuisal discontinuity and controlled. air changes per hour) should be pplicable, use process enclosuration airborne levels below recomished, maintain airborne levels trent	Respirable fraction.  Respirable fraction.  Respirable fraction.  vironment) Form  Total dust.  Respirable dust and/or fume. Respirable dust.  spirable crystalline silicance dust (total and respirable e used. Ventilation rates es, local exhaust ventilation mended exposure limits. If o an acceptable level.
ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Canada. Quebec OELs. (Mini Components  ALPHA-ALUMINA (CAS 1344-28-1) SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) logical limit values cosure guidelines  propriate engineering trols	Type  TWA  TWA  TWA  TWA  Stry of Labor - Regulation Respecting Type  TWA  TWA  TWA  TWA  TWA  TWA  TWA  No biological exposure limits noted for Occupational exposure to nuisance do should be monitored and controlled. On and respirable crystalline silica should good general ventilation (typically 10 should be matched to conditions. If an or other engineering controls to maintie exposure limits have not been establicated as personal protective equipments.	Value  1 mg/m3 2 mg/m3 0.1 mg/m3 ng the Quality of the Work Envalue 10 mg/m3 2 mg/m3 0.1 mg/m3 or the ingredient(s). lust (total and respirable) and recocupational exposure to nuisal distributional exposure to	Respirable fraction.  Respirable fraction.  Respirable fraction.  vironment) Form  Total dust.  Respirable dust and/or fume. Respirable dust.  spirable crystalline silicance dust (total and respirable e used. Ventilation rates es, local exhaust ventilation, mended exposure limits. If o an acceptable level.

exceeding the exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

**Appearance** 

Physical state Solid.
Form Solid.

Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Material name: LO-ABRADE GR PLUS; LO-ABRADE GR PLUS WF 5938, 5939, 427C Version #: 01 Issue date: 06-25-2018

**Incompatible materials** Powerful oxidizers. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

#### Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

#### Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** Due to partial or complete lack of data the classification is not possible. This product is not

expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to

polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Hazardous by WHMIS criteria.

**ACGIH Carcinogens** 

ALPHA-ALUMINA (CAS 1344-28-1)

A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

ALPHA-ALUMINA (CAS 1344-28-1) Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) 3 Not classifiable as to carcinogenicity to humans.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

**Developmental effects** 

SILICA, CRYSTALLINE, QUARTZ 0

Developmental effects - EU category

SILICA, CRYSTALLINE, QUARTZ 0

**Embryotoxicity** 

SILICA, CRYSTALLINE, QUARTZ 0

Reproductivity

SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure by inhalation. Respiratory

organs.

Aspiration hazard Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be

harmful. Prolonged exposure may cause chronic effects.

### 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

**Hazardous waste code**Since this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

## 14. Transport information

**TDG** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

### 15. Regulatory information

Canadian regulations

**Controlled Drugs and Substances Act** 

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	No

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

### 16. Other information

**Issue date** 06-25-2018

Version # 01

**Disclaimer** This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

**Revision information** Product and Company Identification: Product Codes

Composition / Information on Ingredients: Ingredients

Material name: LO-ABRADE GR PLUS; LO-ABRADE GR PLUS WF 5938, 5939, 427C Version #: 01 Issue date: 06-25-2018

No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).