SAFETY DATA SHEET



1. Identification

Product identifier 'SAIRSET 3000

Other means of identification

Brand Code 921B

Recommended use For Industrial or Professional Use Only

Recommended restrictions Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence

of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under

applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108

US

Telephone General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC 24 HOUR 1-800-424-9300

EMERGENCY #

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer. Causes damage to organs through prolonged or repeated exposure.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective

clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: 'SAIRSET 3000 SDS CANADA

921B Version #: 01 Issue date: 07-16-2019

Chemical name	Common name and synonyms	CAS number	%
Kyanite		1302-76-7	40 - 60
Mullite		1302-93-8	10 - 25
Kaolin		1332-58-7	2.5 - 10
SILICA, AMORPHOUS, FUMED	Fumed Silica Silica, crystalline free	7631-86-9	2.5 - 10
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	2.5 - 10
Silicic Acid, Sodium Salt		1344-09-8	2.5 - 10
Titanium Dioxide		13463-67-7	2.5 - 10
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	< 0.5
Other components below reportable	e levels		10 - 25

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Prolonged exposure may cause chronic effects.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Indication of immediate medical attention and special treatment needed

General information

If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Not available.

Specific hazards arising from

the chemical

Not applicable.

Special protective equipment and precautions for firefighters

Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: 'SAIRSET 3000 SDS CANADA

8. Exposure controls/personal protection

Occ

cupational exposure limits			
US. ACGIH Threshold Limit Values Components	Type	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Sch	nedule 1, Table 2)	
Components	Туре	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
•		0.025 mg/m3	Respirable particles.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia OELs. (C Safety Regulation 296/97, as amen Components		s for Chemical Substances, Oc Value	cupational Health and
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable.
SILICA, AMORPHOUS,	TWA	4 mg/m3	Total
FUMED (CAS 7631-86-9)	1 007 (4 mg/mo	rotai
		1.5 mg/m3	Respirable.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217/	2006, The Workplace Safety	And Health Act)	
Components	Туре	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
Cyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Material name: 'SAIRSET 3000 SDS CANADA

921B Version #: 01 Issue date: 07-16-2019

13463-67-7)

Canada. Ontario OELs. (Control of Components	Туре	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
Kyanite (CAS 1302-76-7)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety) **Form** Components **Type** Value Kaolin (CAS 1332-58-7) **TWA** 5 mg/m3 Respirable dust. **TWA** SILICA, AMORPHOUS, 6 mg/m3 Respirable dust. FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, **TWA** 0.05 mg/m3 Respirable dust. CRISTOBALITE (CAS 14464-46-1) SILICA, CRYSTALLINE. 0.1 mg/m3 **TWA** Respirable dust. QUARTZ (CAS 14808-60-7) Titanium Dioxide (CAS **TWA** 10 mg/m3 Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelinesOccupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable)

and respirable crystalline silica should be monitored and controlled.

Occupational Exposure Limits are not relevant to the current physical form of the product.

Appropriate engineering

13463-67-7)

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Paste.
Color Not available.
Odor Not available.

Not available. Odor threshold Not available. Ha Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Not available. Vapor pressure Not available. Vapor density Relative density Not available.

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature** Not available. **Viscosity**

Other information

Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Powerful oxidizers. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected. Skin contact No adverse effects due to skin contact are expected. Eve contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Material name: 'SAIRSET 3000 SDS CANADA Serious eye damage/eye

Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and

in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and

A2 Suspected human carcinogen.

A4 Not classifiable as a human carcinogen.

Detected carcinogenic effect in animals.

Suspected carcinogenic effect in humans.

respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

Kaolin (CAS 1332-58-7)

Kyanite (CAS 1302-76-7)

Mullite (CAS 1302-93-8)

A4 Not classifiable as a human carcinogen.

A4 Not classifiable as a human carcinogen.

A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS A2 Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Canada - Manitoba OELs: carcinogenicity

Kaolin (CAS 1332-58-7)

Kyanite (CAS 1302-76-7) Mullite (CAS 1302-93-8)

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

IARC Monographs. Overall Evaluation of Carcinogenicity

and money april of the services of the service

SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) SILICA, CRYSTALLINE, CRISTOBALITE (CAS

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Titanium Dioxide (CAS 13463-67-7)

US. National Toxicology Program (NTP) Report on Carcinogens

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)

Known To Be Human Carcinogen.

1 Carcinogenic to humans.

1 Carcinogenic to humans.

Reasonably Anticipated to be a Human Carcinogen.

3 Not classifiable as to carcinogenicity to humans.

Known To Be Human Carcinogen.

2B Possibly carcinogenic to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Material name: 'SAIRSET 3000 921B Version #: 01 Issue date: 07-16-2019 **Developmental effects**

SILICA, CRYSTALLINE, QUARTZ 0

Developmental effects - EU category

SILICA, CRYSTALLINE, QUARTZ 0

Embryotoxicity

SILICA, CRYSTALLINE, QUARTZ 0

Reproductivity

SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity -

Not classified.

single exposure

Specific target organ toxicity -

Causes damage to organs through prolonged or repeated exposure.

repeated exposure

Not an aspiration hazard.

Aspiration hazard Chronic effects

Causes damage to organs through prolonged or repeated exposure. Prolonged exposure may

cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential Mobility in soil

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste codeSince this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to

Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

Material name: 'SAIRSET 3000 SDS CANADA

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No

Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Inventory name

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

16. Other information

Issue date 07-16-2019

Version # 01

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Revision information Product and Company Identification: Product and Company Identification

Ecological Information: Ecotoxicity

Transport Information: Material Transportation Information

GHS: Classification

Material name: 'SAIRSET 3000 SDS CANADA

921B Version #: 01 Issue date: 07-16-2019

On inventory (yes/no)*

No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).