

SAFETY DATA SHEET

1. Identification

Product identifier	TUFLINE 90 DM	
Other means of identification Brand Code	2730	
Recommended use	For Industrial or Professional Use Only	
Recommended restrictions	Avoid dry cutting, blasting, o	r dust generation.
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer		
Company name	HarbisonWalker International	
Address	1305 Cherrington Parkway, Suite 100	
	Moon Township	
	Pennsylvania	
	15108	
	US	
Telephone	General Phone:	412-375-6600
Website	www.thinkHWI.com	
Emergency phone number	Not available.	
Supplier	Not available.	

2. Hazard identification

Classified hazards

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Label elements

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Other hazards

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
ALPHA-ALUMINA		1344-28-1	60 - 80
Mullite		1302-93-8	30 - 50
SILICA, AMORPHOUS, FUMED	Fumed Silica Silica, crystalline free	7631-86-9	2.5 - 10
ZIRCONIUM COMPOUNDS		1314-23-4	2.5 - 10

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
5. Fire-fighting measures	

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage,	Store away from incompatible materials (see Section 10 of the SDS).

including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Values Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
ZIRCONIUM COMPOUNDS (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	

Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2)

Components	Туре	Value
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3
ZIRCONIUM COMPOUNDS (CAS 1314-23-4)	STEL	10 mg/m3
	TWA	5 mg/m3

Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable.

Components	amended) Type	Value	Form
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	4 mg/m3	Total
		1.5 mg/m3	Respirable.
ZIRCONIUM COMPOUNDS (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Canada. Manitoba OELs (Reg Components	g. 217/2006, The Workplace Safety A Type	nd Health Act) Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
ZIRCONIUM COMPOUNDS (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Canada. Ontario OELs. (Con	trol of Exposure to Biological or Che	mical Agents)	
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
ZIRCONIUM COMPOUNDS (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
•	istry of Labor - Regulation respecting		
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	6 mg/m3	Respirable dust.
ZIRCONIUM COMPOUNDS (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
ogical limit values	No biological exposure limits noted for	the ingredient(s).	
osure guidelines	Zirconium silicates (zircon sands) contain trace amounts (106-120 pCi/g) of naturally occurring radioactive uranium and thorium. Overexposure by inhalation to respirable dust containing uranium and thorium may cause lung cancer. Eye contact with the dust may cause eye irritation. Measurements made by Dupont during the use of a similar mineral sand indicated the observance of the 5 mg/m3 OSHA PEL for respirable dust and/or the PEL for quartz ensures the user is below the exposure limits established for uranium and thorium. No LD50 or LC50 can be found for zirco sand.		
	of the 5 mg/m3 OSHA PEL for respiration the exposure limits established for ura	ble dust and/or the PEL for qua	
propriate engineering trols	of the 5 mg/m3 OSHA PEL for respiration the exposure limits established for ura	ble dust and/or the PEL for qu nium and thorium. No LD50 o air changes per hour) should b plicable, use process enclosur ain airborne levels below recor	r LC50 can be found for zirco be used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If
trols	of the 5 mg/m3 OSHA PEL for respira the exposure limits established for ura sand. Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to mainta	ble dust and/or the PEL for quanium and thorium. No LD50 of air changes per hour) should be plicable, use process enclosura in airborne levels below recors shed, maintain airborne levels the sent	r LC50 can be found for zirco e used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level.
trols vidual protection measures, s	of the 5 mg/m3 OSHA PEL for respirative exposure limits established for ura sand. Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to maintatexposure limits have not been establises such as personal protective equipment.	ble dust and/or the PEL for quanium and thorium. No LD50 of air changes per hour) should be plicable, use process enclosur ain airborne levels below recor shed, maintain airborne levels ent side shields are recommended	r LC50 can be found for zirco e used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level.
trols vidual protection measures, s Eye/face protection Skin protection	of the 5 mg/m3 OSHA PEL for respirative exposure limits established for uras sand. Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to maintait exposure limits have not been establist such as personal protective equipment of contact is likely, safety glasses with	ble dust and/or the PEL for quanium and thorium. No LD50 of air changes per hour) should be plicable, use process enclosur ain airborne levels below recorsched, maintain airborne levels sent side shields are recommended loves.	r LC50 can be found for zirco e used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level.
trols vidual protection measures, s Eye/face protection Skin protection Hand protection	of the 5 mg/m3 OSHA PEL for respirative exposure limits established for uras sand. Good general ventilation (typically 10 a should be matched to conditions. If ap or other engineering controls to maintatexposure limits have not been establises such as personal protective equipment of contact is likely, safety glasses with Wear appropriate chemical resistant g	ble dust and/or the PEL for quinium and thorium. No LD50 of air changes per hour) should biplicable, use process enclosurain airborne levels below recorsched, maintain airborne levels fert side shields are recommended loves.	r LC50 can be found for zirco e used. Ventilation rates res, local exhaust ventilation, nmended exposure limits. If to an acceptable level.



General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

, ,	•
Appearance	
Physical state	Solid.
Form	Brick or Cast Shape
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Information on intery routes of e	•	f. I	
Inhalation	Prolonged inhalation may be harmful.		
Skin contact	No adverse effects due to skin contact are expected.		
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.		
Information on toxicological effe	ects		
Acute toxicity	Not known.		
Skin corrosion/irritation	Prolonged skin contact may ca	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may o	cause temporary irritation.	
Respiratory or skin sensitizatior	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to	o cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are	
Carcinogenicity	May cause cancer.		
ACGIH Carcinogens			
ALPHA-ALUMINA (CAS Mullite (CAS 1302-93-8) ZIRCONIUM COMPOUN	A4 Not classifiable as a human carcinogen.		
Canada - Manitoba OELs: ca			
• •	3) Not classifiable as a human carcinogen.		
SILICA, AMORPHOUS, F		3 Not classifiable as to carcinogenicity to humans.	
Reproductive toxicity		o cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be h	Prolonged inhalation may be harmful.	
12. Ecological information	1		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal considerations			
Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.		
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.		

Waste from residues / unused Not available. products

Not available.

Contaminated packaging

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

Canadian regulations

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

- Stockholm Convention
- Not applicable.
- Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information	
Issue date	09-23-2019
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: After Reaction Composition