



1. Identification

Product identifierTHORBIDE UROther means of identificationBrand CodeBrand CodeSynonymsWM-7987Recommended useFor Industrial Use OnlyRecommended restrictionsAvoid dry cutting, blasting, or dust generation.Manufacturer/Importer/Supplier/Stributor informationManufacturerCompany nameAddress1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvaria 15108 USTelephoneGeneral Phone:Yebsitewww.thinkHWI.comKenrington ParkwayNot available.			
Brand Code181DSynonymsWM-7987Recommended useFor Industrial Use OnlyRecommended restrictionsAvoid dry cutting, blasting, or dust generation.Manufacturer/Importer/Supplier/Distributor informationManufacturerCompany nameHarbisonWalker InternationalAddress1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 USTelephoneGeneral Phone:412-375-6600Websitewww.thinkHWI.com	Product identifier	THORBIDE UR	
SynonymsWM-7987Recommended useFor Industrial Use OnlyRecommended restrictionsAvoid dry cutting, blasting, or dust generation.Manufacturer/Importer/Supplier/Distributor informationManufacturerCompany nameHarbisonWalker InternationalAddress1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 USTelephoneGeneral Phone:412-375-6600Websitewww.thinkHWI.com	Other means of identification		
Recommended use For Industrial Use Only Recommended restrictions Avoid dry cutting, blasting, or dust generation. Manufacturer/Importer/Supplier/Distributor information Manufacturer Company name HarbisonWalker International Address 1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 US Telephone General Phone: 412-375-6600 Website www.thinkHWI.com	Brand Code	181D	
Recommended restrictionsAvoid dry cutting, blasting, or dust generation.Manufacturer/Importer/Supplier/Distributor informationManufacturerCompany nameHarbisonWalker InternationalAddress1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 USTelephoneGeneral Phone:412-375-6600 www.thinkHWI.com	Synonyms	WM-7987	
Manufacturer/Importer/Supplier/Distributor information Manufacturer Company name HarbisonWalker International Address 1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 US Telephone General Phone: 412-375-6600 Website www.thinkHWI.com	Recommended use	For Industrial Use Only	
Manufacturer HarbisonWalker International Company name HarbisonWalker International Address 1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 US Telephone General Phone: 412-375-6600 Website www.thinkHWI.com	Recommended restrictions	Avoid dry cutting, blasting, o	r dust generation.
Company nameHarbisonWalker InternationalAddress1305 Cherrington Parkway, Suite 100Moon Township, Pennsylvania 15108 USTelephoneGeneral Phone:Website412-375-6600	Manufacturer/Importer/Supplier/	Distributor information	
Address1305 Cherrington Parkway, Suite 100 Moon Township, Pennsylvania 15108 USTelephoneGeneral Phone:Website412-375-6600 www.thinkHWI.com	Manufacturer		
TelephoneMoon Township, Pennsylvania 15108 USTelephoneGeneral Phone:Website412-375-6600	Company name	HarbisonWalker Internationa	al
TelephoneGeneral Phone:412-375-6600Websitewww.thinkHWI.com	Address	1305 Cherrington Parkway, Suite 100	
Website www.thinkHWI.com		Moon Township, Pennsylvar	nia 15108 US
	Telephone	General Phone:	412-375-6600
Emergency phone number Not available.	Website	www.thinkHWI.com	
	Emergency phone number	Not available.	

2. Hazard(s) identification

Classified hazards

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Label elements

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Hazard(s) not otherwise classified (HNOC)

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Andalusite (Al2O(SiO4))		12183-80-1	20 - 40
Silicon Carbide		409-21-2	20 - 40
Mullite		1302-93-8	10 - 25
Aluminium Oxide (Non-Fibr	ous)	1344-28-1	2.5 - 10
Amorphous Silica	Fumed Silica Silica, crystalline free	7631-86-9	2.5 - 10
Quartz (SiO2)		14808-60-7	2.5 - 10
Other components below re	nortable levels		10 - 25

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
5. Fire-fighting measures	
Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Observe good industrial hygiene practices.
Conditions for safe storage,	Store away from incompatible materials (see Section 10 of the SDS).

including any incompatibilities

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Quartz (SiO2) (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.
Silicon Carbide (CAS 409-21-2)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
US. OSHA Table Z-3 (29 CFR 1910.1000)			
Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Amorphous Silica (CAS	TWA	0.8 mg/m3	
7631-86-9)			

Components	R 1910.1000) Type	Value	Form
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
Silicon Carbide (CAS 409-21-2)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit	t Values		
Components	Туре	Value	Form
Aluminium Oxide (Non-Fibrous) (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Andalusite (Al2O(SiO4)) (CAS 12183-80-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
Silicon Carbide (CAS 409-21-2)	TWA	0.1 fibers/cm3	Fiber.
		3 mg/m3	Respirable fraction.
		v	
		10 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to	o Chemical Hazards	· ·	Inhalable fraction.
US. NIOSH: Pocket Guide to Components	o Chemical Hazards Type	· ·	Inhalable fraction.
		10 mg/m3	
Components Amorphous Silica (CAS	Туре	10 mg/m3 Value	
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS	Type TWA	10 mg/m3 Value 6 mg/m3	Form
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS	Type TWA TWA	10 mg/m3 Value 6 mg/m3 0.05 mg/m3	Form Respirable dust.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2)	Type TWA TWA	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3	Form Respirable dust. Respirable.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS	Type TWA TWA TWA	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s).	Form Respirable dust. Respirable. Total
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2) logical limit values	Type TWA TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). lust (total and respirable) and re air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom	Form Respirable dust. Respirable. Total spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2) logical limit values osure guidelines propriate engineering trols	Type TWA TWA TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ , such as personal protective equipm	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). lust (total and respirable) and re- air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to ent	Form Respirable dust. Respirable. Total spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2) logical limit values osure guidelines propriate engineering trols	Type TWA TWA TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). lust (total and respirable) and re- air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to ent	Form Respirable dust. Respirable. Total spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2) logical limit values osure guidelines propriate engineering trols	Type TWA TWA TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ , such as personal protective equipm	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). lust (total and respirable) and re- air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to ent s (or goggles).	Form Respirable dust. Respirable. Total spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2) logical limit values osure guidelines propriate engineering trols vidual protection measures Eye/face protection Skin protection Hand protection	Type TWA State Occupational exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ , such as personal protective equipm Wear safety glasses with side shields Wear appropriate chemical resistant	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). lust (total and respirable) and re- air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to ent s (or goggles).	Form Respirable dust. Respirable. Total spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits.
Components Amorphous Silica (CAS 7631-86-9) Quartz (SiO2) (CAS 14808-60-7) Silicon Carbide (CAS 409-21-2) logical limit values osure guidelines propriate engineering trols vidual protection measures Eye/face protection Skin protection	Type TWA TWA TWA TWA TWA No biological exposure limits noted for Occupational exposure to nuisance of should be monitored and controlled. Good general ventilation (typically 10 should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ , such as personal protective equipm Wear safety glasses with side shields	10 mg/m3 Value 6 mg/m3 0.05 mg/m3 5 mg/m3 10 mg/m3 or the ingredient(s). lust (total and respirable) and re- air changes per hour) should be pplicable, use process enclosure tain airborne levels below recom- ished, maintain airborne levels to ent s (or goggles). gloves.	Form Respirable dust. Respirable. Total spirable crystalline silica e used. Ventilation rates es, local exhaust ventilation mended exposure limits. o an acceptable level.



General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

•	•
Appearance	
Physical state	Solid.
Form	Brick or Cast Shape
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Information on likely routes of e	xposure		
Inhalation	No adverse effects due to inha	alation are expected.	
Skin contact	No adverse effects due to skir	n contact are expected.	
Eye contact	Direct contact with eyes may cause temporary irritation.		
Ingestion	Expected to be a low ingestion hazard.		
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may o	cause temporary irritation.	
Information on toxicological effe	ects		
Acute toxicity	Not available.		
Skin corrosion/irritation	Prolonged skin contact may ca	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may o	cause temporary irritation.	
Respiratory or skin sensitization	ı		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	This product is not expected to		
Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are	
Carcinogenicity	inhaled from occupational sou overall evaluation, IARC noted circumstances studied. Carcin crystalline silica or on external polymorphs." (IARC Monogra humans, Silica, silicates dust a 2003, SCOEL (the EU Scientii main effect in humans of the in sufficient information to conclu silicosis (and, apparently, not in the ceramic industry). Ther risk" (SCOEL SUM Doc 94-f protection against silicosis car occupational exposure limits.	al Agency for Research on Cancer) concluded that crystalline silica rces can cause lung cancer in humans. However in making the d that "carcinogenicity was not detected in all industrial ogenicity may be dependent on inherent characteristics of the l factors affecting its biological activity or distribution of its phs on the evaluation of the carcinogenic risks of chemicals to and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June fic Committee on Occupational Exposure Limits) concluded that the nhalation of respirable crystalline silica dust is silicosis. "There is ude that the relative risk of lung cancer is increased in persons with in employees without silicosis exposed to silica dust in quarries and efore, preventing the onset of silicosis will also reduce the cancer final, June 2003) According to the current state of the art, worker in be consistently assured by respecting the existing regulatory Occupational exposure to respirable dust and respirable crystalline d controlled. Not classifiable as to carcinogenicity to humans.	
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
Amorphous Silica (CAS 7 Quartz (SiO2) (CAS 1480 Silicon Carbide (CAS 409 OSHA Specifically Regulate	08-60-7)	3 Not classifiable as to carcinogenicity to humans. 1 Carcinogenic to humans. 2A Probably carcinogenic to humans. 001-1052)	
Quartz (SiO2) (CAS 1480	•	Cancer	
US. National Toxicology Pro	ogram (NTP) Report on Carcin	ogens	
Quartz (SiO2) (CAS 1480	08-60-7)	Known To Be Human Carcinogen.	
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.	
Developmental effects Quartz (SiO2)		0	
Developmental effects - Quartz (SiO2)	EU category	0	
Embryotoxicity Quartz (SiO2)		0	
Reproductivity Quartz (SiO2)		0	
Specific target organ toxicity -	Not classified.		
single exposure			
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

Not regulated.	Notification (40 CFR			
CERCLA Hazardous Substa	ince List (40 CFR 30	2.4)		
Not listed.				
SARA 304 Emergency relea	se notification			
Not regulated.				
OSHA Specifically Regulate	ed Substances (29 C	FR 1910.1001-1052)		
Quartz (SiO2) (CAS 148	J8-60-7)	Cancer lung effects immune syste kidney effects		
perfund Amendments and Ro	authorization Act of	f 1986 (SARA)		
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	No (Exempt)			
SARA 313 (TRI reporting)				
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt.	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

California Proposition 65



WARNING: This product can expose you to chemicals including Quartz (SiO2): Quar

California Proposition 65 - CRT: Listed date/Carcinogenic substance

 Quartz (SiO2) (CAS 14808-60-7)
 Listed: October 1, 1988

 Titanium Dioxide (CAS 13463-67-7)
 Listed: September 2, 2011

 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))
 Quartz (SiO2) (CAS 14808-60-7)

Silicon Carbide (CAS 409-21-2)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	05-19-2020
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Product and Company Identification: Product and Company Identification Composition / Information on Ingredients: Ingredients Physical and chemical properties: Form