# **SAFETY DATA SHEET**



#### 1. Identification

Product identifier HARWACO BOND (WET)

Other means of identification

**Brand Code** 2160, 419B

**Recommended use** For Industrial Use Only

**Recommended restrictions** Avoid dry cutting, blasting, or dust generation.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108 US

**Telephone** General Phone: 412-375-6600

Website www.thinkHWI.com

Emergency phone number CHEMTREC 24 HOUR 1-800-424-9300

**EMERGENCY #** 

Supplier Not available.

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2B
Carcinogenicity Category 1A
Specific target organ toxicity, repeated Category 1

exposure

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement Causes skin irritation. Causes eye irritation. May cause cancer. Causes damage to organs

through prolonged or repeated exposure.

**Precautionary statement** 

**Prevention** Do not handle until all safety precautions have been read and understood. Do not breathe

dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it

before reuse.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

Material name: HARWACO BOND (WET) 2160, 419B Version #: 01 Issue date: 11-28-2018

#### 3. Composition/information on ingredients

#### **Mixtures**

| Chemical name                        | Common name and synonyms                              | CAS number | %        |
|--------------------------------------|---|------------|----------|
| Mullite                              |   | 1302-93-8  | 40 - 60  |
| SILICA, AMORPHOUS, FUMED             | SILICA, AMORPHOUS, FUMED<br>SILICA (CRYSTALLINE FREE) | 7631-86-9  | 10 - 30  |
| Kaolinite                            |   | 1318-74-7  | 2.5 - 10 |
| Kyanite                              |   | 1302-76-7  | 2.5 - 10 |
| SILICA, CRYSTALLINE, QUARTZ          |   | 14808-60-7 | 2.5 - 10 |
| Silicic Acid, Sodium Salt            |   | 1344-09-8  | 2.5 - 10 |
| ETHYLENE GLYCOL                      |   | 107-21-1   | 1 - 3    |
| Titanium Dioxide                     |   | 13463-67-7 | 1 - 3    |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE |   | 14464-46-1 | < 0.5    |
| Other components below reportab      | le levels   |            | 10 - 30  |

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

#### 4. First-aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get

medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

Most important Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin

symptoms/effects, acute and irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.

**Indication of immediate**Provide general supportive measures and treat symptomatically. Keep victim under observation.

medical attention and special Symptoms may be delayed.

treatment needed

**General information**IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s)

involved, and take precautions to protect themselves.

#### 5. Fire-fighting measures

**Suitable extinguishing media** Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing Not available. media

Specific hazards arising from Not applicable.

the chemical

Special protective equipment Not available.
and precautions for firefighters

#### 6. Accidental release measures

containment and cleaning up

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

# 7. Handling and storage

#### Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid contact with eyes, skin, and clothing. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

| US. AC | CGIH | <b>Threshold</b> | Limit | Values |
|--------|------|------------------|-------|--------|
|--------|------|------------------|-------|--------|

| Components  | Туре                                | Value                       | Form                 |
|---|-------------------------------------|-----------------------------|----------------------|
| ETHYLENE GLYCOL (CAS<br>107-21-1)   | Ceiling                             | 100 mg/m3                   | Aerosol.             |
| Kaolinite (CAS 1318-74-7)   | TWA                                 | 1 mg/m3                     | Respirable fraction. |
| Kyanite (CAS 1302-76-7)   | TWA                                 | 1 mg/m3                     | Respirable fraction. |
| Mullite (CAS 1302-93-8)   | TWA                                 | 1 mg/m3                     | Respirable fraction. |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1)                          | TWA                                 | 0.025 mg/m3                 | Respirable fraction. |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)                                   | TWA                                 | 0.025 mg/m3                 | Respirable fraction. |
| Titanium Dioxide (CAS 13463-67-7)   | TWA                                 | 10 mg/m3                    |                      |
|   |                                     |                             |                      |
| Canada. Alberta OELs (Occupationa   | l Health & Safety Code, Sch         | edule 1, Table 2)           |                      |
| Canada. Alberta OELs (Occupationa Components                                      | I Health & Safety Code, Sch<br>Type | edule 1, Table 2)<br>Value  | Form                 |
| •   | _                                   | •                           | Form                 |
| Components  ETHYLENE GLYCOL (CAS  | Туре                                | Value                       | Form Respirable.     |
| Components  ETHYLENE GLYCOL (CAS 107-21-1) SILICA, CRYSTALLINE, CRISTOBALITE (CAS | <b>Type</b> Ceiling                 | Value<br>100 mg/m3          |                      |
| Components  ETHYLENE GLYCOL (CAS 107-21-1) SILICA, CRYSTALLINE, CRISTOBALITE (CAS | <b>Type</b> Ceiling                 | Value 100 mg/m3 0.025 mg/m3 | Respirable.          |

# Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended)

| 100 mg/m3<br>50 ppm | Aerosol.   |
|---------------------|--|
| 50 ppm              | Vanor  |
|                     | Vapor.   |
| 20 mg/m3            | Particulate.   |
| 10 mg/m3            | Particulate.   |
| 1 mg/m3             | Respirable.  |
| 1 mg/m3             | Respirable.  |
| 1 mg/m3             | Respirable.  |
| 4 mg/m3             | Total  |
| 1.5 mg/m3           | Respirable.  |
| 0.025 mg/m3         | Respirable fraction.   |
| 0.025 mg/m3         | Respirable fraction.   |
| 3 mg/m3             | Respirable fraction.   |
| 10 mg/m3            | Total dust.  |
|                     | 10 mg/m3<br>1 mg/m3<br>1 mg/m3<br>1 mg/m3<br>4 mg/m3<br>1.5 mg/m3<br>0.025 mg/m3 |

| Components   | g. 217/2006, The Workplace Safety And Health A<br>Type   | Value                                | Form                         |
|--|--|--------------------------------------|------------------------------|
| ETHYLENE GLYCOL (CAS 107-21-1)                           | Ceiling  | 100 mg/m3                            | Aerosol.                     |
| Kaolinite (CAS 1318-74-7)                                | TWA  | 1 mg/m3                              | Respirable fraction.         |
| Kyanite (CAS 1302-76-7)                                  | TWA  | 1 mg/m3                              | Respirable fraction.         |
| Mullite (CAS 1302-93-8)                                  | TWA  | 1 mg/m3                              | Respirable fraction.         |
| SILICA, CRYSTALLINE,                                     | TWA  | 0.025 mg/m3                          | Respirable fraction.         |
| CRISTOBALITE (CAS<br>14464-46-1)                         |  | 0.020 mg/mo                          | rtoophasie hadaon.           |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)          | TWA  | 0.025 mg/m3                          | Respirable fraction.         |
| Titanium Dioxide (CAS 13463-67-7)                        | TWA  | 10 mg/m3                             |                              |
| Canada. Ontario OELs. (Con<br>Components                 | ntrol of Exposure to Biological or Chemical Agent<br>Type  | ts)<br>Value                         | Form                         |
| ETHYLENE GLYCOL (CAS 107-21-1)                           | Ceiling  | 100 mg/m3                            | Aerosol.                     |
| Kaolinite (CAS 1318-74-7)                                | TWA  | 1 mg/m3                              | Respirable fraction.         |
| Kyanite (CAS 1302-76-7)                                  | TWA  | 1 mg/m3                              | Respirable fraction.         |
| Mullite (CAS 1302-70-7)                                  | TWA  | 1 mg/m3                              | Respirable fraction.         |
| SILICA, CRYSTALLINE,                                     | TWA  | 0.05 mg/m3                           | Respirable fraction.         |
| CRISTOBALITE (CAS<br>14464-46-1)                         | IWA  | 0.05 mg/m3                           | Respirable fraction.         |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)          | TWA  | 0.1 mg/m3                            | Respirable fraction.         |
| Titanium Dioxide (CAS 13463-67-7)                        | TWA  | 10 mg/m3                             |                              |
| Canada. Quebec OELs. (Min Components                     | istry of Labor - Regulation Respecting the Qualit<br>Type  | y of the Work Env<br>Value           | rironment)<br>Form           |
| ETHYLENE GLYCOL (CAS 107-21-1)                           | Ceiling  | 127 mg/m3                            | Vapor and mist.              |
|  |  | 50 ppm                               | Vapor and mist.              |
| SILICA, AMORPHOUS,<br>FUMED (CAS 7631-86-9)              | TWA  | 6 mg/m3                              | Respirable dust.             |
| SILICA, CRYSTALLINE,<br>CRISTOBALITE (CAS<br>14464-46-1) | TWA  | 0.05 mg/m3                           | Total dust.                  |
| SILICA, CRYSTALLINE,<br>QUARTZ (CAS 14808-60-7)          | TWA  | 0.1 mg/m3                            | Respirable dust.             |
| Titanium Dioxide (CAS 13463-67-7)                        | TWA  | 10 mg/m3                             | Total dust.                  |
| Canada. Saskatchewan OEL<br>Components                   | s (Occupational Health and Safety Regulations, Type  | 1996, Table 21)<br>Value             | Form                         |
| ETHYLENE GLYCOL (CAS 107-21-1)                           | Ceiling  | 100 mg/m3                            | Aerosol.                     |
| ogical limit values                                      | No biological exposure limits noted for the ingredie   | ent(s).                              |                              |
| osure guidelines   | Occupational exposure to nuisance dust (total and  | • •                                  | spirable crystalline silica  |
| ocaro garacinios   | should be monitored and controlled. Occupational and respirable crystalline silica should be monitore Occupational Exposure Limits are not relevant to the   | exposure to nuisar d and controlled. | nce dust (total and respirab |
| ropriate engineering<br>trols                            | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. |                                      |                              |
|  | 9 ,  |                                      |                              |
|  | such as personal protective equipment  |                                      |                              |
| vidual protection measures,<br>Eye/face protection       | · ·  |                                      |                              |

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

exceeding the exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.









General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

**Appearance** 

Physical state Solid.

Form Solid. Paste.
Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower Not

(%)

Not available.

Flammability limit - upper

Not available.

(%)
Explosive limit - lower (%)

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

**Explosive properties** Not explosive. **Oxidizing properties** Not oxidizing.

#### 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Fluorine. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

#### 11. Toxicological information

#### Information on likely routes of exposure

Inhalation No adverse effects due to inhalation are expected.

Skin contact Causes skin irritation. Eye contact Causes eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin

irritation. May cause redness and pain.

#### Information on toxicological effects

Not known. **Acute toxicity** 

Causes skin irritation. Skin corrosion/irritation Causes eye irritation. Serious eye damage/eye

irritation

#### Respiratory or skin sensitization

#### Canada - Alberta OELs: Irritant

ETHYLENE GLYCOL (CAS 107-21-1) Irritant SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant 14464-46-1)

Titanium Dioxide (CAS 13463-67-7) Irritant

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica Carcinogenicity

inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and

respirable crystalline silica should be monitored and controlled.

#### **ACGIH Carcinogens**

ETHYLENE GLYCOL (CAS 107-21-1) A4 Not classifiable as a human carcinogen. Kaolinite (CAS 1318-74-7) A4 Not classifiable as a human carcinogen. Kyanite (CAS 1302-76-7) A4 Not classifiable as a human carcinogen. Mullite (CAS 1302-93-8) A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS A2 Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) A2 Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Material name: HARWACO BOND (WET) 2160, 419B Version #: 01 Issue date: 11-28-2018 Canada - Manitoba OELs: carcinogenicity

ETHYLENE GLYCOL (CAS 107-21-1)

Kaolinite (CAS 1318-74-7)

Kyanite (CAS 1302-76-7)

Mullite (CAS 1302-93-8)

Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected human carcinogen.

Titanium Dioxide (CAS 13463-67-7)

Not classifiable as a human carcinogen.

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Detected carcinogenic effect in animals.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Suspected carcinogenic effect in humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 1 Carcinogenic to humans.

14464-46-1)

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens** 

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Known To Be Human Carcinogen.

14464-46-1)

Reasonably Anticipated to be a Human Carcinogen.

SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

**Developmental effects** 

SILICA, CRYSTALLINE, QUARTZ 0

Developmental effects - EU category

SILICA, CRYSTALLINE, QUARTZ 0

Embryotoxicity

SILICA, CRYSTALLINE, QUARTZ 0

Reproductivity

SILICA, CRYSTALLINE, QUARTZ 0

Specific target organ toxicity - Not classified.

single exposure

Specific target organ toxicity - Causes damage to organs through prolonged or repeated exposure.

repeated exposure

**Aspiration hazard** Not an aspiration hazard.

Chronic effects Causes damage to organs through prolonged or repeated exposure. Prolonged exposure may

cause chronic effects.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

ETHYLENE GLYCOL -1.36

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**This product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

**Hazardous waste code**Since this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Material name: HARWACO BOND (WET) 2160, 419B Version #: 01 Issue date: 11-28-2018

SDS CANADA

Waste from residues / unused

products

Not available.

Not available.

# 14. Transport information

Contaminated packaging

**TDG** 

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

#### 15. Regulatory information

#### Canadian regulations

#### **Controlled Drugs and Substances Act**

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

**Greenhouse Gases** 

Not listed.

**Precursor Control Regulations** 

Not regulated.

#### International regulations

#### **Stockholm Convention**

Not applicable.

#### **Rotterdam Convention**

Not applicable.

#### **Kyoto protocol**

Not applicable.

#### **Montreal Protocol**

Not applicable.

#### **Basel Convention**

Not applicable.

#### **International Inventories**

| Country(s) or region          | Inventory name On in   | nventory (yes/no)*                  |
|-------------------------------|--|-------------------------------------|
| Australia                     | Australian Inventory of Chemical Substances (AICS)                     | Yes                                 |
| Canada                        | Domestic Substances List (DSL)   | No                                  |
| Canada                        | Non-Domestic Substances List (NDSL)                                    | Yes                                 |
| China                         | Inventory of Existing Chemical Substances in China (IECSC)             | Yes                                 |
| Europe                        | European Inventory of Existing Commercial Chemical Substances (EINECS) | Yes                                 |
| Europe                        | European List of Notified Chemical Substances (ELINCS)                 | No                                  |
| Japan                         | Inventory of Existing and New Chemical Substances (ENCS)               | No                                  |
| Korea                         | Existing Chemicals List (ECL)  | Yes                                 |
| New Zealand                   | New Zealand Inventory  | Yes                                 |
| Philippines                   | Philippine Inventory of Chemicals and Chemical Substances (PICCS)      | No                                  |
| United States & Puerto Rico   | Toxic Substances Control Act (TSCA) Inventory                          | No                                  |
| * A . U. / U. ! U 4 4 - 4 - 1 |  | · · · · · · · · · · · · · · · · · · |

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

#### 16. Other information

**Issue date** 11-28-2018

Version # 01

This information is based on our present knowledge on creation date. However, this shall not Disclaimer

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Product and Company Identification: Product Codes **Revision information** 

Composition / Information on Ingredients: Ingredients

Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information GHS: Classification