

# SAFETY DATA SHEET

## 1. Identification

| Product identifier                                     | D-CAST XZR-OR                                    |  |
|--|--|--|
| Other means of identification                          |  |  |
| Brand Code   | 8102   |  |
| Recommended use  | For Industrial Use Only                          |  |
| <b>Recommended restrictions</b>                        | Avoid dry cutting, blasting, or dust generation. |  |
| Manufacturer/Importer/Supplier/Distributor information |  |  |
| Manufacturer   |  |  |
| Company name   | HarbisonWalker International                     |  |
| Address  | 1305 Cherrington Parkway, Suite 100              |  |
|  | Moon Township, Pennsylvania 15108 US             |  |
| Telephone  | General Phone: 412-375-6600                      |  |
| Website  | www.thinkHWI.com                                 |  |
| Emergency phone number                                 | Not available.                                   |  |

### 2. Hazard(s) identification

| Physical hazards      | Not classified. |
|-----------------------|-----------------|
| Health hazards        | Carcinogenicity |
| Environmental hazards | Not classified. |
| OSHA defined hazards  | Not classified. |
| Label elements        |                 |



Signal word Danger Hazard statement May cause cancer. **Precautionary statement** Do not handle until all safety precautions have been read and understood. Wear protective Prevention gloves/protective clothing/eye protection/face protection. Get medical attention if irritation develops and persists. Response Store in a manner to minimize airborne dust. Storage Disposal Dispose of contents/container in accordance with local/regional/national/international regulations. Hazard(s) not otherwise None known. classified (HNOC) Supplemental information None.

Category 1A

## 3. Composition/information on ingredients

**Mixtures** 

| Chemical name                       | Common name and synonyms | CAS number | %        |
|-------------------------------------|--------------------------|------------|----------|
| Aluminium Oxide (Non-Fibrous)       |                          | 1344-28-1  | 60 - 80  |
| Silicon Carbide                     |                          | 409-21-2   | 20 - 40  |
| Cement, Alumina, Chemicals          |                          | 65997-16-2 | 2.5 - 10 |
| Silicon                             |                          | 7440-21-3  | 2.5 - 10 |
| Kyanite                             |                          | 1302-76-7  | 1 - 2.5  |
| Quartz (SiO2)                       |                          | 14808-60-7 | < 0.5    |
| Other components below reportable I | evels                    |            | 2.5 - 10 |

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

## 4. First-aid measures

| Inhalation   | Move to fresh air. Call a physician if symptoms develop or persist.  |
|--|--|
| Skin contact   | Wash off with soap and water. Get medical attention if irritation develops and persists.                               |
| Eye contact  | Rinse with water. Get medical attention if irritation develops and persists.   |
| Ingestion  | Rinse mouth. Get medical attention if symptoms occur.  |
| Most important<br>symptoms/effects, acute and<br>delayed                     | Coughing.  |
| Indication of immediate<br>medical attention and special<br>treatment needed | Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed. |
| 5. Fire-fighting measures  |  |

| Suitable extinguishing media                                     | Use fire-extinguishing media appropriate for surrounding materials. |
|--|---|
| Unsuitable extinguishing media                                   | Not available.  |
| Specific hazards arising from the chemical                       | Not applicable.   |
| Special protective equipment<br>and precautions for firefighters | Not available.  |

#### 6. Accidental release measures

| Personal precautions,<br>protective equipment and<br>emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.   |
|---|--|
| Methods and materials for<br>containment and cleaning up                  | Stop the flow of material, if this is without risk. Following product recovery, flush area with water.<br>Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.  |
| Environmental precautions   | Avoid discharge into drains, water courses or onto the ground.   |
| 7. Handling and storage   |  |
| Precautions for safe handling   | Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. |
| Conditions for safe storage, including any incompatibilities              | Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).   |

#### 8. Exposure controls/personal protection

#### **Occupational exposure limits**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components  | Туре | Value      | Form                 |
|---|------|------------|----------------------|
| Aluminium Oxide<br>(Non-Fibrous) (CAS<br>1344-28-1) | PEL  | 5 mg/m3    | Respirable fraction. |
|   |      | 15 mg/m3   | Total dust.          |
| Quartz (SiO2) (CAS<br>14808-60-7)                   | PEL  | 0.05 mg/m3 | Respirable dust.     |
| Silicon (CAS 7440-21-3)                             | PEL  | 5 mg/m3    | Respirable fraction. |
|   |      | 15 mg/m3   | Total dust.          |
| Silicon Carbide (CAS<br>409-21-2)                   | PEL  | 5 mg/m3    | Respirable fraction. |
|   |      | 15 mg/m3   | Total dust.          |

## US. OSHA Table Z-3 (29 CFR 1910.1000)

| TWA   | 5 mg/m3   | Respirable fraction.   |
|---|---|--|
|   | 15 mg/m3  | Total dust.  |
|   | 50 mppcf  | Total dust.  |
|   | 15 mppcf  | Respirable fraction.   |
| TWA   | 0.1 mg/m3   | Respirable.  |
|   | 2.4 mppcf   | Respirable.  |
| TWA   | 5 mg/m3   | Respirable fraction.   |
|   | 15 mg/m3  | Total dust.  |
|   | 50 mppcf  | Total dust.  |
|   | 15 mppcf  | Respirable fraction.   |
| Values  | Value   | Form   |
|   |   | -  |
| TWA   | 1 mg/m3   | Respirable fraction.   |
| TWA   | 1 mg/m3   | Respirable fraction.   |
| TWA   | 0.025 mg/m3   | Respirable fraction.   |
| TWA   | 0.1 fibers/cm3  | Fiber.   |
|   | 3 mg/m3   | Respirable fraction.   |
|   | 10 mg/m3  | Inhalable fraction.  |
| o Chemical Hazards  |   |  |
| Туре  | Value   | Form   |
| TWA   | 0.05 mg/m3  | Respirable dust.   |
| TWA   | 5 mg/m3   | Respirable.  |
|   | 10 mg/m3  | Total  |
| TWA   | 5 mg/m3   | Respirable.  |
|   | 10 mg/m3  | Total  |
| No biological exposure limits noted for   | or the ingredient(s).   |  |
| Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable crystalline silica should be monitored and controlled  |   |  |
| Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |   |  |
| such as personal protective equipm<br>Wear safety glasses with side shields   |   |  |
| ,   |   |  |
| Wear appropriate chemical resistant   | gloves.   |  |
| Wear appropriate chemical resistant of  | -   | pron is recommended  |
|   | clothing. Use of an impervious a  | -  |
|   | TWA         Values         Type         TWA         Go occupational exposure limits noted for occupational exposure to nuisance of should be monitored and controlled. Cand respirable crystalline silica should occupational exposure to nuisance of should be monitored and controlled. Cand respirable crystalline silica should occupational exposure to nuisance of should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be monitored and controlled. Cand respirable crystalline silica should be | TWA       15 mpcf         TWA       2.4 mppcf         TWA       5 mg/m3         15 mg/m3       50 mppcf         15 mpcf       15 mg/m3         50 mppcf       15 mpcf         Values       Value         TWA       1 mg/m3         TWA       1 mg/m3         TWA       1 mg/m3         TWA       1 mg/m3         TWA       0.025 mg/m3         TWA       0.1 fibers/cm3         TWA       0.1 fibers/cm3         TWA       0.1 fibers/cm3         TWA       0.05 mg/m3         Ochemical Hazards       3 mg/m3         TWA       5 mg/m3         10 mg/m3       10 mg/m3         TWA       5 |



General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

| Appearance                                 |  |
|--|--|
| Physical state                             | Solid.   |
| Form                                       | Solid.   |
| Color                                      | Not available.   |
| Odor                                       | Not available.   |
| Odor threshold                             | Not available.   |
| рН   | Not available.   |
| Melting point/freezing point               | Not available.   |
| Initial boiling point and boiling range    | Not available.   |
| Flash point                                | Not available.   |
| Evaporation rate                           | Not available.   |
| Flammability (solid, gas)                  | Not available.   |
| Upper/lower flammability or exp            | losive limits  |
| Flammability limit - lower<br>(%)          | Not available.   |
| Flammability limit - upper<br>(%)          | Not available.   |
| Explosive limit - lower (%)                | Not available.   |
| Explosive limit - upper (%)                | Not available.   |
| Vapor pressure                             | Not available.   |
| Vapor density                              | Not available.   |
| Relative density                           | Not available.   |
| Solubility(ies)                            |  |
| Solubility (water)                         | Not available.   |
| Partition coefficient<br>(n-octanol/water) | Not available.   |
| Auto-ignition temperature                  | Not available.   |
| Decomposition temperature                  | Not available.   |
| Viscosity                                  | Not available.   |
| Other information                          |  |
| Explosive properties                       | Not explosive.   |
| Oxidizing properties                       | Not oxidizing.   |
| 10. Stability and reactivity               |  |
| Reactivity                                 | The product is stable and non-reactive under normal conditions of use, storage and transport.                        |
| Chemical stability                         | Material is stable under normal conditions.  |
| Possibility of hazardous<br>reactions      | Hazardous polymerization does not occur.   |
| Conditions to avoid                        | Contact with incompatible materials.   |
| Incompatible materials                     | Acids. Chlorine.<br>Incompatibility is based strictly upon potential theoretical reactions between chemicals and may |

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
 No hazardous decomposition products are known.

## 11. Toxicological information

## Information on likely routes of exposure

| information on likely routes of e  |   |  |
|--|---|--|
| Inhalation   | Prolonged inhalation may be harmful.  |  |
| Skin contact   | No adverse effects due to skin contact are expected.  |  |
| Eye contact  | Direct contact with eyes may cause temporary irritation.  |  |
| Ingestion  | Expected to be a low ingestion hazard.  |  |
| Symptoms related to the physical, chemical and toxicological characteristics   | Coughing.   |  |
| Information on toxicological effe  | ects  |  |
| Acute toxicity   | Not known.  |  |
| Skin corrosion/irritation  | Prolonged skin contact may cause temporary irritation.  |  |
| Serious eye damage/eye<br>irritation   | Direct contact with eyes may cause temporary irritation.  |  |
| Respiratory or skin sensitization  | 1   |  |
| Respiratory sensitization  | Not a respiratory sensitizer.   |  |
| Skin sensitization   | This product is not expected to cause skin sensitization.   |  |
| Germ cell mutagenicity   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.  |  |
| Carcinogenicity  | In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk" (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. |  |
| IARC Monographs. Overall I   | Evaluation of Carcinogenicity   |  |
| Quartz (SiO2) (CAS 14808-60-7)       1 Carcinogenic to humans.         Silicon Carbide (CAS 409-21-2)       2A Probably carcinogenic to humans.         OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052) |   |  |
| Quartz (SiO2) (CAS 1480  |   |  |
| ••   | ogram (NTP) Report on Carcinogens   |  |
| Quartz (SiO2) (CAS 1480  |   |  |
| Reproductive toxicity  | This product is not expected to cause reproductive or developmental effects.  |  |
| Developmental effects<br>Quartz (SiO2)<br>Developmental effects -  | 0   |  |
| Quartz (SiO2)<br>Embryotoxicity  | 0   |  |
| Quartz (SiO2)  | 0   |  |
| <b>Reproductivity</b><br>Quartz (SiO2)   | 0   |  |
| Specific target organ toxicity -<br>single exposure  | Not classified.   |  |
| Specific target organ toxicity - repeated exposure   | Not classified.   |  |
| Aspiration hazard  | Not an aspiration hazard.   |  |
| Chronic effects  | Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.  |  |
|  |   |  |

### 12. Ecological information

| Ecotoxicity                   | The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment. |
|-------------------------------|--|
| Persistence and degradability | No data is available on the degradability of any ingredients in the mixture.   |
| Bioaccumulative potential     | No data available.   |
| Mobility in soil              | No data available.   |
| Other adverse effects         | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.            |

#### 13. Disposal considerations

| Disposal instructions                    | This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. |
|--|---|
| Hazardous waste code                     | Since this product is used in several industries, no Waste Code can be provided by the supplier.<br>The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.   |
| Waste from residues / unused<br>products | Not available.  |
| Contaminated packaging                   | Not available.  |

## 14. Transport information

## DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

## Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### 15. Regulatory information

#### **US federal regulations**This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

| erfund Amendments and Re<br>SARA 302 Extremely hazar<br>Not listed.<br>SARA 311/312 Hazardous<br>chemical<br>Classified hazard<br>categories<br>SARA 313 (TRI reporting) |                              |  |  |
|--|------------------------------|--|--|
| SARA 302 Extremely hazard<br>Not listed.<br>SARA 311/312 Hazardous<br>chemical<br>Classified hazard  | <b>dous substance</b><br>Yes |  |  |
| SARA 302 Extremely hazar<br>Not listed.<br>SARA 311/312 Hazardous  | dous substance               |  |  |
| SARA 302 Extremely hazar   |                              |  |  |
| <u> </u>   | authorization Act of         | 1986 (SARA)                                    |  |
|  |                              | lung effects<br>immune syste<br>kidney effects |  |
| Quartz (SiO2) (CAS 14808-60-7)   |                              | Cancer   |  |
| OSHA Specifically Regulate   | ed Substances (29 CF         | R 1910.1001-1052)                              |  |
| Not regulated.   |                              |  |  |
| SARA 304 Emergency relea   | se notification              |  |  |
| CERCLA Hazardous Substa<br>Not listed.   | ance List (40 CFR 302        | .4)  |  |
| CEDCLA Hazardavia Subata   | maa Liat (40 CED 202         | <b>A</b>                                       |  |
| Not regulated.   |                              |  |  |

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

US state regulations

**California Proposition 65** 



**WARNING:** This product can expose you to chemicals including Titanium Dioxide: Titanium Dioxide: Titanium Dioxide: Titanium Dioxide: Titanium Dioxide; which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

#### California Proposition 65 - CRT: Listed date/Carcinogenic substance

 Quartz (SiO2) (CAS 14808-60-7)
 Listed: October 1, 1988

 Titanium Dioxide (CAS 13463-67-7)
 Listed: September 2, 2011

 US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))
 Quartz (SiO2) (CAS 14808-60-7)

Silicon Carbide (CAS 409-21-2)

#### International Inventories

| Country(s) or region        | Inventory name  | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                        | Yes                    |
| Canada                      | Domestic Substances List (DSL)  | Yes                    |
| Canada                      | Non-Domestic Substances List (NDSL)                                       | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)                | Yes                    |
| Europe                      | European Inventory of Existing Commercial Chemical<br>Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                    | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)                  | No                     |
| Korea                       | Existing Chemicals List (ECL)   | Yes                    |
| New Zealand                 | New Zealand Inventory   | Yes                    |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)         | No                     |
| Taiwan                      | Taiwan Chemical Substance Inventory (TCSI)                                | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                             | No                     |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

| Issue date           | 07-05-2016  |
|----------------------|---|
| Revision date        | 08-30-2021  |
| Version #            | 02  |
| Disclaimer           | This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. |
| Revision information | Product and Company Identification: Product Codes   |