SAFETY DATA SHEET



1. Identification

Product identifier INSBOARD 2300 SERIES

Other means of identification

Brand Code 0579, 0580, 012B, 723C

Synonyms INSBOARD 2300 LD; INSBOARD 2300 HD; INSBOARD 2300-45; INSBOARD 2300 HD H

Recommended use For Industrial Use Only • Primary Use: Refractory Ceramic Fiber (RCF) materials are used

primarily in industrial high temperature insulating applications. Examples include heat shields, heat containment, gaskets, expansion joints, industrial furnaces, ovens, kilns, boilers and other process equipment at applications up to 1400°C. RCF based products are not intended for direct sale to the general public. While RCFs are used in the manufacture of some consumer products,

such as catalytic converter mats and wood burning stoves, the materials are contained.

encapsulated, or bonded within the units. • Secondary Use: Conversion into wet and dry mixtures and articles (refer to section 8). • Tertiary Use: Installation, removal (industrial and professional) /

Maintenance and service life (industrial and professional) (refer to section 8).

Recommended restrictions Avoid dry cutting, blasting, or dust generation.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108

US

Telephone General Phone: 412-375-6600

Website www.thinkHWI.com
Emergency phone number Not available.

Supplier Not available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 2

Environmental hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of causing cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store locked up.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: INSBOARD 2300 SERIES SDS CANADA

| Chemical name | Common name and synonyms | CAS number | % |
|--------------------------|---|-------------|----------|
| FIBROUS GLASS | Refractory Ceramic Fiber/Fibre (RCF) High Temperature Insulation Wool (HTIW) Synthetic Vitreous Fiber (SVF) Man-Made Mineral Fiber (MMMF) Man-Made Vitreous Fiber (MMVF) Alumino Silicate Wool (ASW) | 142844-00-6 | 80 - 100 |
| Starch | | 9005-25-8 | 10 - 25 |
| SILICA, AMORPHOUS, FUMED | Fumed Silica Silica, crystalline free | 7631-86-9 | 2.5 - 10 |

Composition comments

This product contains Refractory Ceramic Fibers (RCF) or an RCF wrap or mat. IARC has classified RCFs as a possible human carcinogen, Group 2B. This classification was based on sufficient evidence of carcinogenicity in animals and no available data in humans. NTP classified respirable RCFs as reasonably anticipated carcinogens. The final report of the USA mortality study was issued in 2017 (LeMasters et al., in press). The study concluded that "after 30 years of follow-up, no excess of lung cancers in the mortality study and no significant association with radiographic findings of interstitial fibrosis were found in this group of workers." The study also found a small incidence of other effects that appear unrelated to RCF exposure. The final mortality report did not change the current hazard classification for RCF. HWI recommends that safe handling methods are followed, including air monitoring in areas wherever the potential exists for airborne fibers, minimizing airborne exposures through use of NIOSH approved respirators, and wearing protective clothing, gloves, and eye protection. For additional information please visit www.htiwcoalition.org Please review the workplace guidelines for additional handling information.

Provide general supportive measures and treat symptomatically. Keep victim under observation.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate

medical attention and special treatment needed

General information IF exposed or concerned: Get medical advice/attention.

Symptoms may be delayed.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Not available.

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Not applicable.

Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

7. Handling and storage

Avoid discharge into drains, water courses or onto the ground.

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: INSBOARD 2300 SERIES 0579, 0580, 012B, 723C Version #: 02 Revision date: 05-18-2021 Issue date: 04-16-2019

8. Exposure controls/personal protection

Occupational exposure limits

| US. ACGIH Threshold Limit Values Components | Туре | Value | |
|--|------------------------------------|-------------------------------|-----------------------|
| Starch (CAS 9005-25-8) | TWA | 10 mg/m3 | |
| Canada. Alberta OELs (Occupational F Components | lealth & Safety Code, Sche Type | dule 1, Table 2) Value | Form |
| • | TWA | 0.2 fibers/cm3 | |
| FIBROUS GLASS (CAS 142844-00-6) | IVVA | 0.2 libers/cms | Fiber. |
| | | 5 mg/m3 | Fiber, total |
| | | 5 mg/m3 | Total particulate. |
| Starch (CAS 9005-25-8) | TWA | 10 mg/m3 | |
| Canada. British Columbia OELs. (Occu Safety Regulation 296/97, as amended | | for Chemical Substances, Oc | cupational Health and |
| Components | , Type | Value | Form |
| FIBROUS GLASS (CAS | TWA | 0.2 fibers/cm3 | Fiber. |
| 142844-00-6) | | | |
| | | 5 mg/m3 | Inhalable fibers. |
| SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) | TWA | 4 mg/m3 | Total |
| ONIED (ONO 1001-00-9) | | 1.5 mg/m3 | Respirable. |
| Starch (CAS 9005-25-8) | TWA | 3 mg/m3 | Respirable fraction. |
| , | | 10 mg/m3 | Total dust. |
| Canada. Manitoba OELs (Reg. 217/200 | 6 The Workplace Safety A | • | |
| Components | Type | Value | Form |
| FIBROUS GLASS (CAS | TWA | 5 mg/m3 | Inhalable fraction. |
| 142844-00-6) Starch (CAS 9005-25-8) | TWA | 10 mg/m3 | |
| , | | • | |
| Canada. Ontario OELs. (Control of Exp Components | osure to Biological or Che Type | mical Agents) Value | Form |
| FIBROUS GLASS (CAS | TWA | 0.5 fibers/cc | Respirable fibers. |
| 142844-00-6) | IVVA | 0.5 libers/cc | Respirable libers. |
| | | 5 mg/m3 | Inhalable fraction. |
| Starch (CAS 9005-25-8) | TWA | 10 mg/m3 | |
| Canada. Quebec OELs. (Ministry of La | bor - Regulation respecting | g occupational health and saf | ety) |
| Components | Туре | Value | Form |
| FIBROUS GLASS (CAS | TWA | 1 fibers/cm3n | Fiber. |
| 142844-00-6) | | 10 mg/m3 | fibers, total dust |
| SILICA, AMORPHOUS, | TWA | 6 mg/m3 | Respirable dust. |
| FUMED (CAS 7631-86-9) | IVVA | o mg/mo | respirable dust. |
| Starch (CAS 9005-25-8) | TWA | 10 mg/m3 | Total dust. |
| Canada. Saskatchewan OELs (Occupa | - | _ | Eaun: |
| Components | Туре | Value | Form |
| FIBROUS GLASS (CAS 142844-00-6) | 15 minute | 10 mg/m3 | Inhalable fraction. |
| | 8 hour | 0.2 fibers/cc | Respirable fibers. |
| | | 5 mg/m3 | Inhalable fraction. |
| | | | |
| Starch (CAS 9005-25-8) | 15 minute | 20 mg/m3 | |

Material name: INSBOARD 2300 SERIES

SDS CANADA

0579, 0580, 012B, 723C Version #: 02 Revision date: 05-18-2021 Issue date: 04-16-2019

Biological limit values

Exposure guidelines

No biological exposure limits noted for the ingredient(s).

Recommended Exposure Guideline 0.5 Fiber/CC There is no specific regulatory standard for RCF in the U.S. OSHA's "Particulate Not Otherwise Regulated (PNOR)" standard [29 CFR 1910.1000, Subpart Z, Air Contaminants] applies generally; Total Dust 15 mg/m3; Respirable Fraction 5 mg/m3.

The High Temperature Insulation Wool Coalition (HTIW) has sponsored comprehensive toxicology and epidemiology studies to identify potential RCF-related health effects [see Section 11 for more details], consulted experts familiar with fiber and particle science, conducted a thorough review of the RCF-related scientific literature, and further evaluated the data in a state-of-the-art quantitative risk assessment. Based on these efforts and in the absence of an OSHA PEL, HTIW has adopted a recommended exposure guideline, as measured under NIOSH method 7400B. The manufacturers' REG is intended to promote occupational health and safety through prudent exposure control and reduction and it reflects relative technical and economic feasibility as determined by extensive industrial hygiene monitoring efforts undertaken pursuant to an agreement with the U.S. Occupational Safety and Health Administration (OSHA). OTHER

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

OCCUPATIONAL EXPOSURE LEVELS (OEL) Non-regulatory OEL decisions also vary. The evaluation of occupational exposure limits and determining their relative applicability to the workplace is best performed, on a case-by-case basis, by a qualified Industrial Hygienist.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Other Use of an impervious apron is recommended.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Solid. Physical state

Form Solid. Pressed fibrous material panel

Color Not available. Not available. Odor **Odor threshold** Not available. Not available. pН Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower Not available.

(%)

Flammability limit - upper Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Not available. Vapor pressure Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing.

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials Acids. Chlorine. Fluorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact No adverse effects due to skin contact are expected. Eve contact Direct contact with eyes may cause temporary irritation.

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Not known. Acute toxicity

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation. Serious eye damage/eye

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

Irritant FIBROUS GLASS (CAS 142844-00-6)

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Suspected of causing cancer.

ACGIH Carcinogens

FIBROUS GLASS (CAS 142844-00-6) A2 Suspected human carcinogen.

A4 Not classifiable as a human carcinogen. Starch (CAS 9005-25-8)

Material name: INSBOARD 2300 SERIES 0579, 0580, 012B, 723C Version #: 02 Revision date: 05-18-2021 Issue date: 04-16-2019 Canada - Alberta OELs: Carcinogen category

FIBROUS GLASS (CAS 142844-00-6) Suspected human carcinogen.

Canada - Manitoba OELs: carcinogenicity

FIBROUS GLASS (CAS 142844-00-6) Suspected human carcinogen.

Starch (CAS 9005-25-8) Not classifiable as a human carcinogen.

Canada - Quebec OELs: Carcinogen category

FIBROUS GLASS (CAS 142844-00-6)

Detected carcinogenic effect in animals.

IARC Monographs. Overall Evaluation of Carcinogenicity

FIBROUS GLASS (CAS 142844-00-6) 2B Possibly carcinogenic to humans.

SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste code Since this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Material name: INSBOARD 2300 SERIES SDS CANADA

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Country(s) or region

Not applicable.

International Inventories

| Australia | Australian Inventory of Chemical Substances (AICS) | No |
|-------------|--|-----|
| Canada | Domestic Substances List (DSL) | No |
| Canada | Non-Domestic Substances List (NDSL) | No |
| China | Inventory of Existing Chemical Substances in China (IECSC) | Yes |
| Europe | European Inventory of Existing Commercial Chemical Substances (EINECS) | No |
| Europe | European List of Notified Chemical Substances (ELINCS) | No |
| Japan | Inventory of Existing and New Chemical Substances (ENCS) | No |
| Korea | Existing Chemicals List (ECL) | Yes |
| New Zealand | New Zealand Inventory | Yes |
| Philippines | Philippine Inventory of Chemicals and Chemical Substances (PICCS) | No |

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No *A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information

Issue date 04-16-2019 05-18-2021 **Revision date**

Version # 02

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Inventory name

Exposure controls/personal protection: Exposure guidelines **Revision information**

0579, 0580, 012B, 723C Version #: 02 Revision date: 05-18-2021 Issue date: 04-16-2019

On inventory (yes/no)*

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).