SAFETY DATA SHEET



1. Identification

Product identifier VERSAGUN ABR PLUS; VERSAGUN ABR PLUS WF

Other means of identification

Brand Code 0738, 017A

Recommended use For Industrial Use Only

Recommended restrictions Avoid dry cutting, blasting, or dust generation. Users should be informed of the potential presence

of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under

applicable regulations.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name HarbisonWalker International

Address 1305 Cherrington Parkway, Suite 100

Moon Township Pennsylvania 15108

US

Telephone General Phone: 412-375-6600

Websitewww.thinkHWl.comEmergency phone numberNot available.SupplierNot available.

2. Hazard identification

Physical hazards Not classified.

Health hazards Carcinogenicity Category 1A

Environmental hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause cancer.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

Response IF exposed or concerned: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Other hazards None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Mullite		1302-93-8	50 - 70
Cement, Alumina, Chemicals		65997-16-2	10 - 25
SILICA, AMORPHOUS, FUMED	Fumed Silica Silica, crystalline free	7631-86-9	10 - 25

Material name: VERSAGUN ABR PLUS; VERSAGUN ABR PLUS WF

Chemical name	Common name and synonyms	CAS number	%
ALPHA-ALUMINA		1344-28-1	2.5 - 10
SILICA, AMORPHOUS, FUMED		69012-64-2	2.5 - 10
Titanium Dioxide		13463-67-7	1 - 2.5
SILICA, CRYSTALLINE, CRISTOBALITE		14464-46-1	< 0.5
Other components below reportable	levels		1 - 2.5

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Ingestion Rinse mouth. Get medical attention if symptoms occur. Most important Direct contact with eyes may cause temporary irritation.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. **General information**

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

treatment needed

Not available.

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters Not applicable.

Not available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Methods and materials for containment and cleaning up Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.

Stop the flow of material, if this is without risk, Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Use fire-extinguishing media appropriate for surrounding materials.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust ventilation at places where dust is formed. Avoid prolonged exposure. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

IIS ACGIH Threshold Limit Values

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.

US. ACGIH Threshold Limit Values Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS	TWA	0.025 mg/m3	Respirable fraction.
14464-46-1) Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Alberta OELs (Occupation	nal Health & Safety Code, Scl	nedule 1, Table 2)	
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable.
,		0.025 mg/m3	Respirable particles.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. British Columbia OELs. (0 Safety Regulation 296/97, as amen		s for Chemical Substances, Oc	cupational Health and
Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	4 mg/m3	Total
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	4 mg/m3	Total fume.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	1.5 mg/m3	Respirable.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	1.5 mg/m3	Respirable fume.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.
Canada. Manitoba OELs (Reg. 217 <i>)</i> Components	2006, The Workplace Safety Type	And Health Act) Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.025 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	
Canada. Ontario OELs. (Control of Components	Exposure to Biological or Control Type	hemical Agents) Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction.
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	2 mg/m3	Respirable fraction.

Components	Туре	Value	Form
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable fraction.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Туре	Value	Form
ALPHA-ALUMINA (CAS 1344-28-1)	TWA	10 mg/m3	Total dust.
SILICA, AMORPHOUS, FUMED (CAS 7631-86-9)	TWA	6 mg/m3	Respirable dust.
SILICA, AMORPHOUS, FUMED (CAS 69012-64-2)	TWA	2 mg/m3	Respirable dust and/or fume.
SILICA, CRYSTALLINE, CRISTOBALITE (CAS 14464-46-1)	TWA	0.05 mg/m3	Respirable dust.
Titanium Dioxide (CAS 13463-67-7)	TWA	10 mg/m3	Total dust.

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines Occupational exposure to nuisance dust (total and respirable) and respirable crystalline silica

should be monitored and controlled.

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection If contact is likely, safety glasses with side shields are recommended.

Skin protection

Respiratory protection

Hand protection Wear appropriate chemical resistant gloves.

Other Use of an impervious apron is recommended.

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.







General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

9. Physical and chemical properties

Appearance

Physical state Solid.
Form Solid.

Color Not available.
Odor Not available.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Explosive properties Not explosive. **Oxidizing properties** Not oxidizing.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Chlorine. Fluorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may

not be specific to industrial application exposure.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

Canada - Alberta OELs: Irritant

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Irritant

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) Irritant

Material name: VERSAGUN ABR PLUS; VERSAGUN ABR PLUS WF 0738, 017A Version #: 01 Issue date: 07-08-2020

Respiratory sensitization Not a respiratory sensitizer.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

In 1997, IARC (the International Agency for Research on Cancer) concluded that crystalline silica Carcinogenicity

> inhaled from occupational sources can cause lung cancer in humans. However in making the overall evaluation, IARC noted that "carcinogenicity was not detected in all industrial

circumstances studied. Carcinogenicity may be dependent on inherent characteristics of the crystalline silica or on external factors affecting its biological activity or distribution of its polymorphs." (IARC Monographs on the evaluation of the carcinogenic risks of chemicals to humans, Silica, silicates dust and organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June 2003. SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker

protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. May cause cancer. Occupational exposure to respirable dust and

Not classifiable as a human carcinogen.

respirable crystalline silica should be monitored and controlled.

ACGIH Carcinogens

ALPHA-ALUMINA (CAS 1344-28-1) A4 Not classifiable as a human carcinogen. Mullite (CAS 1302-93-8) A4 Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS A2 Suspected human carcinogen.

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) A4 Not classifiable as a human carcinogen.

Canada - Alberta OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

Canada - Manitoba OELs: carcinogenicity

ALPHA-ALUMINA (CAS 1344-28-1) Not classifiable as a human carcinogen. Mullite (CAS 1302-93-8) Not classifiable as a human carcinogen.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Suspected human carcinogen.

14464-46-1)

Titanium Dioxide (CAS 13463-67-7)

Canada - Quebec OELs: Carcinogen category

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Detected carcinogenic effect in animals.

14464-46-1)

IARC Monographs. Overall Evaluation of Carcinogenicity

SILICA, AMORPHOUS, FUMED (CAS 69012-64-2) 3 Not classifiable as to carcinogenicity to humans. SILICA, AMORPHOUS, FUMED (CAS 7631-86-9) 3 Not classifiable as to carcinogenicity to humans.

SILICA, CRYSTALLINE, CRISTOBALITE (CAS 1 Carcinogenic to humans.

14464-46-1)

Titanium Dioxide (CAS 13463-67-7) 2B Possibly carcinogenic to humans.

US. National Toxicology Program (NTP) Report on Carcinogens

SILICA, CRYSTALLINE, CRISTOBALITE (CAS Known To Be Human Carcinogen.

14464-46-1)

Reasonably Anticipated to be a Human Carcinogen.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Not an aspiration hazard. **Aspiration hazard**

Chronic effects Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

No data is available on the degradability of any ingredients in the mixture. Persistence and degradability

Bioaccumulative potential No data available.

Material name: VERSAGUN ABR PLUS; VERSAGUN ABR PLUS WF 0738, 017A Version #: 01 Issue date: 07-08-2020

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsThis product, in its present state, when discarded or disposed of, is not a hazardous waste

according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria

for hazardous waste.

Hazardous waste codeSince this product is used in several industries, no Waste Code can be provided by the supplier.

The Waste Code should be determined in arrangement with your waste disposal partner or the

responsible authority.

Waste from residues / unused

products

Not available.

Contaminated packaging

Not available.

14. Transport information

TDG

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No

Country(s) or region Inventory name On inventory (yes/no)* Europe European List of Notified Chemical Substances (ELINCS) Inventory of Existing and New Chemical Substances (ENCS) Japan No Existing Chemicals List (ECL) Korea Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances No

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

16. Other information

Issue date 07-08-2020

Version # 01

Disclaimer This information is based on our present knowledge on creation date. However, this shall not

constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.

Revision information Product and Company Identification: Product Codes

GHS: Classification

Material name: VERSAGUN ABR PLUS; VERSAGUN ABR PLUS WF 0738, 017A Version #: 01 Issue date: 07-08-2020

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).