

# SAFETY DATA SHEET

### 1. Identification

Product identifier	KAST-O-LITE 20 LI PLUS		
Other means of identification			
Brand Code	1521		
Synonyms	KAST-O-LITE 20 LI ADTECH		
Recommended use	For Industrial Use Only		
Recommended restrictions	of respirable dust and respirable crys	eneration. Users should be informed of the potential presence stalline silica as well as their potential hazards. Appropriate ng of this material should be provided as required under	
Manufacturer/Importer/Supplier/	Distributor information		
Manufacturer			
Company name Address	HarbisonWalker International 1305 Cherrington Parkway, Suite 10 Moon Township Pennsylvania 15108 US	0	
Telephone	General Phone: 412-37	5-6600	
Website	www.thinkHWI.com		
Emergency phone number	Not available.		
Supplier	Not available.		
2. Hazard identification			
Physical hazards	Not classified.		
Health hazards	Carcinogenicity	Category 1A	
	Specific target organ toxicity, repeate exposure	ed Category 1	
Environmental hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause cancer. Causes damage	to organs through prolonged or repeated exposure.	
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	IF exposed or concerned: Get medic	al advice/attention.	
Storage	Not available.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Other hazards	None known.		
Supplemental information	None.		
2 Composition/informatio	n en ingradiente		

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Cement, Alumina, Chemicals		65997-16-2	40 - 60
Expanded Perlite		93763-70-3	30 - 50
Kaolin		1332-58-7	2.5 - 10
SILICA, CRYSTALLINE, QUARTZ		14808-60-7	2.5 - 10
Other components below reportable	levels		10 - 25

Other components below reportable levels

Crystalline silica may be present at low concentrations; most of this is encapsulated in the coarse aggregate or as part of the clays or sands.

### 4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible).

### 5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep formation of airborne dusts to a minimum. Provide appropriate exhaust

) formation of airborne dusts to a minimum. Provide appropriate ( ventilation at places where dust is formed. Do not breathe dust. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. Conditions for safe storage, Store in tightly closed container. Store away from incompatible materials (see Section 10 of the including any incompatibilities SDS).

8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. ACGIH Threshold Limit Values		
Components	Туре	Value
Kaolin (CAS 1332-58-7)	TWA	2 mg/m

Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

Form

Canada. Alberta OELs (Occupatio Components	nal Health & Safety Code, Sc Type	hedule 1, Table 2) Value	Form
Expanded Perlite (CAS 93763-70-3)	TWA	3 mg/m3	Respirable particles.
		10 mg/m3	Total particulate.
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable particles.
Canada. British Columbia OELs. ( Safety Regulation 296/97, as amer Components		s for Chemical Substances, Oo Value	ccupational Health and Form
·			
Expanded Perlite (CAS 93763-70-3)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Total dust.

Canada. Manitoba OELs (Reg. 217/2006,	The Workplace Safety	/ And Health Act)

TWA

TWA

Components	Туре	Value	Form
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.

2 mg/m3

0.025 mg/m3

Respirable.

Respirable fraction.

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

Components	Туре	Value	Form
Expanded Perlite (CAS 93763-70-3)	TWA	3 mg/m3	Respirable fraction.
		10 mg/m3	Inhalable fraction.
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable fraction.

#### Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components	Туре	Value	Form
Expanded Perlite (CAS 93763-70-3)	TWA	10 mg/m3	Total dust.
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable dust.
SILICA, CRYSTALLINE, QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable dust.

Biological limit valuesNo biological exposure limits noted for the ingredient(s).Exposure guidelinesOccupational exposure to nuisance dust (total and respirable) and respirable crystalline silica<br/>should be monitored and controlled. Occupational exposure to nuisance dust (total and respirable)<br/>and respirable crystalline silica should be monitored and controlled.Appropriate engineering<br/>controlsGood general ventilation (typically 10 air changes per hour) should be used. Ventilation rates<br/>should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation,

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

Eye/face protection	If contact is likely, safety glasses with side shields are recommended.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves.
Other	Use of an impervious apron is recommended.
Respiratory protection	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.

Material name: KAST-O-LITE 20 LI PLUS

Kaolin (CAS 1332-58-7)

SILICA, CRYSTALLINE,

QUARTZ (CAS 14808-60-7)

1521 Version #: 02 Revision date: 04-03-2020 Issue date: 04-16-2019



General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### 9. Physical and chemical properties

•	•
Appearance	
Physical state	Solid.
Form	Solid.
Color	Not available.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Powerful oxidizers. Chlorine. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.

## 11. Toxicological information

### Information on likely routes of exposure

Information on likely routes of e	•	
Inhalation	Prolonged inhalation may be h	
Skin contact	No adverse effects due to skin	contact are expected.
Eye contact	Direct contact with eyes may c	ause temporary irritation.
Ingestion	Expected to be a low ingestion	hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may c	ause temporary irritation.
Information on toxicological effe	ects	
Acute toxicity	Not known.	
Skin corrosion/irritation	Prolonged skin contact may ca	use temporary irritation.
Serious eye damage/eye irritation	Direct contact with eyes may c	ause temporary irritation.
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to	
Germ cell mutagenicity	mutagenic or genotoxic.	roduct or any components present at greater than 0.1% are
Carcinogenicity	inhaled from occupational sour overall evaluation, IARC noted circumstances studied. Carcino crystalline silica or on external polymorphs." (IARC Monograp humans, Silica, silicates dust a 2003, SCOEL (the EU Scientif main effect in humans of the in sufficient information to conclu silicosis (and, apparently, not i in the ceramic industry). There risk" (SCOEL SUM Doc 94-fi protection against silicosis can occupational exposure limits. M	al Agency for Research on Cancer) concluded that crystalline silica rces can cause lung cancer in humans. However in making the that "carcinogenicity was not detected in all industrial ogenicity may be dependent on inherent characteristics of the factors affecting its biological activity or distribution of its ohs on the evaluation of the carcinogenic risks of chemicals to ind organic fibres, 1997, Vol. 68, IARC, Lyon, France.) In June ic Committee on Occupational Exposure Limits) concluded that the halation of respirable crystalline silica dust is silicosis. "There is de that the relative risk of lung cancer is increased in persons with n employees without silicosis exposed to silica dust in quarries and efore, preventing the onset of silicosis will also reduce the cancer nal, June 2003) According to the current state of the art, worker be consistently assured by respecting the existing regulatory <i>N</i> ay cause cancer. Occupational exposure to respirable dust and uld be monitored and controlled.
ACGIH Carcinogens		
Kaolin (CAS 1332-58-7) SILICA, CRYSTALLINE, Canada - Alberta OELs: Car	QUARTZ (CAS 14808-60-7) cinogen category	A4 Not classifiable as a human carcinogen. A2 Suspected human carcinogen.
	QUARTZ (CAS 14808-60-7)	Suspected human carcinogen.
Canada - Manitoba OELs: ca	arcinogenicity	-
Kaolin (CAS 1332-58-7)	0 ,	
	QUARTZ (CAS 14808-60-7)	Not classifiable as a human carcinogen. Suspected human carcinogen.
Canada - Quebec OELs: Car	QUARTZ (CAS 14808-60-7) rcinogen category	Suspected human carcinogen.
Canada - Quebec OELs: Can SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7)	
Canada - Quebec OELs: Car SILICA, CRYSTALLINE, IARC Monographs. Overall I SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7) rcinogen category QUARTZ (CAS 14808-60-7)	Suspected human carcinogen. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans.
Canada - Quebec OELs: Car SILICA, CRYSTALLINE, IARC Monographs. Overall I SILICA, CRYSTALLINE, US. National Toxicology Pro	QUARTZ (CAS 14808-60-7) rcinogen category QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity QUARTZ (CAS 14808-60-7)	Suspected human carcinogen. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans.
Canada - Quebec OELs: Car SILICA, CRYSTALLINE, IARC Monographs. Overall I SILICA, CRYSTALLINE, US. National Toxicology Pro	QUARTZ (CAS 14808-60-7) rcinogen category QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity QUARTZ (CAS 14808-60-7) ogram (NTP) Report on Carcino QUARTZ (CAS 14808-60-7)	Suspected human carcinogen. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans. ogens
Canada - Quebec OELs: Can SILICA, CRYSTALLINE, IARC Monographs. Overall I SILICA, CRYSTALLINE, US. National Toxicology Pro SILICA, CRYSTALLINE, Reproductive toxicity Developmental effects SILICA, CRYSTALLINE, Developmental effects -	QUARTZ (CAS 14808-60-7) rcinogen category QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity QUARTZ (CAS 14808-60-7) ogram (NTP) Report on Carcino QUARTZ (CAS 14808-60-7) This product is not expected to QUARTZ EU category	Suspected human carcinogen. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans. <b>ogens</b> Known To Be Human Carcinogen. cause reproductive or developmental effects.
Canada - Quebec OELs: Can SILICA, CRYSTALLINE, IARC Monographs. Overall I SILICA, CRYSTALLINE, US. National Toxicology Pro SILICA, CRYSTALLINE, Reproductive toxicity Developmental effects SILICA, CRYSTALLINE, Developmental effects - SILICA, CRYSTALLINE, Embryotoxicity	QUARTZ (CAS 14808-60-7) rcinogen category QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity QUARTZ (CAS 14808-60-7) ogram (NTP) Report on Carcino QUARTZ (CAS 14808-60-7) This product is not expected to QUARTZ EU category QUARTZ QUARTZ	Suspected human carcinogen. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans. Ogens Known To Be Human Carcinogen. cause reproductive or developmental effects. 0 0
Canada - Quebec OELs: Can SILICA, CRYSTALLINE, IARC Monographs. Overall I SILICA, CRYSTALLINE, US. National Toxicology Pro SILICA, CRYSTALLINE, Reproductive toxicity Developmental effects SILICA, CRYSTALLINE, Developmental effects - SILICA, CRYSTALLINE,	QUARTZ (CAS 14808-60-7) rcinogen category QUARTZ (CAS 14808-60-7) Evaluation of Carcinogenicity QUARTZ (CAS 14808-60-7) ogram (NTP) Report on Carcino QUARTZ (CAS 14808-60-7) This product is not expected to QUARTZ EU category QUARTZ QUARTZ QUARTZ	Suspected human carcinogen. Suspected carcinogenic effect in humans. 1 Carcinogenic to humans. <b>ogens</b> Known To Be Human Carcinogen. cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Causes damage to organs through prolonged or repeated exposure.
Aspiration hazard	Not an aspiration hazard.
Chronic effects	Causes damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

### **12. Ecological information**

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

### 14. Transport information

#### TDG

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot applicable.Annex II of MARPOL 73/78 andthe IBC Code

### 15. Regulatory information

**Canadian regulations** 

This product has been classified in accordance with the hazard criteria of the HPR and the SDS contains all the information required by the HPR.

### Controlled Drugs and Substances Act Not regulated.

Export Control List (CEPA 1999, Schedule 3) Not listed. Greenhouse Gases Not listed. Precursor Control Regulations Not regulated. International regulations Stockholm Convention Not applicable. Rotterdam Convention Not applicable. Kyoto protocol Not applicable.

#### **Montreal Protocol** Not applicable. **Basel Convention** Not applicable. International Inventories Country(s) or region Inventory name On inventory (yes/no)\* Australia Australian Inventory of Chemical Substances (AICS) Yes Canada Domestic Substances List (DSL) Canada Non-Domestic Substances List (NDSL) China Inventory of Existing Chemical Substances in China (IECSC) Europe European Inventory of Existing Commercial Chemical Substances (EINECS) European List of Notified Chemical Substances (ELINCS) Europe Japan Inventory of Existing and New Chemical Substances (ENCS) Existing Chemicals List (ECL) Korea New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances (PICCS) Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information

Issue date	04-16-2019
Revision date	04-03-2020
Version #	02
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Revision information	Product and Company Identification: Synonyms Hazard identification: Storage Ecological Information: Ecotoxicity

No

No

No

No

No

No

No

No

No