# HarbisonWalker

#### SAFETY DATA SHEET

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

**Trade name or** JADE SET SUPER; JADE SET SUPER SPECIAL

designation of the mixture

Registration number -

**Synonyms** None.

 Brand Code
 5858, 5859, 408C

 Issue date
 28-July-2016

Version number 01

1.2. Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** For Industrial Use Only

**Uses advised against** None known.

Manufacturer HarbisonWalker International Limited

**Address** Dock Road South Bromborough

Wirral

United Kingdom

**Division** United Kingdom

Contact personCorporate Product SafetyGeneral Phone:44.(0)151.641.5900Email addressREACH@thinkhwi.com

CHEMTREC 24 HOUR EMERGENCY #

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

#### Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

#### Classification according to Regulation (EC) No 1272/2008 as amended

**Health hazards** 

Serious eye damage/eye irritation Category 2 H319 - Causes serious eye

irritation.

**Hazard summary** 

**Physical hazards** Not classified for physical hazards.

**Health hazards** Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

**Environmental hazards** Not classified for hazards to the environment.

**Specific hazards** For additional information on inhalation hazards, see Section 11 of this safety data sheet. **Main symptoms** Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Dusts may irritate the respiratory tract, skin and eyes.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Contains: Aluminium Tris(Dihydrogen Phosphate), Chromium (III) oxide

**Hazard pictograms** 

Signal word Warning

**Hazard statements** 

H319 Causes serious eye irritation.

Material name: JADE SET SUPER; JADE SET SUPER SPECIAL 5858, 5859, 408C Version #: 01 Issue date: 28-July-2016

**Precautionary statements** 

**Prevention** 

P264 Wash thoroughly after handling. P280 Wear eye/face protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Supplemental label** 

information

None.

2.3. Other hazards

None known.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

**General information** 

| Chemical name                        |      | %                                     | CAS-No. / EC<br>No.     | REACH Registration No. | INDEX No.    | Notes |
|--------------------------------------|------|---------------------------------------|-------------------------|------------------------|--------------|-------|
| Aluminium Oxide (Non-Fibrous)        |      | 70 - < 80                             | 1344-28-1<br>215-691-6  | 01-2119529248-35-0134  | -            |       |
| Classification:                      | DSD: | -                                     |                         |                        |              |       |
|                                      | CLP: | -                                     |                         |                        |              |       |
| Chromium (III) oxide                 |      | 5 - < 10                              | 1308-38-9<br>215-160-9  | -                      | -            |       |
| Classification:                      | DSD: | -                                     |                         |                        |              |       |
|                                      | CLP: | -                                     |                         |                        |              |       |
| Orthophosphoric Acid                 |      | 5 - < 10                              | 7664-38-2<br>231-633-2  | -                      | 015-011-00-6 | #     |
| Classification:                      | DSD: | C;R34                                 |                         |                        |              | В     |
|                                      | CLP: | Skin Irrit. 2;H315, Eye Irrit. 2;H319 |                         |                        |              | В     |
| Aluminium Tris(Dihydrogen Phosphate) |      | 1 - < 3                               | 13530-50-2<br>236-875-2 | -                      | -            |       |
| Classification:                      | DSD: | -                                     |                         |                        |              |       |
|                                      | CLP: | Eye Dam. 1;H31                        | 8                       |                        |              |       |

Other components below reportable levels 10 - < 20

#### List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008.

DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance.

PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

**Composition comments**Bentonite contains naturally occurring crystalline silica (not listed in Annex I of Directive

67/548/EEC) in quantities less than 6%. The full text for all R- and H-phrases is displayed in section

16.

#### **SECTION 4: First aid measures**

**General information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

**Inhalation** Move to fresh air. Call a physician if symptoms develop or persist.

**Skin contact** Wash off with soap and water. Get medical attention if irritation develops and persists.

Material name: JADE SET SUPER; JADE SET SUPER SPECIAL 5858, 5859, 408C Version #: 01 Issue date: 28-July-2016

**Eye contact** Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

**Ingestion** Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Dusts may irritate the respiratory tract, skin and eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation.

Symptoms may be delayed.

#### **SECTION 5: Firefighting measures**

**General fire hazards** Not available.

5.1. Extinguishing media

Suitable extinguishing

media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Not available.

Not available.

5.2. Special hazards arising from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters

Not available.

**Special fire fighting** 

procedures

Not available.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Material can be slippery when wet. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8.

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the SDS.

6.2. Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

6.3. Methods and material for containment and cleaning up

Stop the flow of material, if this is without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect dust using a vacuum cleaner equipped with HEPA filter.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

Minimise dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid contact with eyes. Avoid prolonged exposure. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

**7.3. Specific end use(s)** Not available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **Occupational exposure limits**

| UK. EH40 Workplace Expo<br>Components                       | Туре   | Value                     | Form             |  |  |
|---|--|---------------------------|------------------|--|--|
| Aluminium Oxide<br>(Non-Fibrous) (CAS<br>1344-28-1)         | TWA  | 4 mg/m3                   | Respirable dust. |  |  |
|   |  | 10 mg/m3                  | Inhalable dust.  |  |  |
| Aluminium Tris(Dihydrogen<br>Phosphate) (CAS<br>13530-50-2) | TWA  | 2 mg/m3                   |                  |  |  |
| Chromium (III) oxide (CAS 1308-38-9)                        | TWA  | 0.5 mg/m3                 |                  |  |  |
| Orthophosphoric Acid (CAS 7664-38-2)                        | STEL   | 2 mg/m3                   |                  |  |  |
| •   | TWA  | 1 mg/m3                   |                  |  |  |
| EU. Indicative Exposure L                                   | imit Values in Directives 91/322/                          | EEC, 2000/39/EC, 2006/15/ | EC, 2009/161/EU  |  |  |
| Components  | Туре   | Value                     |                  |  |  |
| Orthophosphoric Acid (CAS 7664-38-2)                        | STEL   | 2 mg/m3                   |                  |  |  |
| •   | TWA  | 1 mg/m3                   |                  |  |  |
| logical limit values  | No biological exposure limits noted for the ingredient(s). |                           |                  |  |  |
| commended monitoring<br>cedures                             | Follow standard monitoring procedures.                     |                           |                  |  |  |
| ived no-effect level  | Not available.   |                           |                  |  |  |

## concentrations (PNECs) 8.2. Exposure controls

**Predicted no effect** 

(DNEL)

### Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL (occupational exposure limit), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

#### Individual protection measures, such as personal protective equipment

Not available.

**General information** Use personal protective equipment as required. Personal protection equipment should be chosen

according to the CEN standards and in discussion with the supplier of the personal protective

equipment.

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

**- Other** Wear suitable protective clothing.

**Respiratory protection** Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.







**Hygiene measures** 

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

**Environmental exposure** controls

Environmental manager must be informed of all major releases.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

**Appearance** 

Physical state Solid.

Form Solid. Powder.
Colour Not available.
Odour Not available.
Odour threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and Not available.

boiling range

Flash point

Evaporation rate

Flammability (solid, gas)

Not available.

Not available.

Not available.

Not available.

Flammability limit - lower

Not available.

(%)

Flammability limit -

upper (%)

Not available.

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.
Solubility (other) Not available.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot available.Oxidizing propertiesNot available.

9.2. Other information

**Bulk density** 2850 kg/m<sup>3</sup> **Chemical family** Refractory Mortar

pH in aqueous solution 2 - 3

#### **SECTION 10: Stability and reactivity**

**10.1. Reactivity** The product is stable and non-reactive under normal conditions of use, storage and transport.

**10.2. Chemical stability** Material is stable under normal conditions.

**10.3. Possibility of hazardous** No dangerous reaction known under conditions of normal use.

reactions

**10.4. Conditions to avoid** Contact with incompatible materials.

**10.5. Incompatible materials** Acids. Chlorine.

Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not

be specific to industrial application exposure.

10.6. Hazardous

decomposition products

No hazardous decomposition products are known.

#### **SECTION 11: Toxicological information**

**General information** Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

**Inhalation** Dust may irritate respiratory system. Prolonged inhalation may be harmful.

**Skin contact** Dust or powder may irritate the skin.

**Eye contact** Causes serious eye irritation.

Material name: JADE SET SUPER; JADE SET SUPER SPECIAL 5858, 5859, 408C Version #: 01 Issue date: 28-July-2016

**Ingestion** May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Severe eye irritation. Dusts may irritate the respiratory tract, skin and eyes. Symptoms may include **Symptoms** 

stinging, tearing, redness, swelling, and blurred vision.

11.1. Information on toxicological effects

**Acute toxicity** No data available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible.

Skin sensitisation Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled. Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Chromium (III) oxide (CAS 1308-38-9) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity

Specific target organ toxicity

- single exposure

**Aspiration hazard** 

Due to partial or complete lack of data the classification is not possible.

- repeated exposure

Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Not available.

**SECTION 12: Ecological information** 

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative

potential

No data available.

**Partition coefficient** 

n-octanol/water (log Kow)

Not available.

Not available. **Bioconcentration factor (BCF)** 12.4. Mobility in soil No data available. Not available.

12.5. Results of PBT and vPvB

assessment

12.6. Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

**Residual waste** As sold, this product is not RCRA hazardous. Final used condition must be evaluated prior to

disposal. Dispose of waste product in accordance with Federal, State and Local regulations. The chrome compounds (Cr III) in this product may be altered to a hexavalent compound (Cr VI) under certain use conditions, such as exposure to alkali salts and/or high temperatures. Proper waste testing (such as TCLP)must be done to determine the waste status of used product. Reuse and

recycling of chrome Refractories is recommended whenever possible.

Contaminated packaging Not available.

#### **SECTION 14: Transport information**

#### **ADR**

Not regulated as dangerous goods.

#### **RID**

Not regulated as dangerous goods.

#### **ADN**

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

14.7. Transport in bulk

Not applicable.

according to Annex II of MARPOL 73/78 and the IBC

Code

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulations

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex I

Not listed.

Regulation (EC) No. 2037/2000 on substances that deplete the ozone layer, Annex II

Not listed.

Regulation (EC) No. 850/2004 on persistent organic pollutants, Annex I

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1

Not listed

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

#### **Authorisations**

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended Not listed.

#### **Restrictions on use**

Regulation (EC) No. 1907/2006 Annex XVII Substances subject to restriction on marketing and use Not regulated.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work

Not listed.

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding

Not listed.

#### Other EU regulations

Directive 96/82/EC (Seveso II) on the control of major-accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Orthophosphoric Acid (CAS 7664-38-2)

Directive 94/33/EC on the protection of young people at work

Orthophosphoric Acid (CAS 7664-38-2)

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

**National regulations** 

Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

#### **SECTION 16: Other information**

List of abbreviations Not available. References Not available. Information on evaluation Not available.

method leading to the classification of mixture

Full text of any statements or **R-phrases and H-statements** under Sections 2 to 15

R34 Causes burns.

H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation.

**Revision information** 

None.

**Training information** 

Not available.

**Disclaimer** 

This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid

contractual relationship.