



1. Identification

Product identifier	ZIRMUL 20 SC	
Other means of identification		
Brand Code	830C	
Recommended use	Industrial Use Only	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/I	Distributor information	
Manufacturer		
Company name	HarbisonWalker Internationa	al
Address	1305 Cherrington Parkway, Suite 100	
	Moon Township, Pennsylvar	nia 15108 US
Telephone	General Phone:	412-375-6600
Website	www.thinkHWI.com	
Emergency phone number	CHEMTREC 24 HOUR EMERGENCY #	1-800-424-9300

2. Hazard(s) identification

Classified hazards

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Label elements

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

Hazard(s) not otherwise classified (HNOC)

This item is defined as an article per OSHA, REACH, and WHMIS and is therefore exempt from labeling. A Safety Data Sheet is available.

This item is not Classified as hazardous. However, individual customer processes (such as grinding, sawing, or blasting) may result in the formation of dust that may present health hazards. Wear protective gloves/protective clothing/eye protection.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Alumina calcined		1344-28-1	40 - 60
Mullite		1302-93-8	10 - 20
Zirconia, Fused 95%, -325 Mesh		1314-23-4	10 - 20
Kaolin		1332-58-7	2.5 - 10

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed General information Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Use fire-extinguishing media appropriate for surrounding materials.
Unsuitable extinguishing media	Not available.
Specific hazards arising from the chemical	Not applicable.
Special protective equipment and precautions for firefighters	Not available.
6. Accidental release measures	

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Observe good industrial hygiene practices.
Conditions for safe storage,	Store away from incompatible materials (see Section 10 of the SDS).
including any incompatibilities	

8. Exposure controls/personal protection

Occupational exposure limits This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Alumina calcined (CAS 1344-28-1)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Kaolin (CAS 1332-58-7)	PEL	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
Zirconia, Fused 95%, -325	PEL	5 mg/m3	
Mesh (CAS 1314-23-4) US. OSHA Table Z-3 (29 CFR 1910	1000)		
Components	Туре	Value	Form
Alumina calcined (CAS 1344-28-1)	TWA	5 mg/m3	Respirable fraction.
,		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3	Respirable fraction
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
US. ACGIH Threshold Limit Values	5		
Components	Туре	Value	Form
Alumina calcined (CAS 1344-28-1)	TWA	1 mg/m3	Respirable fraction
Kaolin (CAS 1332-58-7)	TWA	2 mg/m3	Respirable fraction
Mullite (CAS 1302-93-8)	TWA	1 mg/m3	Respirable fraction.
Zirconia, Fused 95%, -325 Mesh (CAS 1314-23-4)	STEL	10 mg/m3	
· · · ·	TWA	5 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Kaolin (CAS 1332-58-7)	TWA	5 mg/m3 10 mg/m3	Respirable. Total
Zirconia, Fused 95%, -325 Mesh (CAS 1314-23-4)	STEL	10 mg/m3	
	TWA	5 mg/m3	
Biological limit values	No biological exposure limits noted for	the ingredient(s).	
Exposure guidelines	Zirconium silicates (zircon sands) contain trace amounts (106-120 pCi/g) of naturally occurring radioactive uranium and thorium. Overexposure by inhalation to respirable dust containing uranium and thorium may cause lung cancer. Eye contact with the dust may cause eye irritation. Measurements made by Dupont during the use of a similar mineral sand indicated the observance of the 5 mg/m3 OSHA PEL for respirable dust and/or the PEL for quartz ensures the user is below the exposure limits established for uranium and thorium. No LD50 or LC50 can be found for zircon sand.		
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.		
Individual protection measures	s, such as personal protective equipme	nt	
Eye/face protection	Wear safety glasses with side shields ((or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant gl	oves.	
Other	Wear suitable protective clothing.		
Respiratory protection	Use a NIOSH/MSHA approved respira exceeding the exposure limits.	tor if there is a risk of exposu	re to dust/fume at levels
Thermal hazards	Wear appropriate thermal protective cl	othing, when necessary.	
m			

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance		
Physical state	Solid.	
Form	Solid.	
Color	Not available.	
Odor	Not available.	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	Not available.	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	
Flammability limit - upper (%)	Not available.	
Explosive limit - lower (%)	Not available.	
Explosive limit - upper (%)	Not available.	

Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
10. Stability and reactivity	
Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents. Incompatibility is based strictly upon potential theoretical reactions between chemicals and may not be specific to industrial application exposure.
Hazardous decomposition products	No hazardous decomposition products are known.
11. Toxicological information	ion
Information on likely routes of ex	xposure
Inhalation	No adverse effects due to inhalation are expected.
A I I I I I I I I I I	

Inhalation	No adverse effects due to inhalation are expected.
Skin contact	No adverse effects due to skin contact are expected.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

ects
Not available.
Prolonged skin contact may cause temporary irritation.
Direct contact with eyes may cause temporary irritation.
n
Not a respiratory sensitizer.
This product is not expected to cause skin sensitization.
No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Evaluation of Carcinogenicity
ogram (NTP) Report on Carcinogens
ulated Substances (29 CFR 1910.1001-1050)
This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not an aspiration hazard.
12. Ecological information	
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of this product.
Persistence and degradability Bioaccumulative potential	No data is available on the degradability of this product. No data available.
o ,	5 7 1

13. Disposal considerations

Disposal instructions	This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste.
Hazardous waste code	Since this product is used in several industries, no Waste Code can be provided by the supplier. The Waste Code should be determined in arrangement with your waste disposal partner or the responsible authority.
Waste from residues / unused products	Not available.
Contaminated packaging	Not available.

14. Transport information

DOT

Not regulated as dangerous goods.

ΙΑΤΑ

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according toNot available.Annex II of MARPOL 73/78 andthe IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200. All chemical substances in this product are listed on the TSCA chemical substance inventory where required.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories	Immediate Hazard - No Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No
	Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical	No			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
Alumina calcined		1344-28-1	40 - 60	
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Ai	r Pollutants (HAPs) List		
Not regulated.				
Clean Air Act (CAA) Section	n 112(r) Accidental	Release Prevention (40 C	FR 68.130)	
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			
US state regulations	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.			
International Inventories				
Country(s) or region	Inventory name		On inventory (yes/no)*	
Australia	Australian Inventory of Chemical Substances (AICS)		Yes	
Canada	Domestic Substances List (DSL) Y		Yes	
Canada	Non-Domestic Substances List (NDSL)		No	
China	Inventory of Existing Chemical Substances in China (IECSC) Ye		Yes	
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)		Yes	
Europe	European List of Notified Chemical Substances (ELINCS)		No	
Japan	Inventory of Existing and New Chemical Substances (ENCS)		No	
Korea	Existing Chemicals List (ECL)		Yes	
New Zealand	New Zealand Inve	New Zealand Inventory		Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)		No	
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory			Yes
*A "Yes" indicates that all compo	nents of this product c	omply with the inventory requir	ements administered by the	e governing country(s)

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	09-14-2018
Version #	01
Disclaimer	This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.