

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

Product identifier Trade name: SPARCAST 25 C Other means of identification Article number: 650D Restrictions Restricted to industrial or professional use. Application of the substance / the mixture Refractory Material Details of the subplier of the safety data sheet Manufacturer/Supplier: HarbisonWalker International 2000 Park Lane Drive, Suite 400 Pritsburgh Pennsylvania 15275 USA Information department: SDS.information@calderys.com +33 149 55 38 57 Emergency telephone number: CHEMTREC EMERGENCY 1-800-424-9300 US/CAN ONLY Mazard(s) identification Classification of the substance or mixture Cov GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Label elements GHS07 Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS08 GHS07 Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS08 Signal word Danger Hazard-determining components of labeling: Quartz (SIC2)	Identification	
Trade name: SPARCAST 25 C Other means of identification Article number: 650D Restrictions Restricted to industrial or professional use. Application of the substance / the mixture Refractory Material Details of the supplier of the safety data sheet Manufacturer?Supplier: HarbisonWalker International 2000 Park Lane Drive, Suite 400 Pittsburgh Pennsylvania 15275 USA Information department: SDS.information@calderys.com +33 1 49 55 38 57 Emergency telephone number: CHEMTREC EMERGENCY 1-800-424-9300 US/CAN ONLY Hazard(s) identification Classification of the substance or mixture WS/CAN ONLY Hazard(s) identification Classification of the substance or mixture Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Label elements GHS08 Health hazard Carcinogenicity 1A H319 Causes serious eye irritation. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 Eye irritation 2A Signal word Danger Hazard-determining components of labeling: Quartz (SV2)	Identification	
Other means of identification         Article number: 6500         Restrictions Restricted to industrial or professional use.         Application of the substance / the mixture Refractory Material         Details of the supplier of the safety data sheet         Manufacturer/Supplier:         Harbison/Walker International         2000 Park Lane Drive, Suite 400         Pittsburgh         Pennsylvania         15275         USA         Information department:         SDS.information@calderys.com         +331 49 55 38 57         Emergency telephone number:         CHEMTREC EMERGENCY         +800-424-9300         US/CAN ONLY         Hazard(s) identification         Classification of the substance or mixture         V         V         GHS08 Health hazard         Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation.         Label elements         GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS).         Hazard pictograms         V       V         GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS).         Hazard pic	Product identifie	r
Restrictions Restricted to industrial or professional use. Application of the substance / the mixture Refractory Material Details of the supplier of the safety data sheet Manufacturer/Supplier: Harbison/Walker International 2000 Park Lane Drive, Suite 400 Pittsburgh Pennsylvania 15275 USA Information department: SDS.information@calderys.com +33 1 49 55 38 57 Emergency telephone number: CHEMTREC EMERGENCY 1-800-424-9300 US/CAN ONLY Hazard(s) identification Classification of the substance or mixture		
Manufacturer/Supplier: HarbisonWalker International 2000 Park Lane Drive, Suite 400 Pittsburgh Pennsylvania 15275 USA Information department: SDS.information@calderys.com +33 1 49 55 38 57 Emergency telephone number: CHEMTREC EMERGENCY 1-800-424-9300 US/CAN ONLY Hazard(s) identification Classification of the substance or mixture	Restrictions Res	tricted to industrial or professional use.
SDS.information@calderys.com +33 1 49 55 38 57 Emergency telephone number: CHEMTREC EMERGENCY 1-800-424-9300 US/CAN ONLY Hazard(s) identification Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. GHS07 Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Quartz (SiO2)	<i>Manufacturer/Su</i> HarbisonWalker I 2000 Park Lane I Pittsburgh Pennsylvania 15275	pplier: nternational
Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Carcinogenicity 1A H350 May cause serious eye irritation. Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Cover GHS08 Signal word Danger Hazard-determining components of labeling: Quartz (SiO2)	SDS.information( +33 1 49 55 38 5 <b>Emergency teler</b> CHEMTREC EME 1-800-424-9300	)calderys.com , hone number:
Classification of the substance or mixture GHS08 Health hazard Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Corcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms Corc GHS08 Signal word Danger Hazard-determining components of labeling: Quartz (SiO2)		
GHS08 Health hazard         Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation.         Image: Construction of the system		
Carcinogenicity 1A H350 May cause cancer. Route of exposure: Inhalation. $\overbrace{O}$ GHS07 Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms $\overbrace{O}$ GHS07 GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Quartz (SiO2)	Hazard(s) ide	ntification
GHS07         Eye irritation 2A       H319 Causes serious eye irritation.         Label elements         GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS).         Hazard pictograms         Image: Comparison of the termining components of labeling:         Quartz (SiO2)		
Eye irritation 2A H319 Causes serious eye irritation. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms $\overbrace{OF}^{V}$ $\overbrace{OF}^{V}$ $\overbrace{OHS08}^{V}$ GHS07 GHS08 Signal word Danger Hazard-determining components of labeling: Quartz (SiO2)	Classification of	the substance or mixture
Label elements         GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS).         Hazard pictograms         Image: Comparison of the terminal system of terminal system o	Classification of	<b>the substance or mixture</b> Health hazard
GHS label elements         The product is classified and labeled according to the Globally Harmonized System (GHS).         Hazard pictograms         Image: Comparison of the Globally Harmonized System (GHS).         GHS07       GHS08         Signal word Danger         Hazard-determining components of labeling:         Quartz (SiO2)	Classification of GHS08 Carcinogenicity 1	<b>the substance or mixture</b> Health hazard
<b>Signal word</b> Danger <b>Hazard-determining components of labeling:</b> Quartz (SiO2)	Classification of GHS08 Carcinogenicity 1	the substance or mixture Health hazard A H350 May cause cancer. Route of exposure: Inhalation.
<b>Signal word</b> Danger <b>Hazard-determining components of labeling:</b> Quartz (SiO2)	Classification of GHS08 Carcinogenicity 1 Carcinogenicity 1 GHS07 Eye irritation 2A Label elements GHS label elements The product is cla	<i>the substance or mixture</i> Health hazard A H350 May cause cancer. Route of exposure: Inhalation. H319 Causes serious eye irritation. <b>hts</b> ssified and labeled according to the Globally Harmonized System (GHS).
<b>Hazard-determining components of labeling:</b> Quartz (SiO2)	Classification of GHS08 Carcinogenicity 1 Carcinogenicity 1 GHS07 Eye irritation 2A Label elements GHS label elements The product is cla	<i>the substance or mixture</i> Health hazard A H350 May cause cancer. Route of exposure: Inhalation. H319 Causes serious eye irritation. <b>hts</b> ssified and labeled according to the Globally Harmonized System (GHS).
Quartz (SiO2)	Classification of GHS08 Carcinogenicity 1 Carcinogenicity 1 GHS07 Eye irritation 2A Label elements GHS label elements The product is cla Hazard pictogram	<i>the substance or mixture</i> Health hazard A H350 May cause cancer. Route of exposure: Inhalation. H319 Causes serious eye irritation. <b>hts</b> ssified and labeled according to the Globally Harmonized System (GHS).
Quartz (SiO2)	Classification of GHS08 Carcinogenicity 1 Carcinogenicity 1 GHS07 CHS07 GHS07 GHS07 GHS07 GHS08	<i>the substance or mixture</i> Health hazard A H350 May cause cancer. Route of exposure: Inhalation. H319 Causes serious eye irritation. <b>nts</b> ssified and labeled according to the Globally Harmonized System (GHS). <b>ns</b>
(Contd. on page	Classification of GHS08 Carcinogenicity 1 Carcinogenicity 1 GHS07 Eye irritation 2A Carcinogenicity 1 GHS07 GHS07 GHS07 GHS08 Signal word Dan	<i>the substance or mixture</i> Health hazard A H350 May cause cancer. Route of exposure: Inhalation. H319 Causes serious eye irritation. <i>hts</i> ssified and labeled according to the Globally Harmonized System (GHS). <i>ns</i>

Page 2/10

# Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

Trade name: SPARC	CAST 25 C	
	(	Contd. of page 1)
<ul> <li>Hazard stateme</li> </ul>	nts	
H319 Causes sei	rious eye irritation.	
H350 May cause	cancer. Route of exposure: Inhalation.	
· Precautionary s		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and unde	rstood.
P264	Wash thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face prot protection.	ection/hearing
P305+P351+P33	8 If in eyes: Rinse cautiously with water for several minutes. Re	move contact
	lenses, if present and easy to do. Continue rinsing.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/region	onal/national/
	international regulations.	
	taining to particular dangers for man and environment:	
Classification s		
· NFPA ratings (s	cale 0 - 4)	
HMIS-ratings (so HEALTH *2 He FIRE 0 Fin REACTIVITY 0 Re Other hazards	activity = 0 cale 0 - 4) palth = *2 e = 0 pactivity = 0 and vPvB assessment uble.	
	ccording to (d)(1)(ii) of § 1910.1200	
	does not object to the classifications provided by importers or ma	nufacturers of
precursor produc	•	
	erwise classified	
	verse physical or health effects known that are not covered by the h	azard classes
	mmunications Standard.	
? Composition	/information on ingredients	
3 Composition/		
	cterization: Mixtures	
	ture of the substances listed below with nonhazardous additions.	
· Dangerous com	•	
65997-16-2 Alun		10–30%
14808-60-7 Qua	rtz (SiO2)	<i>≥</i> 0.1–≤1%
· I	((	Contd. on page 3)
	· · · · · · · · · · · · · · · · · · ·	US



Page 3/10

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

#### Trade name: SPARCAST 25 C

#### • Additional information:

The exact chemical identity and/or percentage (concentration) of the composition has been withheld as a trade secret.

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- *Most important symptoms and effects, both acute and delayed* Breathing crystalline silica can cause lung disease, including silicosis and lung cancer.
- *Indication of any immediate medical attention and special treatment needed* No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Protective Action Criteria for Chemicals

14808-60-7	Quartz (SiO2)	0.075 mg/m³
13463-67-7	Titanium Dioxide	30 mg/m³
PAC-2:	·	· · · ·
14808-60-7	Quartz (SiO2)	8.3 mg/m3
13463-67-7	Titanium Dioxide	330 mg/m³
PAC-3:	·	·
14808-60-7	Quartz (SiO2)	50 mg/m3
13463-67-7	Titanium Dioxide	2,000 mg/m <sup>3</sup>
	to other sections	
See Section	<ul> <li>7 for information on safe handling.</li> <li>8 for information on personal protection equipment.</li> </ul>	

(Contd. on page 4)

<sup>-</sup> US



Page 4/10

(Contd. of page 3)

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

Trade name: SPARCAST 25 C

See Section 13 for disposal information.

## 7 Handling and storage

- <sup>.</sup> Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- This product contains quartz, cristobalite, and/or tridymite which may become airborne without a visible cloud. Avoid breathing dust. Avoid creating dusty conditions.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

#### · Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 14808-60-7 Quartz (SiO2)

- PEL Long-term value: 0.05\* mg/m<sup>3</sup> \*resp. dust; 30mg/m3/%SiO2+2
- REL Long-term value: 0.05\* mg/m<sup>3</sup> \*respirable dust; See Pocket Guide App. A
- TLV Long-term value: 0.025\* mg/m<sup>3</sup> \*respirable particulate matter, A2

### Regulatory information

- PEL: Guide to Occupational Exposure Values (OSHA PELs)
- REL: Guide to Occupational Exposure Values (NIOSH RELs)
- TLV: Guide to Occupational Exposure Values (TLV)
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

(Contd. on page 5)

<sup>-</sup> US

Page 5/10

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

#### Trade name: SPARCAST 25 C

#### • Breathing equipment:

(Contd. of page 4)

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• **Protection of hands:** Protective gloves



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### • Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Safety glasses

**Body protection:** 



Standard industrial clothing is sufficient for room temperature installations (ISO 6942). Do not shake out work clothes. Do not remove dust with compressed air.

Information on basic physical and ch General Information	emical properties	
Physical state	Solid	
Color:	Grey	
Odor:	uncharacteristic	
Odor threshold:	Not determined.	
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Undetermined.	
Flammability:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Flash point:	Not applicable.	
Decomposition temperature:	Not determined.	



Page 6/10

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

#### Trade name: SPARCAST 25 C

	(Contd. of page
pH-value:	Not applicable.
Viscosity:	
Kinematic:	Not applicable.
Dynamic:	Not applicable.
Solubility in / Miscibility with	
Water:	Soluble.
Partition coefficient (n-octanol/water):	Not determined.
Vapor pressure:	Not applicable.
Vapor pressure:	
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not applicable.
Particle characteristics	Not determined.
Other information	
Appearance:	
Form:	Solid in various forms
Important information on protection of he	alth
and environment, and on safety.	
Ignition temperature:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Solvent content:	
VOC content:	0.00 %
Solids content:	100.0 %
Change in condition	
Evaporation rate	Not applicable.

## 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

US



Page 7/10

(Contd. of page 6)

1

Κ

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

#### Trade name: SPARCAST 25 C

#### Irritant

· Interactive effects No interactive effects between components are known.

#### · Carcinogenic categories

- · IARC (International Agency for Research on Cancer)
- 14808-60-7 Quartz (SiO2)

### · NTP (National Toxicology Program)

14808-60-7 Quartz (SiO2)

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• Alternative sources for toxicological information No non-standard sources for toxicological information where used.

## 12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## 13 Disposal considerations

· Waste treatment methods

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- · UN-Number
- · DOT, IMDG, IATA

not regulated

(Contd. on page 8)

US



Page 8/10

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

Trade name: SPARCAST 25 C

not regulated
not regulated
not regulated
Not applicable.
Not applicable.
Not applicable.
not regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances):
None of the ingredients is listed.
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
14808-60-7 Quartz (SiO2)
13463-67-7 Titanium Dioxide
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
(Contd. on page 0)

(Contd. on page 9)



Page 9/10

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Reviewed on 03/24/2025

#### Trade name: SPARCAST 25 C

•	ld Limit Value)	
1332-58-7 Ka		A
14808-60-7 Qi	uartz (SiO2)	A
13463-67-7 Tit	tanium Dioxide	A
NIOSH-Ca (Na	tional Institute for Occupational Safety and Health)	
14808-60-7 Qu	uartz (SiO2)	
13463-67-7 Tit	tanium Dioxide	
GHS label eler	ments	
The product is <b>Hazard pictog</b>	classified and labeled according to the Globally Harmonized System rams	n (GHS).
GHS07 GHS	008	
<b>Signal word</b> D	anger	
Hazard-detern	nining components of labeling:	
Quartz (SiO2)	<u> </u>	
Hazard statem		
	serious eye irritation.	
	se cancer. Route of exposure: Inhalation.	
Precautionary		
P201	Obtain special instructions before use.	
P202	Do not handle until all safety precautions have been read and u	inderstood.
P264	Wash thoroughly after handling.	wate etie w/h e e vi
P280	Wear protective gloves/protective clothing/eye protection/face protection.	protection/nearli
P305+P351+P	338 If in eyes: Rinse cautiously with water for several minutes.	Remove conta
	lenses, if present and easy to do. Continue rinsing.	
P308+P313	IF exposed or concerned: Get medical advice/attention.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/re international regulations.	egional/nation
	lations:	
National regul		
-	bout limitation of use:	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge on creation date. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: sds.information@calderys.com

• Date of previous version 01/21/2025

(Contd. on page 10)

<sup>-</sup> US



Page 10/10

# Safety Data Sheet acc. to OSHA HCS

Date of issue: 03/24/2025

Trade name: SPARCAST 25 C

Reviewed on 03/24/2025

(Contd. of page 9) <b>Yersion number of previous version: 1</b> <b>Yate of preparation</b> 03/24/2025 <b>bbreviations and acronyms:</b> DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning e International Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ITA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic VB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit Parise Protection 2: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
Pate of preparation 03/24/2025         bbreviations and acronyms:         DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning e International Carriage of Dangerous Goods by Road)         IDG: International Maritime Code for Dangerous Goods         OT: US Department of Transportation         ITA: International Air Transport Association         INECS: European Inventory of Existing Commercial Chemical Substances         LINCS: European List of Notified Chemical Substances         AS: Chemical Abstracts Service (division of the American Chemical Society)         FPA: National Fire Protection Association (USA)         MIS: Hazardous Materials Identification System (USA)         OC: Volatile Organic Compounds (USA, EU)         BT: Persistent, Bioaccumulative and Toxic         PVB: very Persistent and very Bioaccumulative         IOSH: Accountal Safety & Health         LV: Threshold Limit Value         EL: Permissible Exposure Limit         EL: Recommended Exposure Limit         EV: erritation 2A: Serious eye damage/eye irritation – Category 2A         arcinogenicity 1A: Carcinogenicity – Category 1A         Data compared to the previous version altered.					(Contd. of page	; 9)
Pate of preparation 03/24/2025         bbreviations and acronyms:         DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning e International Carriage of Dangerous Goods by Road)         IDG: International Maritime Code for Dangerous Goods         OT: US Department of Transportation         ITA: International Air Transport Association         INECS: European Inventory of Existing Commercial Chemical Substances         LINCS: European List of Notified Chemical Substances         AS: Chemical Abstracts Service (division of the American Chemical Society)         FPA: National Fire Protection Association (USA)         MIS: Hazardous Materials Identification System (USA)         OC: Volatile Organic Compounds (USA, EU)         BT: Persistent, Bioaccumulative and Toxic         PVB: very Persistent and very Bioaccumulative         IOSH: Accountal Safety & Health         LV: Threshold Limit Value         EL: Permissible Exposure Limit         EL: Recommended Exposure Limit         EV: erritation 2A: Serious eye damage/eye irritation – Category 2A         arcinogenicity 1A: Carcinogenicity – Category 1A         Data compared to the previous version altered.	Version nur	iber of previous vers	sion: 1			
bbreviations and acronyms:         DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning e International Carriage of Dangerous Goods by Road)         IDG: International Maritime Code for Dangerous Goods         OT: US Department of Transportation         IXA: International Air Transport Association         INECS: European Inventory of Existing Commercial Chemical Substances         LINCS: European List of Notified Chemical Substances         AS: Chemical Abstracts Service (division of the American Chemical Society)         FPA: National Fire Protection Association (USA)         MIS: Hazardous Materials Identification System (USA)         OC: Volatile Organic Compounds (USA, EU)         BT: Persistent, Bioaccumulative and Toxic         PVB: very Persistent and very Bioaccumulative         IOSH: National Safety & Health         LV: Threshold Limit Value         EL: Permissible Exposure Limit         EL: Recommended Exposure Limit         EL: Recommended Exposure Limit         ever irritation 2A: Serious eve damage/eve irritation – Category 2A         arcinogenicity 1A: Carcinogenicity – Category 1A         Data compared to the previous version altered.	Date of prep	aration 03/24/2025				
DR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning e International Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transport Association INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European Inventory of Existing Commercial Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
e International Carriage of Dangerous Goods by Road) IDG: International Maritime Code for Dangerous Goods OT: US Department of Transportation ITA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European Inventory of Existing Commercial Chemical Substances LINCS: European Ist of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit Perintation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>			al des marchandises	dangereuses par route	(European Agreement Concern	ina
<ul> <li>International Maritime Code for Dangerous Goods</li> <li>OT: US Department of Transportation</li> <li>ITA: International Air Transport Association</li> <li>INECS: European Inventory of Existing Commercial Chemical Substances</li> <li>LINCS: European List of Notified Chemical Substances</li> <li>AS: Chemical Abstracts Service (division of the American Chemical Society)</li> <li>FPA: National Fire Protection Association (USA)</li> <li>MIS: Hazardous Materials Identification System (USA)</li> <li>OC: Volatile Organic Compounds (USA, EU)</li> <li>BT: Persistent, Bioaccumulative and Toxic</li> <li>PVB: very Persistent and very Bioaccumulative</li> <li>IOSH: National Institute for Occupational Safety</li> <li>SHA: Occupational Safety &amp; Health</li> <li>LV: Threshold Limit Value</li> <li>EL: Permissible Exposure Limit</li> <li>EL: Recommended Exposure Limit</li> <li>EL: Recommended Exposure Limit</li> <li>Ye irritation 2A: Serious eye damage/eye irritation – Category 2A</li> <li>arcinogenicity 1A: Carcinogenicity – Category 1A</li> </ul>					(;	
ATA: International Air Transport Association INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
INECS: European Inventory of Existing Commercial Chemical Substances LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>	DOT: US Depai	tment of Transportation	-			
LINCS: European List of Notified Chemical Substances AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
AS: Chemical Abstracts Service (division of the American Chemical Society) FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit periritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>	EINECS: Europ	ean Inventory of Existing C	ommercial Chemical S	ubstances		
FPA: National Fire Protection Association (USA) MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PVB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit Arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>	ELINCS: Europ	an List of Notified Chemica	al Substances			
MIS: Hazardous Materials Identification System (USA) OC: Volatile Organic Compounds (USA, EU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>				nical Society)		
OC: Volatile Organic Compounds (USA, ÉU) BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
BT: Persistent, Bioaccumulative and Toxic PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>			• • • •			
PvB: very Persistent and very Bioaccumulative IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
IOSH: National Institute for Occupational Safety SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
SHA: Occupational Safety & Health LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
LV: Threshold Limit Value EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>			Safety			
EL: Permissible Exposure Limit EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
EL: Recommended Exposure Limit ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
ye irritation 2A: Serious eye damage/eye irritation – Category 2A arcinogenicity 1A: Carcinogenicity – Category 1A <b>Data compared to the previous version altered.</b>						
arcinogenicity 1A: Carcinogenicity – Category 1A Data compared to the previous version altered.			irritation Category 2/	1		
Data compared to the previous version altered.				1		
• •						
		area to the previous	version allefed.			